model_streets_scnd_degree_dist





c(‘Moran I statistic standard deviate‘ = 17.1437343761647)
3.50032806598422e−66
c(‘Moran I statistic‘ = 0.114771171813456, Expectation = −0.000122835032551284, Variance = 0.0000449142231617724)
greater
Moran I test under randomisation
y_filled
weights: weights_list
n reduced by no−neighbour observations

list(name = "streets_scnd_degree_dist", grid = list(add_streets = TRUE, add_nationalparks = TRUE, add_waterways = TRUE, cell_size = 5000), model = list(dates_t

model_streets_first_degree_dist





c(‘Moran I statistic standard deviate‘ = 17.3985753825448)
4.22901942613075e−68
c(‘Moran I statistic‘ = 0.17194010269736, Expectation = −0.000122835032551284, Variance = 0.0000978018993128168)
greater
Moran I test under randomisation
y_filled
weights: weights_list
n reduced by no−neighbour observations

list(name = "streets_scnd_degree_dist", grid = list(add_streets = TRUE, add_nationalparks = TRUE, add_waterways = TRUE, cell_size = 5000), model = list(dates_t

model_wo_streets_scnd_degree_dist





c(‘Moran I statistic standard deviate‘ = 24.5738947401542)
1.20128717386616e−133
c(‘Moran I statistic‘ = 0.194111330191366, Expectation = −0.000186880956830499, Variance = 0.0000625157746488569)
greater
Moran I test under randomisation
y_filled
weights: weights_list
n reduced by no−neighbour observations

list(name = "wo_streets_scnd_degree_dist", grid = list(add_streets = FALSE, add_nationalparks = TRUE, add_waterways = TRUE, cell_size = 5000), model = list(dat

model_wo_streets_first_degree_no_dist





c(‘Moran I statistic standard deviate‘ = 30.205857077077)
9.9208182098966e−201
c(‘Moran I statistic‘ = 0.221612083157126, Expectation = −0.000186880956830499, Variance = 0.0000539183633065948)
greater
Moran I test under randomisation
y_filled
weights: weights_list
n reduced by no−neighbour observations

list(name = "wo_streets_first_degree_no_dist", grid = list(add_streets = FALSE, add_nationalparks = TRUE, add_waterways = TRUE, cell_size = 5000), model = list(

odel_wo_streets_first_degree_no_dist_cov_total_lag_lead_events_fatalit





c(‘Moran I statistic standard deviate‘ = 21.0171853178706)
2.28363755572884e−98
c(‘Moran I statistic‘ = 0.235771429437016, Expectation = −0.000186880956830499, Variance = 0.000126043788459876)
greater
Moran I test under randomisation
y_filled
weights: weights_list
n reduced by no−neighbour observations

list(name = "wo_streets_first_degree_dist_cov_total_lag_lead_events_fatalities", grid = list(add_streets = FALSE, add_nationalparks = TRUE, add_waterways = TRU

model_streets_first_degree_no_dist_cov_total_lag_lead_events_fatalitie





c(‘Moran I statistic standard deviate‘ = 17.1437343761647)
3.50032806598422e−66
c(‘Moran I statistic‘ = 0.114771171813456, Expectation = −0.000122835032551284, Variance = 0.0000449142231617724)
greater
Moran I test under randomisation
y_filled
weights: weights_list
n reduced by no−neighbour observations

list(name = "streets_first_degree_no_dist_cov_total_lag_lead_events_fatalities", grid = list(add_streets = TRUE, add_nationalparks = TRUE, add_waterways = TRUE

odel_streets_scnd_degree_no_dist_cov_total_lag_lead_events_fatalitie





c(‘Moran I statistic standard deviate‘ = 24.5738947401542)
1.20128717386616e−133
c(‘Moran I statistic‘ = 0.194111330191366, Expectation = −0.000186880956830499, Variance = 0.0000625157746488569)
greater
Moran I test under randomisation
y_filled
weights: weights_list
n reduced by no−neighbour observations

list(name = "streets_first_degree_no_dist_cov_total_lag_lead_events_fatalities", grid = list(add_streets = FALSE, add_nationalparks = TRUE, add_waterways = TRU