



Project Filmception

Artificial Intelligence

Submitted by: Laaibah Qayyum, Ali Imran

Roll number: 22i1604, 22i1568

Date: 7th May 2025



Table of Contents

1. Data Preprocessing and Cleaning	3
a) Summary Extraction and Cleaning	3
Removing Special Characters, Stopwords, and Redundant Spaces	3
Lowercasing the Text to Standardize It.....	3
Tokenization.....	3
Stemming/Lemmatization	3
Removing Non-Relevant Words like Numbers and Punctuations	4
b) Metadata Extraction	5
2. Text Translation and Audio Conversion	5
a) Text Translation	5
b) Audio Conversion	8
3. Movie Genre Prediction Model.....	9
a) Feature Extraction: SBERT Embeddings.....	9
b) Models Trained	10
c) Label Processing.....	10
d) Evaluation:	12
e) Confusion Matrices:	13
4. Interactive User Interface (Menu-Based System).....	15



National University of Computer and Emerging Sciences

Islamabad Campus

1. Data Preprocessing and Cleaning

a) Summary Extraction and Cleaning

Removing Special Characters, Stopwords, and Redundant Spaces

- **Special characters** (e.g., @, #, %, *, etc.) are removed using **regular expressions (re.sub)** as they do not carry semantic value in most NLP tasks.
- **Stopwords**, which are high-frequency words (like “the”, “is”, “and”) that do not contribute to meaningful content, are removed using **NLTK’s stopwords list** to reduce noise and dimensionality.
- **Redundant spaces** (extra spaces, tabs, etc.) are normalized using regex or Python’s string methods (split() + join()), ensuring uniform formatting.
- Cleans the text of irrelevant characters and formats it uniformly to prepare for tokenization and feature extraction.

Lowercasing the Text to Standardize It

- All text is converted to **lowercase** using .lower() to avoid treating the same words in different cases as separate tokens (e.g., Apple ≠ apple).
- Standardization improves the accuracy of word frequency analysis and model generalization.

Tokenization

- **Tokenization** is the process of splitting a sentence or document into individual units (tokens), usually words or phrases.
- Performed using **NLTK’s word_tokenize()** or Python’s split() method.
- Example: "The dog ran fast." → ['the', 'dog', 'ran', 'fast'].
- Splits text into tokens by whitespace.
- Strips punctuation before splitting.

Stemming/Lemmatization

- **Stemming** reduces words to their root by chopping off suffixes (e.g., running → run) but may not yield valid words.
- Instead of rough stemming (which may create non-real words), **lemmatization** is used for more accurate, dictionary-based root word conversion.
- **Lemmatization** is preferred for better accuracy, as it uses vocabulary and morphological analysis to return base forms (e.g., was → be, better → good).
- Tool: WordNetLemmatizer from NLTK.



National University of Computer and Emerging Sciences Islamabad Campus

- Requires POS tagging for best results.
- Reduces word variation to its base form, improving matching and reducing vocabulary size.

Removing Non-Relevant Words like Numbers and Punctuations

- **Numerical data** and **punctuation marks** are removed using regular expressions and Python's string.punctuation list. In our code we are removing numbers, punctuations and stop words (like "is", "the", "and").
- These elements rarely contribute meaningful information to tasks like **genre classification** and add unnecessary complexity to the feature space.
- Removes noise that doesn't help in identifying themes or genres and simplifies the text for model training.

```
Enter the path to your movie summary dataset file: plot_summaries.txt
Data loaded successfully. Shape: (42303, 2)
Processing summaries...
Processing complete. 42303 summaries processed.
```

Processing Statistics:

```
Total summaries processed: 42303
Average original summary length: 1784.03 characters
Average original words per summary: 310.74 words
Average processed summary length: 1149.27 characters
Average processed words per summary: 166.26 words
Size reduction: 35.58%
```

Vocabulary Statistics:

```
Total words in all processed summaries: 7033099
Unique words (vocabulary size): 128000
Vocabulary richness (unique words / total words): 0.0182
```

Sample of processed summaries:

```
=====
Movie ID: 15479813
-----
Original Summary:
Chutki is an enormous fan of Bollywood film star Madhuri Dixit and pines for the chance to follow in her idol's footsteps. As she makes her wish known to her parents, she learns that her parents have other plans for her that include an arranged marriage. Fortunately, Chutki's best friend Raja shares her dreams and offers to marry her so that the two can work together on Chutki's acting career. Just as soon as the two small-town innocents arrive in Mumbai, they learn some serious lessons about the hardships of the profession, as well as discover the numerous wannabes that are in direct competition with Chutki.
-----
Processed Summary:
chutki enormous fan bollywood star madhuri dixit pine chance follow idol footstep make wish known parent learns parent plan include arranged marriage fortunately chutki best friend raja share dream offer marry two work together chutki acting career soon two small town innocent arrive mumbai learn serious lesson hardship profession well discover numerous wannabe direct competition chutki
=====
```

National University of Computer and Emerging Sciences Islamabad Campus

b) Metadata Extraction


In this step, the code reads the `movie.metadata.tsv` file and selects only the necessary columns: the movie ID and the genres. The genres are stored in a stringified dictionary format, where each movie can have multiple genre labels (multi-label format). These strings are safely converted into Python dictionaries, and the genre names are extracted as lists (e.g., ["Action", "Adventure"]). Movies without any genre data are removed to ensure only valid entries remain.

	A	B	C	D	E	F	G	H	I	J
1	movie_id	processed_summary	genres							
2	23890098	shlykov hard working ta	['Drama', 'World cinema']							
3	31186339	nation panem consists	['Action/Adventure', 'Science Fiction', 'Action', 'Drama']							
4	20663735	poovalli induchoodan s	['Musical', 'Action', 'Drama', 'Bollywood']							
5	2231378	lemon drop kid new yor	['Screwball comedy', 'Comedy']							
6	595909	seventh day adventist cl	['Crime Fiction', 'Drama', 'Docudrama', 'World cinema', 'Courtroom Drama']							
7	5272176	president way give spee	['Thriller', 'Action/Adventure', 'Action', 'Drama']							
8	1952976	plot open young girl dat	['Thriller', 'Drama', 'Horror']							
9	24225279	begin hannah young jev	['Drama', 'Teen']							


2. Text Translation and Audio Conversion

a) Text Translation

- **Language Setup:**
 - A dictionary maps human-readable language names (e.g., Arabic, Urdu, Korean) to their corresponding language codes (e.g., 'ar', 'ur', 'ko'), needed for API requests.
- **Translation Tool:**
 - GoogleTranslator from the `deep_translator` library is used to translate summaries from English to the target languages.
- **Chunking for Long Texts:**
 - If a movie summary exceeds 4000 characters, it's split into smaller chunks (~3500 characters), ideally at sentence boundaries to maintain coherence.
 - Each chunk is translated individually and then concatenated back into a full translation.
- **Error Handling:**
 - Try-except blocks catch exceptions (e.g., rate limits, connection issues) during translation.
 - Logs translation errors per language for easier debugging.
- **Storage:**
 - Translated summaries are saved as `.txt` files inside the `translations/` subdirectory using a consistent naming pattern.



Arabic audio saved to: translated_summaries\audio\4356664_arabic.mp3



National University of Computer and Emerging Sciences

Islamabad Campus

Enter the movie summary to translate:
(You can paste the entire text at once, or type it line by line)
(Press Enter twice when finished)

Set in Los Angeles, following a few officers in the Los Angeles Police Department in April 1992, Dark Blue takes place from a few days before to during the acquittal of four officers in the beating of black motorist Rodney King and the subsequent L.A. riots. The movie begins with some of the footage of the Rodney King beatings and then switches to a scene showing Sergeant Eldon Perry pacing around in a motel room. He grabs a shotgun and pistol, and then the movie cuts to a scene with two men in a car, five days earlier. The two men, Darryl Orchard and Gary Sidwell, appear to be robbing a convenience store, when they are actually after a safe in the room above the store. In the process, four people are murdered, and one severely wounded. The story then shifts to Detective Bobby Keough, who is in a Gun Board hearing in relation to an application of deadly force. His partner, Perry, defends him, and the two leave. Perry, Keough, and Jack Van Meter are all sitting in a room when they find out that Keough is exonerated. Jack Van Meter is Keough and Perry's superior and a man of poor moral character—he often has his subordinates fabricate stories and evidence. It is later discovered that Perry killed the man that the Gun Board thinks Keough killed, meaning Perry and Keough perjured themselves earlier. Later that night Van Meter goes to Orchard and Sidwell's house and takes the money the two stole from the safe, indicating that the two work for him. That night Keough is shown having sex with a woman who is also a police officer; the relationship is casual, and they do not reveal their surnames to one another. The next morning Van Meter tells Perry and Keough to investigate the convenience store murder-robbery. Their investigation ends with them finding Orchard and Sidwell as lead suspects; when this is brought to Van Meter, he tells them to pin it on someone else and provides a false alibi for Orchard and Sidwell. Meanwhile, Assistant Chief Arthur Holland finds Perry's actions suspicious and also does not believe Keough killed the man he was charged with killing at the Gun Board hearing. He asks his assistant Sergeant Roth Williamson, who has a mutual fling with Keough, to help him when William

```
import pandas as pd
```

Enter an identifier for this summary (default: movie_summary): LAPTOP

Processing summary with ID: LAPTOP

Summary length: 5301 characters

Original summary saved to: translated_summaries\translations\LAPTOP_original.txt

Translating to Arabic...

Translating chunk 1/2 (3480 chars)...

Translating chunk 2/2 (1821 chars)...

Arabic translation complete (3819 characters)

Arabic translation saved to: translated_summaries\translations\LAPTOP_arabic.txt

Converting to Arabic audio...

Arabic audio saved to: translated_summaries\audio\LAPTOP_arabic.mp3

Translating to Urdu...

Translating chunk 1/2 (3480 chars)...

Translating chunk 2/2 (1821 chars)...


Urdu translation complete (5015 characters)

```
import pandas as pd
```

Arabic Translation:

من بضعة أيام إلى خلال تبرة أربعة ضباط في ضرب سائق السيارات الأسود رودني Dark Blue في لوس أنجلوس ، في أعقاب عدد قليل من الضباط في قسم شرطة لوس أنجلوس في أبريل 1992 ، فيلم Dark Blue يقع اللاحقة. يبدأ الفيلم بعض لقطات ضربات رودني كينغ ثم يتحول إلى مشهد يظهر الرقيب إدون بيرى يسير في غرفة موبيل. بسلك بنقيع ومسند ، ثم يقطع الفيلم مشهدا مع رجلين في سيارة ، قبل خمسة أيام L.A. كينغ وأربعة م. بينو أن الرجلان ، دارييل أوركارد و غاري سيدويل ، يسرقان متجرا ، عندما يكونان في الواقع أنما في الغرفة فوق المتجر. في هذه العملية ، يتم قتل أربعة أشخاص ، وجرح جريح شديد. تنتقل القصة بعد ذلك إلى المحقق بوب في غرفة عندما يكتشفون أن Jack Van Meter و Perry و Keough ، الذي هو في جلسة استماع في مجلس الأسلحة فيما يتعلق بتطبيق القوة الممنوعة. شريكه ، بيرى ، يدافع عنه ، ويغادر الاثنان. يجلس كل من تبرى. جاك فان متر هو كيو وبيري متوقفة ورجل ذي شخصية أخلاقية فقيرة - غالبا ما يكون لديه مروضيه يصنعون القصص والأدلة. واكتشف فيما بعد أن بيرى قتل الرجل أن لوحة السلاح يعتقد أن كيو قد قتلت ، Keough مما يعني أن بيرى وشيوف بنوران في وقت سابق. مع وجود امرأة ضابط شرطة. تجد هولندا تصرفات بيرى مشبوهة ولا تعتمد أيضا أن كيو قتل الرجل الذي وجهت إليه تهمة القتل في جلسة استماع مجلس الأسلحة. يسأل المساء في وقت لاحق من الليل ، بعد الحضور. Keough. تكتشف هوية حبيبها لتكون ، Keough و Perry بسحب الملفات على Williamson د الرقيب بيث ويليامسون ، الذي يعاني من قول متبادل مع كيو ، لمساعته. عندما تقوم منزل السابقين السابقين الذين سيكونون اللاحين الخوفين. واحد من السابقين يهربون ويذهب إلى زقاق خلفي ، ولكن يطارده بيرى وكيوغ. عندما للحاق بالركب ، يخبر ب SWAT ل على متحركة تقنيات مخفية ، يخزو فريق بيرى كيو بقتل الرجل ، لكن كيو يواجه صعوبة في سحب الزناد. في نهاية المطاف ، ومع ذلك ، فإن كيو بقتل الرجل الأبرياء ويهتز بشكل واضح. في وقت لاحق ، يصل بيرى إلى المنزل في منتصف النهار ويرى شاحنة متحركة الذي لا يزال يشعر بالذلول بعد إطلاق النار على رجل غير مسلح بتسول لحياته ، يذهب إلى منزل ويليامسو ، Keough ، 4 خارج منزله. ثلغته زوجته أنها تتركه لرجل آخر. يخبرها بيرى أنها تستطيع الاحتفاظ بالمنزل ، وتترك القيام بهذه المهمة. يدعو فان متر بيرى ويخبره أن هناك شاهد في العنوان 12 Sidwell و Orchard أنه يريد قتل بيرى ويطلق على Van Meter ن ويعترف لها بأنه قتل الرجل تحت أوامر بيرى. خلال هذا الوقت ، يقرر 657 جوليت. في البداية ، بتأرجح بيرى في هذا الاقتراح ، مشيرًا إلى حقيقة أن هذا "الشاهد" لم يكن متورطًا بشكل مباشر ، وأن هذا القتل المقترح سيكون مختلفًا تمامًا. بقتل أخيرًا ، وينتهي المكالمة. يدبر بيرى العنوان 1265 Sidwell. Orchard و Sidwell صدمت بيرى في نهاية المطاف ، في نهاية المطاف ، يقرر تسليح نفسه والتوجه إلى العنوان على أي حال ، ربما قتل 7 Orchard و Sidwell جوليت مع القسم ، ويتم اكتشافه ليكون ضوان يعود إلى بداية الفيلم. اعتقادًا بأنه تم إرسال بيرى من قبل فان متر إلى أوركارد وسيدويل ، كيو وويليامسون يؤدان أيضًا إلى 12657 جوليت. أثناء القيادة هناك ، علموا أن الضباط المتورطين في ضرب رودني كينغ لم يتم إدا من Keough وجميعهم يتوقفون الثلاثة. لا يتم كسر هذا التوقف إلا حيث يتم قتل Williamson و Perry Keough و Sidwell's House ، بيرى Orchard و Sidwell's House نهم وتبدأ المدينة في الانهيار. عند تشغيل زاوية بالقرب من

```
import pandas as pd
```

[illegible]


1992 년 4 월 로스 앤젤레스 경찰국의 몇몇 경찰관에 따라 Dark Blue는 흑인 운전자 Rodney King과 그 이후의 L.A. Riots를 구타하는 4 명의 경찰관을 쫓아내는 동안 로스 앤젤레스에 세워진 4 명의 경찰관이 열립니다. 영화는 로디 킹 (Rodney King) 구타의 장면 중 일부로 시작하여 엘론 페리 (Eldon Perry) 상사가 모델 방서 단 건격을 두는 것을 보여주는 장면으로 전환합니다. 그는 신단 통과 권리를 들고 영화는 5 일 전에 자동차에서 남자와 함께 장면에 자릅니다. Darryl Orchard와 Gary Sidwell은 두 남자는 실제로 가짜 위장의 방에서 안전을 겪을 때 편의점을 강탈하는 것으로 보입니다. 그 과정에서 4 명이 살해 당하고 한 명은 심하게 부상을 입었습니다. 그런 다음 이 이야기는 지명적인 힘의 적용과 관련하여 총기 폭력이라는 Bobby Keough 형사로 전환합니다. 그의 파트너 인 페리는 그들을 방어하고 두 휴가를 부여합니다. Perry, Keough 및 Jack Van Meter는 Keough가 퇴장되어 있음을 알 때 방에 앉아 있습니다. Jack Van Meter는 Keough와 Perry의 우열이 가난한 도덕적 인물을 가진 사람은 종종 그의 부하 직원들에게 이야기와 증거를 제작했습니다. 나중에 Perry는 Gun Board가 Keough가 죽었다고 생각한다는 사실을 알게되었습니다. Perry와 Keough는 일찍 스스로와 일도와 Sidwell의 집에서 돈을 가져갔습니다. 경찰관 인 연색상의 선견에는 다음날 아침 자신의 성을 밝히지 않습니다 Arthur Holland는 Perry의 행동을 의심스럽게 생각하고 Keough가 총기 보드 청문회에 살해 혐의의 죄 된 사명을 죽었다고 생각하지 않습니다. 그는 Keough와의 상호 도발을 가진 Beth Williamson 상사에게 그를 도와달라고 요청했다. Williamson이 Perry와 Keough에게 파일을 훔칠 때, 그녀는 연의 정저에서 Keough임을 알게됩니다. 나중에 발견, 결혼한 기소로 수석 영장을 얻은 후, SWAT 팀은 가을 사람들이 될 전 콘의 집을 습격합니다. 전 콘 하나가 탈출하여 필목목으로 들어가지만 Perry와 Keough가 쫓아옵니다. 그들이 따라 잡을 때, 페리는 Keough에게 남자를 죽이라고 지시하여 Keough는 방아쇠를 당기는 데 어려움을 겪고 있습니다. 그러나 궁극적으로 Keough는 무고한 사람을 죽이고 도려 피게 흔들립니다. 나중에 페리는 정오에 집에 도착하여 집 밖에서 움직이는 트랙을 봅니다. 그의 아내 는 그에게 다른 사람을 위해 그를 따라고 있다고 알려줍니다. 페리는 그녀에게 그녀가 집을 지킬 수 있다고 말하고 떠난다. 비무장 남자를 쏘고 난 후에도 산한 한 Keough는 윌리엄슨의 집으로 가서 페리의 명령에 따라 남자를 죽였다고 그녀에게 고백합니다. 이 기간 동안 Van Meter는 Perry를 죽이고 Orchard와 Sidwell에게 일한 한 Keough를 원한다고 결정합니다. Van Meter는 Perry에게 전화를 걸어 주소 12657 Juliet에 주인이 있다고

b) Audio Conversion

- gTTS (Google Text-to-Speech) is used to convert the translated text into .mp3 audio files.
- Language codes for TTS are reused from the translation setup.
- **Chunking for Long Audio:**
 - If the translated text exceeds ~10,000 characters, it's split into smaller chunks (~5000 characters) for TTS processing.
 - Each chunk is converted to a temporary .mp3 file.
- **Audio Merging:**
 - If multiple chunks are generated, ffmpeg (if available) is used to concatenate them into a single .mp3 file.
 - A manual fallback (binary file write) is used if ffmpeg is unavailable.
- **Audio File Storage:**
 - Final audio files are saved in the audio/ subdirectory using a consistent naming convention (e.g., summaryID language.mp3).



National University of Computer and Emerging Sciences Islamabad Campus



3. Movie Genre Prediction Model

Build a multi-label classification model to predict movie genres based on their summaries using SBERT embeddings and machine learning classifiers.

a) Feature Extraction: SBERT Embeddings

Model Used: paraphrase-mpnet-base-v2

Details:

- **SBERT (Sentence-BERT)** is a modification of the BERT architecture that uses a siamese network structure to generate **fixed-size sentence embeddings**.
- The paraphrase-mpnet-base-v2 model is one of the most powerful SBERT variants, trained to capture semantic similarity between sentences.
- It outputs a **768-dimensional dense vector** for each input text.



National University of Computer and Emerging Sciences Islamabad Campus

- Unlike traditional BERT which outputs token-level embeddings, SBERT produces meaningful sentence-level embeddings that can be directly used for downstream tasks like classification or clustering.
- In this project, the movie summaries were passed through the SBERT model to obtain vector representations, which served as the input features for machine learning models.

b) Models Trained


1. **Logistic Regression (One-vs-Rest strategy)**
 - Trained using the SBERT embeddings as input.
 - Handled multi-label output by training a separate binary classifier for each genre.
2. **Multi-Layer Perceptron (MLPClassifier)**
 - Feedforward neural network with one or more hidden layers.
 - Capable of capturing non-linear patterns between movie summaries and genres.

c) Label Processing

In this project, each movie can belong to **multiple genres simultaneously**, such as "Action", "Comedy", and "Sci-Fi". This makes it a **multi-label classification** problem (as opposed to multi-class, where each item belongs to only one class).

Step 1: Selecting Top Genres

- The full dataset may contain dozens of genres, including rare or less meaningful categories.
- To focus the model and reduce noise, only the **top 15 most frequent genres** were selected based on their overall frequency in the dataset.
- This helps avoid class imbalance caused by underrepresented labels and improves model generalization.



Step 2: Binarization Using MultiLabelBinarizer

- The genre labels for each movie are originally in the form of a **list of strings**, such as:
- ["Drama", "Romance", "Thriller"]
- Machine learning models require numerical input. Therefore, these string labels must be converted to a format the model can work with.
- MultiLabelBinarizer from sklearn.preprocessing was used to convert each genre list into a **binary vector**, where:
 - Each position in the vector corresponds to one of the selected 15 genres.
 - A 1 indicates the movie belongs to that genre; a 0 means it doesn't.
- Example:
- ["Drama", "Thriller"] → [1, 0, 0, 1, 0, ..., 0], where the first position could correspond to "Drama" and the fourth to "Thriller".

Output

- After binarization, the final label for each movie is a vector of length 15 (one for each genre).
- These binary vectors are used as target outputs for both the logistic regression and MLP models.



National University of Computer and Emerging Sciences Islamabad Campus

d) Evaluation:

2 models were trained and evaluated:

Logistic Regression (Best F1 Score)

- Accuracy: 2.59% (low - expected for multi-label)
- F1: 0.5509 (best balance of precision/recall)
- Hamming Loss: 0.2185 (22% incorrect labels)

MLP (Neural Network)

- Accuracy: 18.17% (highest)
- F1: 0.4879
- Hamming Loss: 0.1152 (best)

Key Insights:

- **Accuracy is misleading** in multi-label classification (expect low values)
- **Logistic Regression** had the best F1 score (best balance)
- **MLP** had lowest hamming loss (fewest incorrect labels)
- **Threshold optimization** found genre-specific cutoffs (0.4-0.8)

Genre-Specific Performance

Best thresholds per genre:

- **Easiest to predict:** Drama (F1=0.75 @ 0.4 threshold)
- **Hardest to predict:** Indie (F1=0.31 @ 0.6 threshold)
- **High threshold genres:** Family Film, Short Film (need 80% confidence)

Training LogisticRegression...

LogisticRegression - Accuracy: 0.0259, F1: 0.5509

Hamming Loss: 0.2185, LRAP: 0.6704

Training MLPClassifier...

MLPClassifier - Accuracy: 0.1817, F1: 0.4879

Hamming Loss: 0.1152, LRAP: 0.7490



National University of Computer and Emerging Sciences Islamabad Campus

```
Optimizing prediction thresholds for each genre...
Action          : Optimal threshold=0.65, F1=0.5806
Action/Adventure: Optimal threshold=0.65, F1=0.4810
Adventure       : Optimal threshold=0.75, F1=0.5020
Black-and-white: Optimal threshold=0.65, F1=0.4093
Comedy          : Optimal threshold=0.55, F1=0.6108
Crime Fiction   : Optimal threshold=0.65, F1=0.5215
Drama           : Optimal threshold=0.40, F1=0.7504
Family Film     : Optimal threshold=0.80, F1=0.5728
Horror          : Optimal threshold=0.75, F1=0.6963
Indie           : Optimal threshold=0.60, F1=0.3131
Romance Film    : Optimal threshold=0.65, F1=0.5579
Romantic drama  : Optimal threshold=0.75, F1=0.3294
Short Film      : Optimal threshold=0.80, F1=0.6630
Thriller        : Optimal threshold=0.55, F1=0.5549
World cinema    : Optimal threshold=0.60, F1=0.4527
```


```
Saving best model and components...
Model training complete with improved performance!
```

```
Training LogisticRegression...
LogisticRegression - Accuracy: 0.0217, Precision: 0.4533, Recall: 0.7712, F1: 0.5504
LogisticRegression - Hamming Loss: 0.2186 (lower is better), LRAP: 0.6552 (higher is better)
```

e) Confusion Matrices:


Logistic Regression:

National University of Computer and Emerging Sciences Islamabad Campus



MLP Classifier

National University of Computer and Emerging Sciences Islamabad Campus



4. Interactive User Interface (Menu-Based System)



National University of Computer and Emerging Sciences

Islamabad Campus

Movie Genre & Translation App

Enter Movie Summary:

4 years earlier, in 1913, single spinster Miss Bentley enjoyed spending her summer holiday in Lake Como, Italy with her father before World War I started in 1914. The year is now 1937, and her father has recently died. To clear the air after the loss of her father, she's decided to return to Lake Como on her own to spend a month's summer holiday. She soon meets an upstanding bachelor named Major Wilshaw (played by Edward Fox), and sets her interest in him. But soon afterwards, a young American girl named Miss Beaumont arrives, and starts flirting with the Major.

Prediction Threshold: 0.30

Predict Genres

Genre Output:

LogisticRegression Optimized Predictions:
Predicted Genres: Black-and-white, Romance Film, Short Film, Comedy, Family Film
Top 5 Genre Probabilities:
- Black-and-white: 0.0526
- Romance Film: 0.7735
- Short Film: 0.7596
- Comedy: 0.6906
- Family Film: 0.5829

MLPClassifier Predictions:
Predicted Genres: Comedy, Romance Film, Drama
Top 5 Genre Probabilities:

Translation & Audio

Output Directory:

Summary Identifier:

Movie Genre & Translation App

MLPClassifier Predictions:
Predicted Genres: Comedy, Romance Film, Drama
Top 5 Genre Probabilities:

Translation & Audio

Output Directory:

Summary Identifier:

Target Language:

Translation Progress:

Converting to Korean audio.
Korean audio saved to: translated_summaries/audio/movie_summary_korean.mp3
Full translation data saved to: translated_summaries/translations/movie_summary_translations.json

Translation Results:

Korean Translation:

4년 전, 1913년에 싱글 스핀스터 미스 벤틀리는 1914년 제1차 세계 대전이 시작되기 전에 아버지와 함께 이탈리아 코모 호수에서 여름 휴가를 보내는 것을 즐겼습니다. 1937년이 되었으며 아버지는 최근에 사망했습니다. 아버지를 잃은 후 공기를 청소하기 위해, 그녀는 한 달의 여름 휴가를 보내기 위해 혼자서 코모 호수로 돌아 가기로 결정했습니다. 그녀는 곧 Wilshaw 소령 (Edward Fox가 연기 한 후 그녀에게 관심을 갖고, 그 후 곧 Beaumont 미스)라는 젊은 미국인 소녀가 도착하여 메이지와 유혹을 시작합니다.

Korean Audio File: translated_summaries/audio/movie_summary_korean.mp3