


Task-1




Task-2



SCHEMAS
Filter objects
instaclone
phpmyadmin
test
1 CREATE TABLE Users
2 (
3 user_id INT PRIMARY KEY,
4 username VARCHAR(100),
5 email VARCHAR(100),
6 followers_count INT
7);

Task-3


SCHEMAS
Filter objects
instaclone
Tables
users
Columns
user_id
username
email
followers_count
Indexes
Foreign Keys
Triggers
Views
Stored Procedures
Functions
phpmyadmin
test
Limit to 1000 rows
1 INSERT INTO Users (user_id, username, email, followers_count)
2 VALUES
3 (1, 'suraj_micro', 'suraj@gmail.com', 1250),
4 (2, 'rahul_photos', 'rahul@gmail.com', 5420),
5 (3, 'vedika_travels', 'vedika@gmail.com', 3180);
Administration
Schemas
Information
Column: user_id
Definition:
user_id int(11) PK
Object Info
Session
Output
Action Output
Time Action Message
2 17:49:11 CREATE DATABASE InstaClone 1 row(s) affected
3 17:49:38 USE InstaClone 0 row(s) affected
4 17:50:18 CREATE TABLE Users (user_id INT PRIMARY KEY, username VARCHAR(100), email VARCHAR(100), ... 0 row(s) affected
5 17:52:00 CREATE TABLE Users (user_id INT PRIMARY KEY, username VARCHAR(100), email VARCHAR(100), ... Error Code: 1050. Table 'users' already exists
6 17:58:14 INSERT INTO Users (user_id, username, email, followers_count) VALUES (1, 'suraj_micro', 'suraj@gmail.com', 125... 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
Context Help


Navigator
SCHEMAS
Filter objects
instaclone
Tables
users
Columns
user_id
username
email
followers_count
Indexes
Foreign Keys
Triggers
Views
Stored Procedures
Functions
phpmyadmin
test
Query 1
Limit to 1000 rows
1 SELECT * FROM Users;
Result Grid
Filter Rows:
Edit:
Export
user_id username email followers_count
1 suraj_micro suraj@gmail.com 1250
2 rahul_photos rahul@gmail.com 5420
3 vedika_travels vedika@gmail.com 3180
NULL NULL NULL NULL

Task-4


SCHEMAS
Filter objects
instaclone
Tables
posts
users
Views
Stored Procedures
Functions
phpmyadmin
test
Limit to 1000 rows
1 CREATE TABLE Posts
2 (
3 post_id INT PRIMARY KEY,
4 user_id INT,
5 caption VARCHAR(255),
6 post_date DATE,
7
8 FOREIGN KEY (user_id) REFERENCES Users(user_id)
9);
Administration Schemas
Information
No object selected
Object Info Session
Output
Action Output
Time Action Message
4 17:50:18 CREATE TABLE Users (user_id INT PRIMARY KEY, username VARCHAR(100), email VARCHAR(10... 0 row(s) affected
5 17:52:00 CREATE TABLE Users (user_id INT PRIMARY KEY, username VARCHAR(100), email VARCHAR(10... Error Code: 1050. Table 'users' already exists
6 17:58:14 INSERT INTO Users (user_id, username, email, followers_count) VALUES (1, 'suraj_micro', 'suraj@gmail.com', ... 3 row(s) affected Records: 3 Duplicates: 0 Warnings:
7 18:01:49 SELECT * FROM Users LIMIT 0, 1000 3 row(s) returned
8 18:03:02 USE InstaClone 0 row(s) affected
9 18:03:13 CREATE TABLE Posts (post_id INT PRIMARY KEY, user_id INT, caption VARCHAR(255), post_da... 0 row(s) affected

Task-5

MySQL

MySQL is a popular relational database commonly used for web applications and websites. It is widely used with technologies such as PHP and other web-development frameworks. It is suitable for applications ranging from small websites to large online services.

PostgreSQL

PostgreSQL is an open-source relational database known for its advanced features and strong SQL support. It is commonly used in web applications, data-heavy systems, and applications requiring complex queries. It is also popular in scientific and analytical workloads.

Oracle

Oracle Database is a powerful relational database commonly used in large enterprise systems. It is widely used by banks, large companies, government organizations, and other systems that require extensive security, reliability, and scalability.

SQLite

SQLite is a lightweight database that stores the entire database in a single file. It is commonly used in mobile applications, desktop applications, embedded systems, and small applications. It does not require a separate database server.