


Task-1


Navigator
SCHEMAS
Filter objects
instaclone
Tables
foodorder
influencers
orderitems
payments
orders
movies
playlist
playlists
posts
products
restaurant
restaurants
s9_orders
spotifyuser
users
Views
topspendersview
username
order_total
Stored Procedures
Functions
phpmyadmin
SQL File 3*
Limit to 1000 rows
1 SELECT * FROM S9_NewOrders;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
order_id
user_id
order_date
order_total
1
1
2026-09-19
1500.00
NULL
NULL
NULL
NULL


Task-2


Navigator
SCHEMAS
Filter objects
instaclone
Tables
foodorder
influencers
orderitems
payments
orders
movies
playlist
playlists
posts
products
restaurant
restaurants
s9_orders
spotifyuser
users
Views
topspendersview
username
order_total
Stored Procedures
Functions
phpmyadmin
Administration
Schemas
Information
SQL File 3*
Limit to 1000 rows
1 SELECT * FROM S9_NewOrderItems;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
item_id order_id product_name quantity
1 1 Pizza 2
2 1 Burger 1
NULL NULL NULL NULL
S9_NewOrderItems 53
Output


Task-3


SCHEMAS
Filter objects
instaclone
Tables
foodorder
influencers
orderitems
payments
orders
movies
playlist
playlists
posts
products
restaurant
restaurants
s9_orders
spotifyuser
users
Views
topspendersview
username
order_total
Stored Procedures
Functions
phpmyadmin
Administration
Schemas
Limit to 1000
1 SELECT * FROM S9_NewCart;
Result Grid
Filter Rows:
Edit:
cart_id
user_id
product_name
1
1
Headphones
NULL
NULL
NULL

Task-4


Navigator
SCHEMAS
Filter objects
instaclone
Tables
foodorder
influencers
orderitems
payments
orders
movies
playlist
playlists
posts
products
restaurant
restaurants
s9_orders
spotifyuser
users
Views
topspendersview
username
order_total
Stored Procedures
Functions
phpmyadmin
Administration
Schemas
Information
Schema: instaclone
Object Info
Session
SQL File 3*
Limit to 1000 rows
1 SELECT * FROM S9_NewWallet
2 WHERE user_id = 1;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
user_id
balance
1
4000.00
NULL
NULL
S9_NewWallet 59
Output
Action Output
Time Action Message
155 19:40:56 SELECT * FROM S9_NewWallet LIMIT 0, 1000 1 row(s) ret
156 19:41:14 CREATE TABLE IF NOT EXISTS S9_NewTransactions (transaction_id INT PRIMARY KEY AUTO_INCRE... 0 row(s) aff
157 19:41:23 CREATE TRIGGER S9_NewWalletTrigger AFTER INSERT ON S9_NewTransactions FOR EACH ROW BEGI... 0 row(s) aff
158 19:41:33 SELECT * FROM S9_NewWallet WHERE user_id = 1 LIMIT 0, 1000 1 row(s) ret
159 19:42:17 INSERT INTO S9_NewTransactions (user_id, amount) VALUES (1, 1000) 1 row(s) aff
160 19:42:27 SELECT * FROM S9_NewWallet WHERE user_id = 1 LIMIT 0, 1000 1 row(s) ret

Task-5



The buggy trigger deducted the transaction amount twice from the user's wallet. When the wallet had ₹5000 and a ₹1000 transaction was inserted, the balance became ₹3000 instead of ₹4000. I corrected the trigger by subtracting NEW.amount only once. The corrected trigger updates the wallet balance correctly after an expense entry.