

1023. Camelcase Matching

Solved ●

Medium  Topics  Hints

Given an array of strings `queries` and a string `pattern`, return a boolean array `answer` where `answer[i]` is `true` if `queries[i]` matches `pattern`, and `false` otherwise.

A query word `queries[i]` matches `pattern` if you can insert lowercase English letters into the pattern so that it equals the query. You may insert a character at any position in `pattern` or you may choose not to insert any characters **at all**.

Example 1:

Input: `queries = ["FooBar", "FooBarTest", "FootBall", "FrameBuffer", "ForceFeedBack"], pattern = "FB"`
Output: `[true, false, true, true, false]`
Explanation: "FooBar" can be generated like this "F" + "oo" + "B" + "ar".
"FootBall" can be generated like this "F" + "oot" + "B" + "all".
"FrameBuffer" can be generated like this "F" + "rame" + "B" + "uffer".

Example 2:

Input: `queries = ["FooBar", "FooBarTest", "FootBall", "FrameBuffer", "ForceFeedBack"], pattern = "FoBa"`
Output: `[true, false, true, false, false]`
Explanation: "FooBar" can be generated like this "Fo" + "o" + "Ba" + "r".
"FootBall" can be generated like this "Fo" + "ot" + "Ba" + "ll".

Example 3:

Input: `queries = ["FooBar", "FooBarTest", "FootBall", "FrameBuffer", "ForceFeedBack"], pattern = "FoBaT"`
Output: `[false, true, false, false, false]`
Explanation: "FooBarTest" can be generated like this "Fo" + "o" + "Ba" + "r" + "T" + "est".

Constraints:

- `1 <= pattern.length, queries.length <= 100`
- `1 <= queries[i].length <= 100`
- `queries[i]` and `pattern` consist of English letters.

Seen this question in a real interview before? 1/5

Yes No

Accepted 62,683/96.7K | Acceptance Rate 64.8%

Topics	▼
	▼
Hint 1	▼
Hint 2	▼
Hint 3	▼
Discussion (35)	▼