787. Cheapest Flights Within K Stops

Medium 7.5K 329

Companies

There are `n` cities connected by some number of flights. You are given an array `flights` where `flights[i] = [from_i, to_i, price_i]` indicates that there is a flight from city `from_i` to city `to_i` with cost `price_i`.

You are also given three integers `src`, `dst`, and `k`, return ***the cheapest price*** *from* `src` *to* `dst` *with at most* `k` *stops.* If there is no such route, return `-1`.

Example 1:



Input: n = 4, flights = [[0,1,100],[1,2,100],[2,0,100],[1,3,600],[2,3,200]], src = 0, dst = 3, k = 1
Output: 700
Explanation:
The graph is shown above.
The optimal path with at most 1 stop from city 0 to 3 is marked in red and has cost 100 + 600 = 700.
Note that the path through cities [0,1,2,3] is cheaper but is invalid because it uses 2 stops.

Example 2:



Input: n = 3, flights = [[0,1,100],[1,2,100],[0,2,500]], src = 0, dst = 2, k = 1
Output: 200
Explanation:

The graph is shown above.
The optimal path with at most 1 stop from city 0 to 2 is marked in red and has cost 100 + 100 = 200.

Example 3:



Input: n = 3, flights = [[0,1,100],[1,2,100],[0,2,500]], src = 0, dst = 2, k = 0
Output: 500
Explanation:
The graph is shown above.
The optimal path with no stops from city 0 to 2 is marked in red and has cost 500.

Constraints:

- 1 <= n <= 100
- 0 <= flights.length <= (n * (n - 1) / 2)
- flights[i].length == 3
- $0 <= from_i, to_i < n$
- $from_i != to_i$
- $1 <= price_i <= 10^4$
- There will not be any multiple flights between two cities.
- 0 <= src, dst, k < n
- src != dst

Accepted 349.9K Submissions 945.9K Acceptance Rate 37.0%

Seen this question in a real interview before? 1/4

Yes No

Similar Questions

Related Topics