

3926. Count Valid Word Occurrences

Medium 

You are given an array of strings `chunks`. Concatenate all strings in `chunks` in order to form a string `s`.

You are also given an array of strings `queries`.

A **joiner hyphen** is a hyphen character `'-'` in `s` whose previous and next characters both exist and are lowercase English letters.

A **word** is a **maximal substring** of `s` consisting only of lowercase English letters and **joiner hyphens**.

All other characters, including spaces and hyphens that are not **joiner hyphens**, are treated as separators.

Return an integer array `ans`, where `ans[i]` is the number of times `queries[i]` appears as a word in `s`.

Example 1:

Input: `chunks = ["hello wor", "ld hello"], queries = ["hello", "world", "wor"]`

Output: `[2,1,0]`

Explanation:

- After concatenating all strings in `chunks`, `s = "hello world hello"`.
- The words are `"hello"`, `"world"`, and `"hello"`.
- The substring `"wor"` appears inside `"world"`, but it is not a full word.

Example 2:

Input: `chunks = ["a-b a--b ", "a-", "b"], queries = ["a-b", "a", "b"]`

Output: `[2,1,1]`

Explanation:

- After concatenating all strings in `chunks`, `s = "a-b a--b a-b"`.
- In `"a-b"`, the hyphen is a joiner hyphen because it is between two lowercase English letters, so `"a-b"` is one word.
- In `"a--b"`, neither hyphen is a joiner hyphen, so it is split into the words `"a"` and `"b"`.
- Therefore, the words are `"a-b"`, `"a"`, `"b"`, and `"a-b"`.

Example 3:

Input: `chunks = ["-cat dog- mouse"], queries = ["cat", "dog", "mouse", "cat-dog"]`

Output: `[1,1,1,0]`

Explanation:

- After concatenating all strings in `chunks`, `s = "-cat dog- mouse"`.
- The leading hyphen before `"cat"` and the trailing hyphen after `"dog"` are not joiner hyphens, so they are separators.
- The words are `"cat"`, `"dog"`, and `"mouse"`.

Constraints:

- $1 \leq \text{chunks.length} \leq 10^5$
- $1 \leq \text{chunks}[i].\text{length} \leq 10^5$
- The total length of all strings in `chunks` does not exceed 10^5 .
- `chunks[i]` consists only of lowercase English letters, spaces, and `'-'`.
- $1 \leq \text{queries.length} \leq 10^5$
- $1 \leq \text{queries}[i].\text{length} \leq 10^5$
- The total length of all strings in `queries` does not exceed 10^5 .
- `queries[i]` consists only of lowercase English letters and `'-'`.
- `queries[i]` is a valid word: it does not start or end with `'-'`, and it does not contain two consecutive hyphens.

Seen this question in a real interview before? 1/6

Yes No

Accepted 19,337 / 41.9K | Acceptance Rate 46.2%

Topics	▼
	▼
Discussion (47)	▼

Copyright © 2026 LeetCode. All rights reserved.