

LeetCode

Explore

Problems

Interview

Contest

Discuss

Store

LeetCode is hiring! Apply NOW.

17

Description

Solution

Discuss (181)

Submissions

i

Java

Autocomplete

i

{ }

↺

↻

↗

484. Find Permutation

Medium

565

99

Add to List

Share

A permutation `perm` of `n` integers of all the integers in the range `[1, n]` can be represented as a string `s` of length `n - 1` where:

- `s[i] == 'I'` if `perm[i] < perm[i + 1]`, and
- `s[i] == 'D'` if `perm[i] > perm[i + 1]`.

Given a string `s`, reconstruct the lexicographically smallest permutation `perm` and return it.

Example 1:

Input: `s = "I"`

Output: `[1,2]`

Explanation: `[1,2]` is the only legal permutation that can represented by `s`, where the number 1 and 2 construct an increasing relationship.

Example 2:

Input: `s = "DI"`

Output: `[2,1,3]`

Explanation: Both `[2,1,3]` and `[3,1,2]` can be represented as "DI", but since we want to find the smallest lexicographical permutation, you should return `[2,1,3]`

Constraints:

- `1 <= s.length <= 105`
- `s[i]` is either `'I'` or `'D'`.

Accepted 30,223

Submissions 46,308

Seen this question in a real interview before?

Yes

No

Companies

i

Related Topics

1

2

3

4

5

class Solution {

public int[] findPermutation(String s) {

}

}

Problems

Pick One

<

Prev

Next>

96

Console

Contribute i

Run Code ^

Submit

https://leetcode.com/problems/find-permutation/

1/1