2599. Make the Prefix Sum Non-negative Premium

Solved ●

Medium Topics Companies Hint

You are given a **0-indexed** integer array `nums`. You can apply the following operation any number of times:

- Pick any element from `nums` and put it at the end of `nums`.

The prefix sum array of `nums` is an array `prefix` of the same length as `nums` such that `prefix[i]` is the sum of all the integers `nums[j]` where `j` is in the inclusive range `[0, i]`.

Return *the minimum number of operations such that the prefix sum array does not contain negative integers*. The test cases are generated such that it is always possible to make the prefix sum array non-negative.

Example 1:

> **Input:** nums = [2,3,-5,4]
> **Output:** 0
> **Explanation:** we do not need to do any operations.
> The array is [2,3,-5,4]. The prefix sum array is [2, 5, 0, 4].

Example 2:

> **Input:** nums = [3,-5,-2,6]
> **Output:** 1
> **Explanation:** we can do one operation on index 1.
> The array after the operation is [3,-2,6,-5]. The prefix sum array is [3, 1, 7, 2].

Constraints:

- `1 <= nums.length <= 10^5`
- `-10^9 <= nums[i] <= 10^9`

Seen this question in a real interview before? 1/5

Yes No

Accepted **7.4K** Submissions **14.4K** Acceptance Rate **51.7%**

Topics

Companies

Hint 1

Hint 2

Similar Questions

Discussion (9)