

LeetCode

Explore

Problems

Interview

Contest

Discuss

Store

LeetCode is hiring! Apply NOW.

0

Description

Solution

Discuss (648)

Submissions

i

Java

Autocomplete

i

{ }

↺

↻

⌕

164. Maximum Gap

Hard

2234

299

Add to List

Share

Given an integer array `nums` , return *the maximum difference between two successive elements in its sorted form* . If the array contains less than two elements, return `0` .

You must write an algorithm that runs in linear time and uses linear extra space.

Example 1:

Input: `nums = [3,6,9,1]`

Output: `3`

Explanation: The sorted form of the array is `[1,3,6,9]`, either `(3,6)` or `(6,9)` has the maximum difference `3`.

Example 2:

Input: `nums = [10]`

Output: `0`

Explanation: The array contains less than 2 elements, therefore return `0`.

Constraints:

- `1 <= nums.length <= 105`
- `0 <= nums[i] <= 109`

Accepted 144,323

Submissions 344,795

Seen this question in a real interview before?

Yes

No

Companies

i

Related Topics

Similar Questions

1

2

3

4

5

class Solution {

public int maximumGap(int[] nums) {

}

}

⋮

⋮

Problems

Pick One

< Prev

164/2330

Next >

Console

Contribute i

▶ Run Code ^

Submit

https://leetcode.com/problems/maximum-gap/

1/1