Loading...

Missing Numbers ☆

Numeros the Artist had two lists that were permutations of one another. He was very proud. Unfortunately, while transporting them from one exhibition to another, some numbers were lost out of the first list. Can you find the missing numbers?

Notes

- If a number occurs multiple times in the lists, you must ensure that the frequency of that number in both lists is the same. If that is not the case, then it is also a missing number.
- You have to print all the missing numbers in ascending order.
- Print each missing number once, even if it is missing multiple times.
- The difference between maximum and minimum number in the second list is less than or equal to 100.

Input Format

There will be four lines of input:

n - the size of the first list, arr

The next line contains n space-separated integers arr_i

m - the size of the second list, brr

The next line contains m space-separated integers brr_i

Constraints

- $1 \leq n, m \leq 2 \times 10^5$
- $n \leq m$
- $1 \leq x \leq 10^4, x \in B$
- $Xmax - Xmin < 101$

Output Format

Output the missing numbers in ascending order.

Sample Input

```
10
203 204 205 206 207 208 203 204 205 206
13
203 204 204 205 206 207 205 208 203 206 205 206 204
```

Sample Output

```
204 205 206
```

Explanation

204 is present in both arrays. Its frequency in arr is 2, while its frequency in brr is 3. Similarly, 205 and 206 occur twice in arr, but three times in brr. The rest of the numbers have the

Author HackerRank
Difficulty Easy
Max Score 45
Submitted By 40297

NEED HELP?
View discussions
View editorial
View top submissions

RESOURCES
Caching

RATE THIS CHALLENGE
☆ ☆ ☆ ☆ ☆

MORE DETAILS
Download problem statement
Download sample test cases
Suggest Edits

same frequencies in both lists.

Current Buffer (saved locally, editable) Java 7

```
import java.io.*;
import java.util.*;
import java.text.*;
import java.math.*;
import java.util.regex.*;

public class Solution {

    static int[] missingNumbers(int[] arr, int[] brr) {
        // Complete this function
    }

    public static void main(String[] args) {
        Scanner in = new Scanner(System.in);
        int n = in.nextInt();
        int[] arr = new int[n];
        for(int arr_i = 0; arr_i < n; arr_i++){
            arr[arr_i] = in.nextInt();
        }
        int m = in.nextInt();
        int[] brr = new int[n];
        for(int brr_i = 0; brr_i < n; brr_i++){
            brr[brr_i] = in.nextInt();
        }
        int[] result = missingNumbers(arr, brr);
        for (int i = 0; i < result.length; i++) {
            System.out.print(result[i] + (i != result.length - 1 ? " "
: ""));
        }
        System.out.println("");


        in.close();
    }
}
```

Line: 1 Col: 1

Upload Code as File Test against custom input Run Code Submit Code