

Description

Solution

Discuss (121)

Submissions

i

Java

Autocomplete

i

{ }

899. Orderly Queue

Hard 401 294 Add to List Share

You are given a string `s` and an integer `k` . You can choose one of the first `k` letters of `s` and append it at the end of the string..

Return *the lexicographically smallest string you could have after applying the mentioned step any number of moves*.

Example 1:

Input: `s = "cba", k = 1`

Output: `"acb"`

Explanation:

In the first move, we move the 1st character 'c' to the end, obtaining the string "bac".

In the second move, we move the 1st character 'b' to the end, obtaining the final result "acb".

Example 2:

Input: `s = "baaca", k = 3`

Output: `"aaabc"`

Explanation:

In the first move, we move the 1st character 'b' to the end, obtaining the string "aacab".

In the second move, we move the 3rd character 'c' to the end, obtaining the final result "aaabc".

Constraints:

- `1 <= k <= s.length <= 1000`
- `s` consist of lowercase English letters.

Accepted 17,915

Submissions 30,983

Seen this question in a real interview before?

Yes

No

Companies

Related Topics

1

2

3

4

5

class Solution {

public String orderlyQueue(String s, int k) {

}

}

Problems

Pick One

< Prev

26

Next >

Console

Contribute

Run Code

Submit

https://leetcode.com/problems/orderly-queue/1/1