

LeetCode

Explore

Problems

Interview

Contest

Discuss

Store

LeetCode is hiring! Apply NOW.

Description

Solution

Discuss (966)

Submissions

i

Java

Autocomplete

i

{}

↶

↷

↺

1288. Remove Covered Intervals

Medium

1745

42

Add to List

Share

Given an array `intervals` where `intervals[i] = [li, ri]` represent the interval `[li, ri)`, remove all intervals that are covered by another interval in the list.

The interval `[a, b)` is covered by the interval `[c, d)` if and only if `c <= a` and `b <= d`.

Return the number of remaining intervals.

Example 1:

Input: `intervals = [[1,4],[3,6],[2,8]]`

Output: 2

Explanation: Interval `[3,6]` is covered by `[2,8]`, therefore it is removed.

Example 2:

Input: `intervals = [[1,4],[2,3]]`

Output: 1

Constraints:

- `1 <= intervals.length <= 1000`
- `intervals[i].length == 2`
- `0 <= li <= ri <= 105`
- All the given intervals are **unique**.

Accepted 89,152

Submissions 154,586

Seen this question in a real interview before?

Yes

No

Companies

i

Related Topics

Show Hint 1

Show Hint 2

1

2

3

4

5

class Solution {

public int removeCoveredIntervals(int[][] intervals) {

}

}

Problems

Pick One

Prev

1288/2183

Next

Console

Contribute i

Run Code

Submit

https://leetcode.com/problems/remove-covered-intervals/

1/1