3407. Substring Matching Pattern

Solved ●

Easy   🏷 Topics   🏢 Companies   💡 Hint

You are given a string `s` and a pattern string `p`, where `p` contains **exactly one** `'*'` character.

The `'*'` in `p` can be replaced with any sequence of zero or more characters.

Return `true` if `p` can be made a [substring](#) of `s`, and `false` otherwise.

Example 1:

> **Input:** s = "leetcode", p = "ee*e"
>
> **Output:** true
>
> **Explanation:**
>
> By replacing the `'*'` with `"tcod"`, the substring `"eetcode"` matches the pattern.

Example 2:

> **Input:** s = "car", p = "c*v"
>
> **Output:** false
>
> **Explanation:**
>
> There is no substring matching the pattern.

Example 3:

> **Input:** s = "luck", p = "u*"
>
> **Output:** true
>
> **Explanation:**
>
> The substrings `"u"`, `"uc"`, and `"uck"` match the pattern.

Constraints:

- `1 <= s.length <= 50`
- `1 <= p.length <= 50`
- `s` contains only lowercase English letters.
- `p` contains only lowercase English letters and exactly one `'*'`

Seen this question in a real interview before?   1/5

Yes   No

Accepted **27.2K**   Submissions **103.8K**   Acceptance Rate **26.2%**

Topics   ⌄

Companies   ⌄

Hint 1 ⌄

Similar Questions ⌄

Discussion (72) ⌄