

19.03.22, 11:46

Validate Stack Sequences - LeetCode

LeetCode

Explore

Problems

Interview

Contest

Discuss

Store

LeetCode is hiring! Apply NOW.

Description

Solution

Discuss (999+)

Submissions

i

JavaAutocomplete

i{}↶⌛↷

946. Validate Stack Sequences

Medium👍 3452🗨 60❤️ Add to List🔖 Share

Given two integer arrays `pushed` and `popped` each with distinct values, return `true` if this could have been the result of a sequence of push and pop operations on an initially empty stack, or `false` otherwise.

Example 1:

Input: `pushed = [1,2,3,4,5]`, `popped = [4,5,3,2,1]`
Output: `true`
Explanation: We might do the following sequence:
`push(1)`, `push(2)`, `push(3)`, `push(4)`,
`pop()` -> 4,
`push(5)`,
`pop()` -> 5, `pop()` -> 3, `pop()` -> 2, `pop()` -> 1

Example 2:

Input: `pushed = [1,2,3,4,5]`, `popped = [4,3,5,1,2]`
Output: `false`
Explanation: 1 cannot be popped before 2.

Constraints:

- `1 <= pushed.length <= 1000`
- `0 <= pushed[i] <= 1000`
- All the elements of `pushed` are **unique**.
- `popped.length == pushed.length`
- `popped` is a permutation of `pushed`.

Accepted 172,011Submissions 254,854

Seen this question in a real interview before?

Yes

No

Companies🔖 i

Related Topics

1

2

3

4

5

class Solution {

public boolean validateStackSequences(int[] pushed, int[] popped) {

}

}

⌵

Problems

✂

Pick One

<

Prev

946/2205

Next

>

Console

Contribute i

▶

Run Code

Submit

1/1