

Ok en fait laisse-moi t'expliquer. J'ai une application REACT et node js. J'ai une base de données avec laquelle cette application interagit avec des règles très précises en fonction Trigger etc. elle a aussi des données incluses dedans qui sont essentielles lorsqu'on démarre l'application. Le backend est dans le dossier Backend. Pour le démarrer je ne fais que npm start dans le dossier Backend. Pour démarrer le frontend je ne fais que me mettre à la racine du projet et j'exécute la commande npm run dev. Je veux que le backend et le frontend ainsi que la base de données soient dans 3 containers différents et qu'il communique tous ensemble afin de faire un fonctionnement propre. Ma base de données est déjà dans un point initial, c'est-à-dire dans un état où elle devrait être lors de la création du nouveaux serveurs de cette application (création des 3 containers qui communiquent ensemble) les 3 fonctionnent parfaitement lorsque je les run comme il faut.

Voici la hiérarchie du dossier, la base de données est dans un container docker mais j'aimerais créer un nouveau container de base de données lorsque je démarre un nouveau serveur de cette application :

wizcolas@Purple-Neon:/mnt/c/Users/nicol/Desktop/softghost\$ tree

```
.
├── Backend
│   ├── Dockerfile.backend
│   ├── db.js
│   ├── docker-compose.yml
│   ├── emailer.js
│   ├── formationController.js
│   ├── formationInstanceController.js
│   └── node_modules
│       ├── accepts
│       │   ├── HISTORY.md
│       │   ├── LICENSE
│       │   ├── README.md
│       │   ├── index.js
│       │   └── package.json
│       ├── array-flatten
│       └── LICENSE
```

```
| | | | |— README.md
| | | | |— array-flatten.js
| | | | |— package.json
| | | |— body-parser
| | | | |— HISTORY.md
| | | | |— LICENSE
| | | | |— README.md
| | | | |— index.js
| | | | |— lib
| | | | |— read.js
| | | | |— types
| | | | |— json.js
| | | | |— raw.js
| | | | |— text.js
| | | | |— urlencoded.js
| | | | |— utils.js
| | | |— node_modules
| | | | |— debug
| | | | |— LICENSE
| | | | |— README.md
| | | | |— package.json
| | | | |— src
| | | | |— browser.js
| | | | |— common.js
| | | | |— index.js
| | | | |— node.js
| | | |— media-typer
| | | | |— HISTORY.md
| | | | |— LICENSE
| | | | |— README.md
| | | | |— index.js
| | | | |— package.json
| | | |— mime-db
| | | | |— HISTORY.md
| | | | |— LICENSE
| | | | |— README.md
| | | | |— db.json
| | | | |— index.js
| | | | |— package.json
| | | |— mime-types
```

```
| | | | | |— HISTORY.md
| | | | | |— LICENSE
| | | | | |— README.md
| | | | | |— index.js
| | | | | |— mimeScore.js
| | | | | |— package.json
| | | | |— ms
| | | | | |— index.js
| | | | | |— license.md
| | | | | |— package.json
| | | | | |— readme.md
| | | | |— qs
| | | | | |— CHANGELOG.md
| | | | | |— LICENSE.md
| | | | | |— README.md
| | | | | |— dist
| | | | | |— qs.js
| | | | |— lib
| | | | | |— formats.js
| | | | | |— index.js
| | | | | |— parse.js
| | | | | |— stringify.js
| | | | | |— utils.js
| | | | |— package.json
| | | | |— test
| | | | | |— empty-keys-cases.js
| | | | | |— parse.js
| | | | | |— stringify.js
| | | | | |— utils.js
| | | | |— type-is
| | | | | |— HISTORY.md
| | | | | |— LICENSE
| | | | | |— README.md
| | | | | |— index.js
| | | | | |— package.json
| | | | |— package.json
| | | |— bytes
| | | |— History.md
| | | |— LICENSE
| | | |— Readme.md
```

```
| | | |— index.js
| | | |— package.json
| | | |— call-bind-apply-helpers
| | | |— CHANGELOG.md
| | | |— LICENSE
| | | |— README.md
| | | |— actualApply.d.ts
| | | |— actualApply.js
| | | |— applyBind.d.ts
| | | |— applyBind.js
| | | |— functionApply.d.ts
| | | |— functionApply.js
| | | |— functionCall.d.ts
| | | |— functionCall.js
| | | |— index.d.ts
| | | |— index.js
| | | |— package.json
| | | |— reflectApply.d.ts
| | | |— reflectApply.js
| | | |— test
| | | |— |— index.js
| | | |— |— tsconfig.json
| | | |— call-bound
| | | |— |— CHANGELOG.md
| | | |— |— LICENSE
| | | |— |— README.md
| | | |— |— index.d.ts
| | | |— |— index.js
| | | |— |— package.json
| | | |— |— test
| | | |— |— |— index.js
| | | |— |— |— tsconfig.json
| | | |— content-disposition
| | | |— |— HISTORY.md
| | | |— |— LICENSE
| | | |— |— README.md
| | | |— |— index.js
| | | |— |— package.json
| | | |— content-type
| | | |— HISTORY.md
```

```
| | | |— LICENSE
| | | |— README.md
| | | |— index.js
| | | |— package.json
| | |— cookie
| | | |— LICENSE
| | | |— README.md
| | | |— SECURITY.md
| | | |— index.js
| | | |— package.json
| | |— cookie-signature
| | | |— History.md
| | | |— Readme.md
| | | |— index.js
| | | |— package.json
| | |— cors
| | | |— CONTRIBUTING.md
| | | |— HISTORY.md
| | | |— LICENSE
| | | |— README.md
| | | |— lib
| | | | |— index.js
| | | |— package.json
| | |— debug
| | | |— CHANGELOG.md
| | | |— LICENSE
| | | |— Makefile
| | | |— README.md
| | | |— component.json
| | | |— karma.conf.js
| | | |— node.js
| | | |— package.json
| | | |— src
| | | | |— browser.js
| | | | |— debug.js
| | | | |— index.js
| | | | |— inspector-log.js
| | | | |— node.js
| | |— depd
| | |— History.md
```

```
| | | |— LICENSE
| | | |— Readme.md
| | | |— index.js
| | | |— lib
| | | |   |— browser
| | | |     |— index.js
| | | |   |— package.json
| | | |— destroy
| | | |— LICENSE
| | | |— README.md
| | | |— index.js
| | | |— package.json
| | | |— dotenv
| | | |— CHANGELOG.md
| | | |— LICENSE
| | | |— README-es.md
| | | |— README.md
| | | |— SECURITY.md
| | | |— config.d.ts
| | | |— config.js
| | | |— lib
| | | |   |— cli-options.js
| | | |   |— env-options.js
| | | |   |— main.d.ts
| | | |   |— main.js
| | | |   |— package.json
| | | |— dunder-proto
| | | |— CHANGELOG.md
| | | |— LICENSE
| | | |— README.md
| | | |— get.d.ts
| | | |— get.js
| | | |— package.json
| | | |— set.d.ts
| | | |— set.js
| | | |— test
| | | |   |— get.js
| | | |   |— index.js
| | | |   |— set.js
| | | |— tsconfig.json
```

- ee-first
 - LICENSE
 - README.md
 - index.js
 - package.json
- encodeurl
 - LICENSE
 - README.md
 - index.js
 - package.json
- es-define-property
 - CHANGELOG.md
 - LICENSE
 - README.md
 - index.d.ts
 - index.js
 - package.json
 - test
 - index.js
 - tsconfig.json
- es-errors
 - CHANGELOG.md
 - LICENSE
 - README.md
 - eval.d.ts
 - eval.js
 - index.d.ts
 - index.js
 - package.json
 - range.d.ts
 - range.js
 - ref.d.ts
 - ref.js
 - syntax.d.ts
 - syntax.js
 - test
 - index.js
 - tsconfig.json
 - type.d.ts
 - type.js

```
| | | | | uri.d.ts
| | | | | └─ uri.js
| | | | |
| | | | | └─ es-object-atoms
| | | | |   └─ CHANGELOG.md
| | | | |   └─ LICENSE
| | | | |   └─ README.md
| | | | |   └─ RequireObjectCoercible.d.ts
| | | | |   └─ RequireObjectCoercible.js
| | | | |   └─ ToObject.d.ts
| | | | |   └─ ToObject.js
| | | | |   └─ index.d.ts
| | | | |   └─ index.js
| | | | |   └─ isObject.d.ts
| | | | |   └─ isObject.js
| | | | |   └─ package.json
| | | | |   └─ test
| | | | |     └─ index.js
| | | | |     └─ tsconfig.json
| | | | | └─ escape-html
| | | | |   └─ LICENSE
| | | | |   └─ Readme.md
| | | | |   └─ index.js
| | | | |   └─ package.json
| | | | | └─ etag
| | | | |   └─ HISTORY.md
| | | | |   └─ LICENSE
| | | | |   └─ README.md
| | | | |   └─ index.js
| | | | |   └─ package.json
| | | | | └─ express
| | | | |   └─ History.md
| | | | |   └─ LICENSE
| | | | |   └─ Readme.md
| | | | |   └─ index.js
| | | | |   └─ lib
| | | | |     └─ application.js
| | | | |     └─ express.js
| | | | |     └─ middleware
| | | | |       └─ init.js
| | | | |       └─ query.js
```



```
| | | | | | request.js
| | | | | | response.js
| | | | | | router
| | | | | | | index.js
| | | | | | | layer.js
| | | | | | | route.js
| | | | | | | utils.js
| | | | | | | view.js
| | | | | | node_modules
| | | | | | | body-parser
| | | | | | | | HISTORY.md
| | | | | | | | LICENSE
| | | | | | | | README.md
| | | | | | | | SECURITY.md
| | | | | | | | index.js
| | | | | | | | lib
| | | | | | | | | read.js
| | | | | | | | | types
| | | | | | | | | | json.js
| | | | | | | | | | raw.js
| | | | | | | | | | text.js
| | | | | | | | | | urlencoded.js
| | | | | | | | package.json
| | | | | | | iconv-lite
| | | | | | | | Changelog.md
| | | | | | | | LICENSE
| | | | | | | | README.md
| | | | | | | | encodings
| | | | | | | | | dbcs-codec.js
| | | | | | | | | dbcs-data.js
| | | | | | | | | index.js
| | | | | | | | | internal.js
| | | | | | | | | sbcs-codec.js
| | | | | | | | | sbcs-data-generated.js
| | | | | | | | | sbcs-data.js
| | | | | | | | | tables
| | | | | | | | | | big5-added.json
| | | | | | | | | | cp936.json
| | | | | | | | | | cp949.json
| | | | | | | | | | cp950.json
```

```
| | | | | | | | | eucjp.json
| | | | | | | | | gb18030-ranges.json
| | | | | | | | | gbk-added.json
| | | | | | | | | shiftjis.json
| | | | | | | | | utf16.js
| | | | | | | | | utf7.js
| | | | | | | | | lib
| | | | | | | | | bom-handling.js
| | | | | | | | | extend-node.js
| | | | | | | | | index.d.ts
| | | | | | | | | index.js
| | | | | | | | | streams.js
| | | | | | | | | package.json
| | | | | | | | | raw-body
| | | | | | | | | HISTORY.md
| | | | | | | | | LICENSE
| | | | | | | | | README.md
| | | | | | | | | SECURITY.md
| | | | | | | | | index.d.ts
| | | | | | | | | index.js
| | | | | | | | | package.json
| | | | | | | | | package.json
| | | | | | | | | finalhandler
| | | | | | | | | HISTORY.md
| | | | | | | | | LICENSE
| | | | | | | | | README.md
| | | | | | | | | SECURITY.md
| | | | | | | | | index.js
| | | | | | | | | package.json
| | | | | | | | | forwarded
| | | | | | | | | HISTORY.md
| | | | | | | | | LICENSE
| | | | | | | | | README.md
| | | | | | | | | index.js
| | | | | | | | | package.json
| | | | | | | | | fresh
| | | | | | | | | HISTORY.md
| | | | | | | | | LICENSE
| | | | | | | | | README.md
| | | | | | | | | index.js
```

```
| | | └─ package.json
| | | └─ function-bind
| | |   └─ CHANGELOG.md
| | |   └─ LICENSE
| | |   └─ README.md
| | |   └─ implementation.js
| | |   └─ index.js
| | |   └─ package.json
| | |   └─ test
| | |     └─ index.js
| | | └─ get-intrinsic
| | |   └─ CHANGELOG.md
| | |   └─ LICENSE
| | |   └─ README.md
| | |   └─ index.js
| | |   └─ package.json
| | |   └─ test
| | |     └─ GetIntrinsic.js
| | | └─ get-proto
| | |   └─ CHANGELOG.md
| | |   └─ LICENSE
| | |   └─ Object.getPrototypeOf.d.ts
| | |   └─ Object.getPrototypeOf.js
| | |   └─ README.md
| | |   └─ Reflect.getPrototypeOf.d.ts
| | |   └─ Reflect.getPrototypeOf.js
| | |   └─ index.d.ts
| | |   └─ index.js
| | |   └─ package.json
| | |   └─ test
| | |     └─ index.js
| | |     └─ tsconfig.json
| | | └─ gopd
| | |   └─ CHANGELOG.md
| | |   └─ LICENSE
| | |   └─ README.md
| | |   └─ gOPD.d.ts
| | |   └─ gOPD.js
| | |   └─ index.d.ts
| | |   └─ index.js
```

```
| | | |— package.json
| | | |— test
| | | |   |— index.js
| | | |   |— tsconfig.json
| | | |— has-symbols
| | | |— CHANGELOG.md
| | | |— LICENSE
| | | |— README.md
| | | |— index.d.ts
| | | |— index.js
| | | |— package.json
| | | |— shams.d.ts
| | | |— shams.js
| | | |— test
| | | |   |— index.js
| | | |   |— shams
| | | |     |— core-js.js
| | | |     |— get-own-property-symbols.js
| | | |   |— tests.js
| | | |   |— tsconfig.json
| | | |— hasown
| | | |— CHANGELOG.md
| | | |— LICENSE
| | | |— README.md
| | | |— index.d.ts
| | | |— index.js
| | | |— package.json
| | | |   |— tsconfig.json
| | | |— http-errors
| | | |— HISTORY.md
| | | |— LICENSE
| | | |— README.md
| | | |— index.js
| | | |   |— package.json
| | | |— iconv-lite
| | | |— Changelog.md
| | | |— LICENSE
| | | |— README.md
| | | |— encodings
| | | |   |— dbcs-codec.js
```

```
| | | | |— dbcs-data.js
| | | | |— index.js
| | | | |— internal.js
| | | | |— sbcs-codec.js
| | | | |— sbcs-data-generated.js
| | | | |— sbcs-data.js
| | | | |— tables
| | | | |— big5-added.json
| | | | |— cp936.json
| | | | |— cp949.json
| | | | |— cp950.json
| | | | |— eucjp.json
| | | | |— gb18030-ranges.json
| | | | |— gbk-added.json
| | | | |— shiftjis.json
| | | | |— utf16.js
| | | | |— utf32.js
| | | | |— utf7.js
| | | | |— lib
| | | | |— bom-handling.js
| | | | |— index.d.ts
| | | | |— index.js
| | | | |— streams.js
| | | | |— package.json
| | | |— inherits
| | | |— LICENSE
| | | |— README.md
| | | |— inherits.js
| | | |— inherits_browser.js
| | | |— package.json
| | | |— ipaddr.js
| | | |— LICENSE
| | | |— README.md
| | | |— ipaddr.min.js
| | | |— lib
| | | |— ipaddr.js
| | | |— ipaddr.js.d.ts
| | | |— package.json
| | | |— math-intrinsics
| | | |— CHANGELOG.md
```

```
| | | |— LICENSE
| | | |— README.md
| | | |— abs.d.ts
| | | |— abs.js
| | | |— constants
| | | | |— maxLength.d.ts
| | | | |— maxLength.js
| | | | |— maxSafeInteger.d.ts
| | | | |— maxSafeInteger.js
| | | | |— maxValue.d.ts
| | | | |— maxValue.js
| | | |— floor.d.ts
| | | |— floor.js
| | | |— isFinite.d.ts
| | | |— isFinite.js
| | | |— isInteger.d.ts
| | | |— isInteger.js
| | | |— isNaN.d.ts
| | | |— isNaN.js
| | | |— isNegativeZero.d.ts
| | | |— isNegativeZero.js
| | | |— max.d.ts
| | | |— max.js
| | | |— min.d.ts
| | | |— min.js
| | | |— mod.d.ts
| | | |— mod.js
| | | |— package.json
| | | |— pow.d.ts
| | | |— pow.js
| | | |— round.d.ts
| | | |— round.js
| | | |— sign.d.ts
| | | |— sign.js
| | | |— test
| | | | |— index.js
| | | | |— tsconfig.json
| | | — media-typer
| | | |— HISTORY.md
| | | |— LICENSE
```

```
| | | |— README.md
| | | |— index.js
| | | |— package.json
| | |— merge-descriptors
| | | |— HISTORY.md
| | | |— LICENSE
| | | |— README.md
| | | |— index.js
| | | |— package.json
| | |— methods
| | | |— HISTORY.md
| | | |— LICENSE
| | | |— README.md
| | | |— index.js
| | | |— package.json
| | |— mime
| | | |— CHANGELOG.md
| | | |— LICENSE
| | | |— README.md
| | | |— cli.js
| | | |— mime.js
| | | |— package.json
| | | |— src
| | | | |— build.js
| | | | |— test.js
| | | |— types.json
| | |— mime-db
| | | |— HISTORY.md
| | | |— LICENSE
| | | |— README.md
| | | |— db.json
| | | |— index.js
| | | |— package.json
| | |— mime-types
| | | |— HISTORY.md
| | | |— LICENSE
| | | |— README.md
| | | |— index.js
| | | |— package.json
| | |— ms
```

```
| | | | |— index.js
| | | | |— license.md
| | | | |— package.json
| | | | |— readme.md
| | | |— negotiator
| | | |— HISTORY.md
| | | |— LICENSE
| | | |— README.md
| | | |— index.js
| | | |— lib
| | | | |— charset.js
| | | | |— encoding.js
| | | | |— language.js
| | | | |— mediaType.js
| | | |— package.json
| | | |— nodemailer
| | | |— CHANGELOG.md
| | | |— CODE_OF_CONDUCT.md
| | | |— LICENSE
| | | |— README.md
| | | |— SECURITY.txt
| | | |— eslint.config.js
| | | |— lib
| | | | |— addressparser
| | | | | |— index.js
| | | | |— base64
| | | | | |— index.js
| | | | |— dkim
| | | | | |— index.js
| | | | | |— message-parser.js
| | | | | |— relaxed-body.js
| | | | | |— sign.js
| | | | |— fetch
| | | | | |— cookies.js
| | | | | |— index.js
| | | | |— json-transport
| | | | | |— index.js
| | | | |— mail-composer
| | | | | |— index.js
| | | |— mailer
```



```
| | | | | | |— index.js
| | | | | | |— mail-message.js
| | | | | | |— mime-funcs
| | | | | | |— index.js
| | | | | | |— mime-types.js
| | | | | | |— mime-node
| | | | | | |— index.js
| | | | | | |— last-newline.js
| | | | | | |— le-unix.js
| | | | | | |— le-windows.js
| | | | | | |— nodemailer.js
| | | | | | |— punycode
| | | | | | |— index.js
| | | | | | |— qp
| | | | | | |— index.js
| | | | | | |— sendmail-transport
| | | | | | |— index.js
| | | | | | |— ses-transport
| | | | | | |— index.js
| | | | | | |— shared
| | | | | | |— index.js
| | | | | | |— smtp-connection
| | | | | | |— data-stream.js
| | | | | | |— http-proxy-client.js
| | | | | | |— index.js
| | | | | | |— smtp-pool
| | | | | | |— index.js
| | | | | | |— pool-resource.js
| | | | | | |— smtp-transport
| | | | | | |— index.js
| | | | | | |— stream-transport
| | | | | | |— index.js
| | | | | | |— well-known
| | | | | | |— index.js
| | | | | | |— services.json
| | | | | | |— xoauth2
| | | | | | |— index.js
| | | | | | |— package.json
| | | | | | |— object-assign
| | | | | | |— index.js
```

```
| | | |— license
| | | |— package.json
| | | |— readme.md
| | |— object-inspect
| | | |— CHANGELOG.md
| | | |— LICENSE
| | | |— example
| | | | |— all.js
| | | | |— circular.js
| | | | |— fn.js
| | | | |— inspect.js
| | | |— index.js
| | | |— package-support.json
| | | |— package.json
| | | |— readme.markdown
| | | |— test
| | | | |— bigint.js
| | | | |— browser
| | | | | |— dom.js
| | | | |— circular.js
| | | | |— deep.js
| | | | |— element.js
| | | | |— err.js
| | | | |— fakes.js
| | | | |— fn.js
| | | | |— global.js
| | | | |— has.js
| | | | |— holes.js
| | | | |— indent-option.js
| | | | |— inspect.js
| | | | |— lowbyte.js
| | | | |— number.js
| | | | |— quoteStyle.js
| | | | |— toStringTag.js
| | | | |— undef.js
| | | | |— values.js
| | | |— test-core-js.js
| | | |— util.inspect.js
| | |— on-finished
| | |— HISTORY.md
```

```
| | | | | LICENSE
| | | | | README.md
| | | | | index.js
| | | | | package.json
| | | | |
| | | | | parseurl
| | | | |
| | | | | HISTORY.md
| | | | | LICENSE
| | | | | README.md
| | | | | index.js
| | | | | package.json
| | | | |
| | | | | path-to-regexp
| | | | |
| | | | | LICENSE
| | | | | Readme.md
| | | | | index.js
| | | | | package.json
| | | | |
| | | | | pg
| | | | |
| | | | | LICENSE
| | | | | README.md
| | | | | esm
| | | | |   |
| | | | |   | index.mjs
| | | | |
| | | | | lib
| | | | |
| | | | |   |
| | | | |   | client.js
| | | | |   | connection-parameters.js
| | | | |   | connection.js
| | | | |   | crypto
| | | | |   |   |
| | | | |   |   | cert-signatures.js
| | | | |   |   | sasl.js
| | | | |   |   | utils-legacy.js
| | | | |   |   | utils-webcrypto.js
| | | | |   |   |
| | | | |   |   | utils.js
| | | | |   |
| | | | |   | defaults.js
| | | | |   | index.js
| | | | |   | native
| | | | |   |   |
| | | | |   |   | client.js
| | | | |   |   | index.js
| | | | |   |   | query.js
| | | | |   |
| | | | |   | query.js
| | | | |   | result.js
| | | | |   | stream.js
| | | | |   |
| | | | |   | type-overrides.js
```

```
| | | |   └─ utils.js
| | | |   └─ package.json
| | | └─ pg-cloudflare
| | |   └─ LICENSE
| | |   └─ README.md
| | |   └─ dist
| | |     └─ empty.d.ts
| | |     └─ empty.js
| | |     └─ empty.js.map
| | |     └─ index.d.ts
| | |     └─ index.js
| | |     └─ index.js.map
| | |   └─ esm
| | |     └─ index.mjs
| | |   └─ package.json
| | |   └─ src
| | |     └─ empty.ts
| | |     └─ index.ts
| | |     └─ types.d.ts
| | └─ pg-connection-string
| |   └─ LICENSE
| |   └─ README.md
| |   └─ esm
| |     └─ index.mjs
| |   └─ index.d.ts
| |   └─ index.js
| |   └─ package.json
| └─ pg-int8
|   └─ LICENSE
|   └─ README.md
|   └─ index.js
|   └─ package.json
└─ pg-pool
  └─ LICENSE
  └─ README.md
  └─ esm
    └─ index.mjs
  └─ index.js
  └─ package.json
└─ pg-protocol
```

```
| | | |— LICENSE
| | | |— README.md
| | | |— dist
| | | |   |— b.d.ts
| | | |   |— b.js
| | | |   |— b.js.map
| | | |   |— buffer-reader.d.ts
| | | |   |— buffer-reader.js
| | | |   |— buffer-reader.js.map
| | | |   |— buffer-writer.d.ts
| | | |   |— buffer-writer.js
| | | |   |— buffer-writer.js.map
| | | |   |— inbound-parser.test.d.ts
| | | |   |— inbound-parser.test.js
| | | |   |— inbound-parser.test.js.map
| | | |   |— index.d.ts
| | | |   |— index.js
| | | |   |— index.js.map
| | | |   |— messages.d.ts
| | | |   |— messages.js
| | | |   |— messages.js.map
| | | |   |— outbound-serializer.test.d.ts
| | | |   |— outbound-serializer.test.js
| | | |   |— outbound-serializer.test.js.map
| | | |   |— parser.d.ts
| | | |   |— parser.js
| | | |   |— parser.js.map
| | | |   |— serializer.d.ts
| | | |   |— serializer.js
| | | |   |— serializer.js.map
| | | |— esm
| | | |   |— index.js
| | | |— package.json
| | | |— src
| | | |   |— b.ts
| | | |   |— buffer-reader.ts
| | | |   |— buffer-writer.ts
| | | |   |— inbound-parser.test.ts
| | | |   |— index.ts
| | | |   |— messages.ts
```

```
| | | |— outbound-serializer.test.ts
| | | |— parser.ts
| | | |— serializer.ts
| | | |— testing
| | | | |— buffer-list.ts
| | | | |— test-buffers.ts
| | | |— types
| | | | |— chunky.d.ts
| | |— pg-types
| | | |— Makefile
| | | |— README.md
| | | |— index.d.ts
| | | |— index.js
| | | |— index.test-d.ts
| | | |— lib
| | | | |— arrayParser.js
| | | | |— binaryParsers.js
| | | | |— builtins.js
| | | | |— textParsers.js
| | | |— package.json
| | | |— test
| | | | |— index.js
| | | | |— types.js
| | |— pgpass
| | | |— README.md
| | | |— lib
| | | | |— helper.js
| | | | |— index.js
| | | |— package.json
| | |— postgres-array
| | | |— index.d.ts
| | | |— index.js
| | | |— license
| | | |— package.json
| | | |— readme.md
| | |— postgres-bytea
| | | |— index.js
| | | |— license
| | | |— package.json
| | | |— readme.md
```

```
| | | └─ postgres-date
| | |   └─ index.js
| | |   └─ license
| | |   └─ package.json
| | |   └─ readme.md
| | | └─ postgres-interval
| | |   └─ index.d.ts
| | |   └─ index.js
| | |   └─ license
| | |   └─ package.json
| | |   └─ readme.md
| | | └─ proxy-addr
| | |   └─ HISTORY.md
| | |   └─ LICENSE
| | |   └─ README.md
| | |   └─ index.js
| | |   └─ package.json
| | | └─ qs
| | |   └─ CHANGELOG.md
| | |   └─ LICENSE.md
| | |   └─ README.md
| | |   └─ dist
| | |       └─ qs.js
| | |   └─ lib
| | |       └─ formats.js
| | |       └─ index.js
| | |       └─ parse.js
| | |       └─ stringify.js
| | |       └─ utils.js
| | |   └─ package.json
| | |   └─ test
| | |       └─ empty-keys-cases.js
| | |       └─ parse.js
| | |       └─ stringify.js
| | |       └─ utils.js
| | | └─ range-parser
| | |   └─ HISTORY.md
| | |   └─ LICENSE
| | |   └─ README.md
| | |   └─ index.js
```

```

├── package.json
├── raw-body
├── HISTORY.md
├── LICENSE
├── README.md
├── SECURITY.md
├── index.d.ts
├── index.js
├── node_modules
│   ├── iconv-lite
│   │   ├── Changelog.md
│   │   ├── LICENSE
│   │   ├── README.md
│   │   ├── encodings
│   │   │   ├── dbcs-codec.js
│   │   │   ├── dbcs-data.js
│   │   │   ├── index.js
│   │   │   ├── internal.js
│   │   │   ├── sbcs-codec.js
│   │   │   ├── sbcs-data-generated.js
│   │   │   ├── sbcs-data.js
│   │   │   └── tables
│   │   │       ├── big5-added.json
│   │   │       ├── cp936.json
│   │   │       ├── cp949.json
│   │   │       ├── cp950.json
│   │   │       ├── eucjp.json
│   │   │       ├── gb18030-ranges.json
│   │   │       ├── gbk-added.json
│   │   │       └── shiftjis.json
│   │   ├── utf16.js
│   │   ├── utf32.js
│   │   └── utf7.js
│   └── lib
│       ├── bom-handling.js
│       ├── helpers
│       │   └── merge-exports.js
│       ├── index.d.ts
│       ├── index.js
│       └── streams.js

```



```
| | | |   └─ package.json
| | | |   └─ package.json
| | | |   └─ safe-buffer
| | | |   └─ LICENSE
| | | |   └─ README.md
| | | |   └─ index.d.ts
| | | |   └─ index.js
| | | |   └─ package.json
| | | |   └─ safer-buffer
| | | |   └─ LICENSE
| | | |   └─ Porting-Buffer.md
| | | |   └─ Readme.md
| | | |   └─ dangerous.js
| | | |   └─ package.json
| | | |   └─ safer.js
| | | |   └─ tests.js
| | | |   └─ send
| | | |   └─ HISTORY.md
| | | |   └─ LICENSE
| | | |   └─ README.md
| | | |   └─ SECURITY.md
| | | |   └─ index.js
| | | |   └─ node_modules
| | | |   └─ └─ encodeurl
| | | |   └─ |   └─ HISTORY.md
| | | |   └─ |   └─ LICENSE
| | | |   └─ |   └─ README.md
| | | |   └─ |   └─ index.js
| | | |   └─ |   └─ package.json
| | | |   └─ └─ ms
| | | |   └─ |   └─ index.js
| | | |   └─ |   └─ license.md
| | | |   └─ |   └─ package.json
| | | |   └─ |   └─ readme.md
| | | |   └─ └─ package.json
| | | |   └─ └─ serve-static
| | | |   └─ └─ HISTORY.md
| | | |   └─ └─ LICENSE
| | | |   └─ └─ README.md
| | | |   └─ └─ index.js
```

```
| | |   └─ package.json
| | |   └─ setprototypeof
| | |   └─ LICENSE
| | |   └─ README.md
| | |   └─ index.d.ts
| | |   └─ index.js
| | |   └─ package.json
| | |   └─ test
| | |       └─ index.js
| | |   └─ side-channel
| | |       └─ CHANGELOG.md
| | |       └─ LICENSE
| | |       └─ README.md
| | |       └─ index.d.ts
| | |       └─ index.js
| | |       └─ package.json
| | |       └─ test
| | |           └─ index.js
| | |           └─ tsconfig.json
| | |   └─ side-channel-list
| | |       └─ CHANGELOG.md
| | |       └─ LICENSE
| | |       └─ README.md
| | |       └─ index.d.ts
| | |       └─ index.js
| | |       └─ list.d.ts
| | |       └─ package.json
| | |       └─ test
| | |           └─ index.js
| | |           └─ tsconfig.json
| | |   └─ side-channel-map
| | |       └─ CHANGELOG.md
| | |       └─ LICENSE
| | |       └─ README.md
| | |       └─ index.d.ts
| | |       └─ index.js
| | |       └─ package.json
| | |       └─ test
| | |           └─ index.js
| | |           └─ tsconfig.json
```

```
| | | — side-channel-weakmap
| | | | — CHANGELOG.md
| | | | — LICENSE
| | | | — README.md
| | | | — index.d.ts
| | | | — index.js
| | | | — package.json
| | | | — test
| | | | | — index.js
| | | | | — tsconfig.json
| | | — split2
| | | | — LICENSE
| | | | — README.md
| | | | — bench.js
| | | | — index.js
| | | | — package.json
| | | | | — test.js
| | | — statuses
| | | | — HISTORY.md
| | | | — LICENSE
| | | | — README.md
| | | | — codes.json
| | | | — index.js
| | | | | — package.json
| | | — toidentifier
| | | | — HISTORY.md
| | | | — LICENSE
| | | | — README.md
| | | | — index.js
| | | | | — package.json
| | | — type-is
| | | | — HISTORY.md
| | | | — LICENSE
| | | | — README.md
| | | | — index.js
| | | | | — package.json
| | | — unpipe
| | | | — HISTORY.md
| | | | — LICENSE
| | | | — README.md
```

```
| | | |— index.js
| | | |— package.json
| | | |— utils-merge
| | | |— LICENSE
| | | |— README.md
| | | |— index.js
| | | |— package.json
| | | |— vary
| | | |— HISTORY.md
| | | |— LICENSE
| | | |— README.md
| | | |— index.js
| | | |— package.json
| | | |— xtend
| | | |— LICENSE
| | | |— README.md
| | | |— immutable.js
| | | |— mutable.js
| | | |— package.json
| | | |— test.js
| | |— package-lock.json
| | |— package.json
| | |— reservationController.js
| | |— routes
| | | |— formations.js
| | |— server.js
| | |— test-db.js
| |— Backend_Test
| | |— emailer.js
| |— README.md
| |— eslint.config.js
| |— index.html
| |— node_modules
| | |— @babel
| | | |— code-frame
| | | |— LICENSE
| | | |— README.md
| | | |— lib
| | | | |— index.js
| | | | |— index.js.map
```

```

├── package.json
├── compat-data
├── LICENSE
├── README.md
├── corejs2-built-ins.js
├── corejs3-shipped-proposals.js
├── data
│   ├── corejs2-built-ins.json
│   ├── corejs3-shipped-proposals.json
│   ├── native-modules.json
│   ├── overlapping-plugins.json
│   ├── plugin-bugfixes.json
│   └── plugins.json
├── native-modules.js
├── overlapping-plugins.js
├── package.json
├── plugin-bugfixes.js
├── plugins.js
├── core
│   ├── LICENSE
│   ├── README.md
│   └── lib
│       ├── config
│       │   ├── cache-contexts.js
│       │   ├── cache-contexts.js.map
│       │   ├── caching.js
│       │   ├── caching.js.map
│       │   ├── config-chain.js
│       │   ├── config-chain.js.map
│       │   ├── config-descriptors.js
│       │   ├── config-descriptors.js.map
│       │   └── files
│       │       ├── configuration.js
│       │       ├── configuration.js.map
│       │       ├── import.cjs
│       │       ├── import.cjs.map
│       │       ├── index-browser.js
│       │       ├── index-browser.js.map
│       │       ├── index.js
│       │       └── index.js.map

```

```
| | | | | | | |— module-types.js
| | | | | | | |— module-types.js.map
| | | | | | | |— package.js
| | | | | | | |— package.js.map
| | | | | | | |— plugins.js
| | | | | | | |— plugins.js.map
| | | | | | | |— types.js
| | | | | | | |— types.js.map
| | | | | | | |— utils.js
| | | | | | | |— utils.js.map
| | | | | | |— full.js
| | | | | | |— full.js.map
| | | | | | |— helpers
| | | | | | | |— config-api.js
| | | | | | | |— config-api.js.map
| | | | | | | |— deep-array.js
| | | | | | | |— deep-array.js.map
| | | | | | | |— environment.js
| | | | | | | |— environment.js.map
| | | | | | |— index.js
| | | | | | |— index.js.map
| | | | | | |— item.js
| | | | | | |— item.js.map
| | | | | | |— partial.js
| | | | | | |— partial.js.map
| | | | | | |— pattern-to-regex.js
| | | | | | |— pattern-to-regex.js.map
| | | | | | |— plugin.js
| | | | | | |— plugin.js.map
| | | | | | |— printer.js
| | | | | | |— printer.js.map
| | | | | | |— resolve-targets-browser.js
| | | | | | |— resolve-targets-browser.js.map
| | | | | | |— resolve-targets.js
| | | | | | |— resolve-targets.js.map
| | | | | | |— util.js
| | | | | | |— util.js.map
| | | | | | |— validation
| | | | | | | |— option-assertions.js
| | | | | | | |— option-assertions.js.map
```

```
| | | | | |— options.js
| | | | | |— options.js.map
| | | | | |— plugins.js
| | | | | |— plugins.js.map
| | | | | |— removed.js
| | | | | |— removed.js.map
| | | | | |— errors
| | | | | |— config-error.js
| | | | | |— config-error.js.map
| | | | | |— rewrite-stack-trace.js
| | | | | |— rewrite-stack-trace.js.map
| | | | | |— gensync-utils
| | | | | |— async.js
| | | | | |— async.js.map
| | | | | |— fs.js
| | | | | |— fs.js.map
| | | | | |— functional.js
| | | | | |— functional.js.map
| | | | | |— index.js
| | | | | |— index.js.map
| | | | | |— parse.js
| | | | | |— parse.js.map
| | | | | |— parser
| | | | | |— index.js
| | | | | |— index.js.map
| | | | | |— util
| | | | | |— missing-plugin-helper.js
| | | | | |— missing-plugin-helper.js.map
| | | | | |— tools
| | | | | |— build-external-helpers.js
| | | | | |— build-external-helpers.js.map
| | | | | |— transform-ast.js
| | | | | |— transform-ast.js.map
| | | | | |— transform-file-browser.js
| | | | | |— transform-file-browser.js.map
| | | | | |— transform-file.js
| | | | | |— transform-file.js.map
| | | | | |— transform.js
| | | | | |— transform.js.map
| | | | | |— transformation
```

```
| | | | | | |— block-hoist-plugin.js
| | | | | | |— block-hoist-plugin.js.map
| | | | | | |— file
| | | | | | |— babel-7-helpers.cjs
| | | | | | |— babel-7-helpers.cjs.map
| | | | | | |— file.js
| | | | | | |— file.js.map
| | | | | | |— generate.js
| | | | | | |— generate.js.map
| | | | | | |— merge-map.js
| | | | | | |— merge-map.js.map
| | | | | | |— index.js
| | | | | | |— index.js.map
| | | | | | |— normalize-file.js
| | | | | | |— normalize-file.js.map
| | | | | | |— normalize-opts.js
| | | | | | |— normalize-opts.js.map
| | | | | | |— plugin-pass.js
| | | | | | |— plugin-pass.js.map
| | | | | | |— util
| | | | | | |— clone-deep.js
| | | | | | |— clone-deep.js.map
| | | | | | |— vendor
| | | | | | |— import-meta-resolve.js
| | | | | | |— import-meta-resolve.js.map
| | | | | | |— package.json
| | | | | | |— src
| | | | | | |— config
| | | | | | |— files
| | | | | | |— index-browser.ts
| | | | | | |— index.ts
| | | | | | |— resolve-targets-browser.ts
| | | | | | |— resolve-targets.ts
| | | | | | |— transform-file-browser.ts
| | | | | | |— transform-file.ts
| | | | | | |— generator
| | | | | | |— LICENSE
| | | | | | |— README.md
| | | | | | |— lib
| | | | | | |— buffer.js
```



```
| | | | | — buffer.js.map
| | | | | — generators
| | | | |   | — base.js
| | | | |   | — base.js.map
| | | | |   | — classes.js
| | | | |   | — classes.js.map
| | | | |   | — deprecated.js
| | | | |   | — deprecated.js.map
| | | | |   | — expressions.js
| | | | |   | — expressions.js.map
| | | | |   | — flow.js
| | | | |   | — flow.js.map
| | | | |   | — index.js
| | | | |   | — index.js.map
| | | | |   | — jsx.js
| | | | |   | — jsx.js.map
| | | | |   | — methods.js
| | | | |   | — methods.js.map
| | | | |   | — modules.js
| | | | |   | — modules.js.map
| | | | |   | — statements.js
| | | | |   | — statements.js.map
| | | | |   | — template-literals.js
| | | | |   | — template-literals.js.map
| | | | |   | — types.js
| | | | |   | — types.js.map
| | | | |   | — typescript.js
| | | | |   | — typescript.js.map
| | | | | — index.js
| | | | | — index.js.map
| | | | | — node
| | | | |   | — index.js
| | | | |   | — index.js.map
| | | | |   | — parentheses.js
| | | | |   | — parentheses.js.map
| | | | |   | — whitespace.js
| | | | |   | — whitespace.js.map
| | | | | — printer.js
| | | | | — printer.js.map
| | | | | — source-map.js
```

```
| | | | |— source-map.js.map
| | | | |— token-map.js
| | | | |— token-map.js.map
| | | |— package.json
| | |— helper-compilation-targets
| | |— LICENSE
| | |— README.md
| | |— lib
| | | |— debug.js
| | | |— debug.js.map
| | | |— filter-items.js
| | | |— filter-items.js.map
| | | |— index.js
| | | |— index.js.map
| | | |— options.js
| | | |— options.js.map
| | | |— pretty.js
| | | |— pretty.js.map
| | | |— targets.js
| | | |— targets.js.map
| | | |— utils.js
| | | |— utils.js.map
| | |— package.json
| | |— helper-globals
| | |— LICENSE
| | |— README.md
| | |— data
| | | |— browser-upper.json
| | | |— builtin-lower.json
| | | |— builtin-upper.json
| | |— package.json
| | |— helper-module-imports
| | |— LICENSE
| | |— README.md
| | |— lib
| | | |— import-builder.js
| | | |— import-builder.js.map
| | | |— import-injector.js
| | | |— import-injector.js.map
| | |— index.js
```

```
| | | | |— index.js.map
| | | | |— is-module.js
| | | | |— is-module.js.map
| | | |— package.json
| | |— helper-module-transforms
| | |— LICENSE
| | |— README.md
| | |— lib
| | | |— dynamic-import.js
| | | |— dynamic-import.js.map
| | | |— get-module-name.js
| | | |— get-module-name.js.map
| | | |— index.js
| | | |— index.js.map
| | | |— lazy-modules.js
| | | |— lazy-modules.js.map
| | | |— normalize-and-load-metadata.js
| | | |— normalize-and-load-metadata.js.map
| | | |— rewrite-live-references.js
| | | |— rewrite-live-references.js.map
| | | |— rewrite-this.js
| | | |— rewrite-this.js.map
| | |— package.json
| | |— helper-plugin-utils
| | |— LICENSE
| | |— README.md
| | |— lib
| | | |— index.js
| | | |— index.js.map
| | |— package.json
| | |— helper-string-parser
| | |— LICENSE
| | |— README.md
| | |— lib
| | | |— index.js
| | | |— index.js.map
| | |— package.json
| | |— helper-validator-identifier
| | |— LICENSE
| | |— README.md
```

```

├── lib
│   ├── identifier.js
│   ├── identifier.js.map
│   ├── index.js
│   ├── index.js.map
│   ├── keyword.js
│   └── keyword.js.map
├── package.json
├── helper-validator-option
│   ├── LICENSE
│   ├── README.md
│   └── lib
│       ├── find-suggestion.js
│       ├── find-suggestion.js.map
│       ├── index.js
│       ├── index.js.map
│       ├── validator.js
│       └── validator.js.map
├── package.json
├── helpers
│   ├── LICENSE
│   ├── README.md
│   └── lib
│       ├── helpers
│       │   ├── AwaitValue.js
│       │   ├── AwaitValue.js.map
│       │   ├── OverloadYield.js
│       │   ├── OverloadYield.js.map
│       │   ├── applyDecoratedDescriptor.js
│       │   ├── applyDecoratedDescriptor.js.map
│       │   ├── applyDecs.js
│       │   ├── applyDecs.js.map
│       │   ├── applyDecs2203.js
│       │   ├── applyDecs2203.js.map
│       │   ├── applyDecs2203R.js
│       │   ├── applyDecs2203R.js.map
│       │   ├── applyDecs2301.js
│       │   ├── applyDecs2301.js.map
│       │   ├── applyDecs2305.js
│       │   └── applyDecs2305.js.map

```

						—	applyDecs2311.js
						—	applyDecs2311.js.map
						—	arrayLikeToArray.js
						—	arrayLikeToArray.js.map
						—	arrayWithHoles.js
						—	arrayWithHoles.js.map
						—	arrayWithoutHoles.js
						—	arrayWithoutHoles.js.map
						—	assertClassBrand.js
						—	assertClassBrand.js.map
						—	assertThisInitialized.js
						—	assertThisInitialized.js.map
						—	asyncGeneratorDelegate.js
						—	asyncGeneratorDelegate.js.map
						—	asyncIterator.js
						—	asyncIterator.js.map
						—	asyncToGenerator.js
						—	asyncToGenerator.js.map
						—	awaitAsyncGenerator.js
						—	awaitAsyncGenerator.js.map
						—	callSuper.js
						—	callSuper.js.map
						—	checkInRHS.js
						—	checkInRHS.js.map
						—	checkPrivateRedeclaration.js
						—	checkPrivateRedeclaration.js.map
						—	classApplyDescriptorDestructureSet.js
						—	classApplyDescriptorDestructureSet.js.map
						—	classApplyDescriptorGet.js
						—	classApplyDescriptorGet.js.map
						—	classApplyDescriptorSet.js
						—	classApplyDescriptorSet.js.map
						—	classCallCheck.js
						—	classCallCheck.js.map
						—	classCheckPrivateStaticAccess.js
						—	classCheckPrivateStaticAccess.js.map
						—	classCheckPrivateStaticFieldDescriptor.js
						—	classCheckPrivateStaticFieldDescriptor.js.map
						—	classExtractFieldDescriptor.js
						—	classExtractFieldDescriptor.js.map

						—	classNameTDZError.js
						—	classNameTDZError.js.map
						—	classPrivateFieldDestructureSet.js
						—	classPrivateFieldDestructureSet.js.map
						—	classPrivateFieldGet.js
						—	classPrivateFieldGet.js.map
						—	classPrivateFieldGet2.js
						—	classPrivateFieldGet2.js.map
						—	classPrivateFieldInitSpec.js
						—	classPrivateFieldInitSpec.js.map
						—	classPrivateFieldLooseBase.js
						—	classPrivateFieldLooseBase.js.map
						—	classPrivateFieldLooseKey.js
						—	classPrivateFieldLooseKey.js.map
						—	classPrivateFieldSet.js
						—	classPrivateFieldSet.js.map
						—	classPrivateFieldSet2.js
						—	classPrivateFieldSet2.js.map
						—	classPrivateGetter.js
						—	classPrivateGetter.js.map
						—	classPrivateMethodGet.js
						—	classPrivateMethodGet.js.map
						—	classPrivateMethodInitSpec.js
						—	classPrivateMethodInitSpec.js.map
						—	classPrivateMethodSet.js
						—	classPrivateMethodSet.js.map
						—	classPrivateSetter.js
						—	classPrivateSetter.js.map
						—	classStaticPrivateFieldDestructureSet.js
						—	classStaticPrivateFieldDestructureSet.js.map
						—	classStaticPrivateFieldSpecGet.js
						—	classStaticPrivateFieldSpecGet.js.map
						—	classStaticPrivateFieldSpecSet.js
						—	classStaticPrivateFieldSpecSet.js.map
						—	classStaticPrivateMethodGet.js
						—	classStaticPrivateMethodGet.js.map
						—	classStaticPrivateMethodSet.js
						—	classStaticPrivateMethodSet.js.map
						—	construct.js
						—	construct.js.map

						—	createClass.js
						—	createClass.js.map
						—	createForOfIteratorHelper.js
						—	createForOfIteratorHelper.js.map
						—	createForOfIteratorHelperLoose.js
						—	createForOfIteratorHelperLoose.js.map
						—	createSuper.js
						—	createSuper.js.map
						—	decorate.js
						—	decorate.js.map
						—	defaults.js
						—	defaults.js.map
						—	defineAccessor.js
						—	defineAccessor.js.map
						—	defineEnumerableProperties.js
						—	defineEnumerableProperties.js.map
						—	defineProperty.js
						—	defineProperty.js.map
						—	dispose.js
						—	dispose.js.map
						—	extends.js
						—	extends.js.map
						—	get.js
						—	get.js.map
						—	getPrototypeOf.js
						—	getPrototypeOf.js.map
						—	identity.js
						—	identity.js.map
						—	importDeferProxy.js
						—	importDeferProxy.js.map
						—	inherits.js
						—	inherits.js.map
						—	inheritsLoose.js
						—	inheritsLoose.js.map
						—	initializerDefineProperty.js
						—	initializerDefineProperty.js.map
						—	initializerWarningHelper.js
						—	initializerWarningHelper.js.map
						—	instanceof.js
						—	instanceof.js.map

						—	interopRequireDefault.js
						—	interopRequireDefault.js.map
						—	interopRequireWildcard.js
						—	interopRequireWildcard.js.map
						—	isNativeFunction.js
						—	isNativeFunction.js.map
						—	isNativeReflectConstruct.js
						—	isNativeReflectConstruct.js.map
						—	iterableToArray.js
						—	iterableToArray.js.map
						—	iterableToArrayLimit.js
						—	iterableToArrayLimit.js.map
						—	jsx.js
						—	jsx.js.map
						—	maybeArrayLike.js
						—	maybeArrayLike.js.map
						—	newArrowCheck.js
						—	newArrowCheck.js.map
						—	nonIterableRest.js
						—	nonIterableRest.js.map
						—	nonIterableSpread.js
						—	nonIterableSpread.js.map
						—	nullishReceiverError.js
						—	nullishReceiverError.js.map
						—	objectDestructuringEmpty.js
						—	objectDestructuringEmpty.js.map
						—	objectSpread.js
						—	objectSpread.js.map
						—	objectSpread2.js
						—	objectSpread2.js.map
						—	objectWithoutProperties.js
						—	objectWithoutProperties.js.map
						—	objectWithoutPropertiesLoose.js
						—	objectWithoutPropertiesLoose.js.map
						—	possibleConstructorReturn.js
						—	possibleConstructorReturn.js.map
						—	readOnlyError.js
						—	readOnlyError.js.map
						—	regenerator.js
						—	regenerator.js.map

						—	regeneratorAsync.js
						—	regeneratorAsync.js.map
						—	regeneratorAsyncGen.js
						—	regeneratorAsyncGen.js.map
						—	regeneratorAsyncIterator.js
						—	regeneratorAsyncIterator.js.map
						—	regeneratorDefine.js
						—	regeneratorDefine.js.map
						—	regeneratorKeys.js
						—	regeneratorKeys.js.map
						—	regeneratorRuntime.js
						—	regeneratorRuntime.js.map
						—	regeneratorValues.js
						—	regeneratorValues.js.map
						—	set.js
						—	set.js.map
						—	setFunctionName.js
						—	setFunctionName.js.map
						—	setPrototypeOf.js
						—	setPrototypeOf.js.map
						—	skipFirstGeneratorNext.js
						—	skipFirstGeneratorNext.js.map
						—	slicedToArray.js
						—	slicedToArray.js.map
						—	superPropBase.js
						—	superPropBase.js.map
						—	superPropGet.js
						—	superPropGet.js.map
						—	superPropSet.js
						—	superPropSet.js.map
						—	taggedTemplateLiteral.js
						—	taggedTemplateLiteral.js.map
						—	taggedTemplateLiteralLoose.js
						—	taggedTemplateLiteralLoose.js.map
						—	tdz.js
						—	tdz.js.map
						—	temporalRef.js
						—	temporalRef.js.map
						—	temporalUndefined.js
						—	temporalUndefined.js.map

```
| | | | | | —| toArray.js
| | | | | | —| toArray.js.map
| | | | | | —| toConsumableArray.js
| | | | | | —| toConsumableArray.js.map
| | | | | | —| toPrimitive.js
| | | | | | —| toPrimitive.js.map
| | | | | | —| toPropertyKey.js
| | | | | | —| toPropertyKey.js.map
| | | | | | —| toSetter.js
| | | | | | —| toSetter.js.map
| | | | | | —| tsRewriteRelativeImportExtensions.js
| | | | | | —| tsRewriteRelativeImportExtensions.js.map
| | | | | | —| typeof.js
| | | | | | —| typeof.js.map
| | | | | | —| unsupportedIterableToArray.js
| | | | | | —| unsupportedIterableToArray.js.map
| | | | | | —| using.js
| | | | | | —| using.js.map
| | | | | | —| usingCtx.js
| | | | | | —| usingCtx.js.map
| | | | | | —| wrapAsyncGenerator.js
| | | | | | —| wrapAsyncGenerator.js.map
| | | | | | —| wrapNativeSuper.js
| | | | | | —| wrapNativeSuper.js.map
| | | | | | —| wrapRegExp.js
| | | | | | —| wrapRegExp.js.map
| | | | | | —| writeOnlyError.js
| | | | | | —| writeOnlyError.js.map
| | | | | —| helpers-generated.js
| | | | | —| helpers-generated.js.map
| | | | —| index.js
| | | | —| index.js.map
| | | —| package.json
| | —| parser
| | —| CHANGELOG.md
| | —| LICENSE
| | —| README.md
| | —| bin
| | —| babel-parser.js
| | —| lib
```

```
| | | | |— index.js
| | | | |— index.js.map
| | | | |— package.json
| | | | |— typings
| | | | |— babel-parser.d.ts
| | | |— plugin-transform-react-jsx-self
| | | |— LICENSE
| | | |— README.md
| | | |— lib
| | | | |— index.js
| | | | |— index.js.map
| | | |— package.json
| | | |— plugin-transform-react-jsx-source
| | | |— LICENSE
| | | |— README.md
| | | |— lib
| | | | |— index.js
| | | | |— index.js.map
| | | |— package.json
| | | |— template
| | | |— LICENSE
| | | |— README.md
| | | |— lib
| | | | |— builder.js
| | | | |— builder.js.map
| | | | |— formatters.js
| | | | |— formatters.js.map
| | | | |— index.js
| | | | |— index.js.map
| | | | |— literal.js
| | | | |— literal.js.map
| | | | |— options.js
| | | | |— options.js.map
| | | | |— parse.js
| | | | |— parse.js.map
| | | | |— populate.js
| | | | |— populate.js.map
| | | | |— string.js
| | | | |— string.js.map
| | | |— package.json
```

```

graph LR
    traverse --- LICENSE
    traverse --- READMEmd[README.md]
    traverse --- lib
    lib --- cachejs[cache.js]
    lib --- cachejsmap[cache.js.map]
    lib --- contextjs[context.js]
    lib --- contextjsmap[context.js.map]
    lib --- hubjs[hub.js]
    lib --- hubjsmap[hub.js.map]
    lib --- indexjs[index.js]
    lib --- indexjsmap[index.js.map]
    lib --- path
    path --- ancestryjs[ancestry.js]
    path --- ancestryjsmap[ancestry.js.map]
    path --- commentsjs[comments.js]
    path --- commentsjsmap[comments.js.map]
    path --- contextjs2[context.js]
    path --- contextjsmap2[context.js.map]
    path --- conversionjs[conversion.js]
    path --- conversionjsmap[conversion.js.map]
    path --- evaluationjs[evaluation.js]
    path --- evaluationjsmap[evaluation.js.map]
    path --- familyjs[family.js]
    path --- familyjsmap[family.js.map]
    path --- indexjs2[index.js]
    path --- indexjsmap2[index.js.map]
    path --- inference
    inference --- indexjs3[index.js]
    inference --- indexjsmap3[index.js.map]
    inference --- infererreferencejs[inferer-reference.js]
    inference --- infererreferencejsmap[inferer-reference.js.map]
    inference --- inferersjs[inferers.js]
    inference --- inferersjsmap[inferers.js.map]
    inference --- utiljs[util.js]
    inference --- utiljsmap[util.js.map]
    path --- introspectionjs[introspection.js]
    path --- introspectionjsmap[introspection.js.map]
    path --- lib2[lib]
    lib2 --- hoisterjs[hoister.js]

```

```

├── hoister.js.map
├── removal-hooks.js
├── removal-hooks.js.map
├── virtual-types-validator.js
├── virtual-types-validator.js.map
├── virtual-types.js
├── virtual-types.js.map
├── modification.js
├── modification.js.map
├── removal.js
├── removal.js.map
├── replacement.js
├── replacement.js.map
├── scope
├── binding.js
├── binding.js.map
├── index.js
├── index.js.map
├── lib
├── renamer.js
├── renamer.js.map
├── traverseForScope.js
├── traverseForScope.js.map
├── traverse-node.js
├── traverse-node.js.map
├── types.js
├── types.js.map
├── visitors.js
├── visitors.js.map
├── package.json
├── tsconfig.overrides.json
├── types
├── LICENSE
├── README.md
├── lib
├── asserts
├── assertNode.js
├── assertNode.js.map
├── generated
├── index.js

```

```
├── index.js.map
├── ast-types
│   ├── generated
│   │   ├── index.js
│   │   └── index.js.map
│   └── builders
│       ├── flow
│       │   ├── createFlowUnionType.js
│       │   ├── createFlowUnionType.js.map
│       │   ├── createTypeAnnotationBasedOnTypeof.js
│       │   └── createTypeAnnotationBasedOnTypeof.js.map
│       └── generated
│           ├── index.js
│           ├── index.js.map
│           ├── lowercase.js
│           ├── lowercase.js.map
│           ├── uppercase.js
│           └── uppercase.js.map
├── productions.js
├── productions.js.map
├── react
│   ├── buildChildren.js
│   └── buildChildren.js.map
├── typescript
│   ├── createTSUnionType.js
│   └── createTSUnionType.js.map
├── validateNode.js
├── validateNode.js.map
├── clone
│   ├── clone.js
│   ├── clone.js.map
│   ├── cloneDeep.js
│   ├── cloneDeep.js.map
│   ├── cloneDeepWithoutLoc.js
│   ├── cloneDeepWithoutLoc.js.map
│   ├── cloneNode.js
│   ├── cloneNode.js.map
│   ├── cloneWithoutLoc.js
│   └── cloneWithoutLoc.js.map
└── comments
```


```
| | | | | ——— addComment.js
| | | | | ——— addComment.js.map
| | | | | ——— addComments.js
| | | | | ——— addComments.js.map
| | | | | ——— inheritInnerComments.js
| | | | | ——— inheritInnerComments.js.map
| | | | | ——— inheritLeadingComments.js
| | | | | ——— inheritLeadingComments.js.map
| | | | | ——— inheritTrailingComments.js
| | | | | ——— inheritTrailingComments.js.map
| | | | | ——— inheritsComments.js
| | | | | ——— inheritsComments.js.map
| | | | | ——— removeComments.js
| | | | | ——— removeComments.js.map
| | | | | ——— constants
| | | | |   | ——— generated
| | | | |   |   | ——— index.js
| | | | |   |   | ——— index.js.map
| | | | |   | ——— index.js
| | | | |   | ——— index.js.map
| | | | | ——— converters
| | | | |   | ——— ensureBlock.js
| | | | |   | ——— ensureBlock.js.map
| | | | |   | ——— gatherSequenceExpressions.js
| | | | |   | ——— gatherSequenceExpressions.js.map
| | | | |   | ——— toBindingIdentifierName.js
| | | | |   | ——— toBindingIdentifierName.js.map
| | | | |   | ——— toBlock.js
| | | | |   | ——— toBlock.js.map
| | | | |   | ——— toComputedKey.js
| | | | |   | ——— toComputedKey.js.map
| | | | |   | ——— toExpression.js
| | | | |   | ——— toExpression.js.map
| | | | |   | ——— toIdentifier.js
| | | | |   | ——— toIdentifier.js.map
| | | | |   | ——— toKeyAlias.js
| | | | |   | ——— toKeyAlias.js.map
| | | | |   | ——— toSequenceExpression.js
| | | | |   | ——— toSequenceExpression.js.map
| | | | |   | ——— toStatement.js
```

```
| | | | | — toStatement.js.map
| | | | | — valueToNode.js
| | | | | — valueToNode.js.map
| | | | — definitions
| | | | | — core.js
| | | | | — core.js.map
| | | | | — deprecated-aliases.js
| | | | | — deprecated-aliases.js.map
| | | | | — experimental.js
| | | | | — experimental.js.map
| | | | | — flow.js
| | | | | — flow.js.map
| | | | | — index.js
| | | | | — index.js.map
| | | | | — jsx.js
| | | | | — jsx.js.map
| | | | | — misc.js
| | | | | — misc.js.map
| | | | | — placeholders.js
| | | | | — placeholders.js.map
| | | | | — typescript.js
| | | | | — typescript.js.map
| | | | | — utils.js
| | | | | — utils.js.map
| | | | — index-legacy.d.ts
| | | | — index.d.ts
| | | | — index.js
| | | | — index.js.flow
| | | | — index.js.map
| | | | — modifications
| | | | | — appendToMemberExpression.js
| | | | | — appendToMemberExpression.js.map
| | | | | — flow
| | | | | | — removeTypeDuplicates.js
| | | | | | — removeTypeDuplicates.js.map
| | | | | — inherits.js
| | | | | — inherits.js.map
| | | | | — prependToMemberExpression.js
| | | | | — prependToMemberExpression.js.map
| | | | — removeProperties.js
```



```
| | | | | — removeProperties.js.map
| | | | | — removePropertiesDeep.js
| | | | | — removePropertiesDeep.js.map
| | | | | — typescript
| | | | |   | — removeTypeDuplicates.js
| | | | |   | — removeTypeDuplicates.js.map
| | | | — retrievers
| | | |   | — getAssignmentIdentifiers.js
| | | |   | — getAssignmentIdentifiers.js.map
| | | |   | — getBindingIdentifiers.js
| | | |   | — getBindingIdentifiers.js.map
| | | |   | — getFunctionName.js
| | | |   | — getFunctionName.js.map
| | | |   | — getOuterBindingIdentifiers.js
| | | |   | — getOuterBindingIdentifiers.js.map
| | | | — traverse
| | | |   | — traverse.js
| | | |   | — traverse.js.map
| | | |   | — traverseFast.js
| | | |   | — traverseFast.js.map
| | | | — utils
| | | |   | — deprecationWarning.js
| | | |   | — deprecationWarning.js.map
| | | |   | — inherit.js
| | | |   | — inherit.js.map
| | | |   | — react
| | | |   |   | — cleanJSXElementLiteralChild.js
| | | |   |   | — cleanJSXElementLiteralChild.js.map
| | | |   | — shallowEqual.js
| | | |   | — shallowEqual.js.map
| | | | — validators
| | | |   | — buildMatchMemberExpression.js
| | | |   | — buildMatchMemberExpression.js.map
| | | |   | — generated
| | | |   |   | — index.js
| | | |   |   | — index.js.map
| | | |   | — is.js
| | | |   | — is.js.map
| | | |   | — isBinding.js
| | | |   | — isBinding.js.map
```

```
| | | | isBlockScoped.js
| | | | isBlockScoped.js.map
| | | | isImmutable.js
| | | | isImmutable.js.map
| | | | isLet.js
| | | | isLet.js.map
| | | | isNode.js
| | | | isNode.js.map
| | | | isNodesEquivalent.js
| | | | isNodesEquivalent.js.map
| | | | isPlaceholderType.js
| | | | isPlaceholderType.js.map
| | | | isReferenced.js
| | | | isReferenced.js.map
| | | | isScope.js
| | | | isScope.js.map
| | | | isSpecifierDefault.js
| | | | isSpecifierDefault.js.map
| | | | isType.js
| | | | isType.js.map
| | | | isValidES3Identifier.js
| | | | isValidES3Identifier.js.map
| | | | isValidIdentifier.js
| | | | isValidIdentifier.js.map
| | | | isVar.js
| | | | isVar.js.map
| | | | matchesPattern.js
| | | | matchesPattern.js.map
| | | | react
| | | |   | isCompatTag.js
| | | |   | isCompatTag.js.map
| | | |   | isReactComponent.js
| | | |   | isReactComponent.js.map
| | | |   | validate.js
| | | |   | validate.js.map
| | | | package.json
| | | | @esbuild
| | | |   | linux-x64
| | | |   | README.md
| | | |   | bin
```



```

├── dist
│   ├── cjs
│   │   ├── types.d.cts
│   │   └── esm
│   │       ├── types.d.ts
│   │       └── package.json
│   └── eslintrc
├── LICENSE
├── README.md
├── conf
│   ├── config-schema.js
│   └── environments.js
├── dist
│   ├── eslintrc-universal.cjs
│   ├── eslintrc-universal.cjs.map
│   ├── eslintrc.cjs
│   ├── eslintrc.cjs.map
│   └── eslintrc.d.cts
├── lib
│   ├── cascading-config-array-factory.js
│   ├── config-array
│   │   ├── config-array.js
│   │   ├── config-dependency.js
│   │   ├── extracted-config.js
│   │   ├── ignore-pattern.js
│   │   ├── index.js
│   │   └── override-tester.js
│   ├── config-array-factory.js
│   ├── flat-compat.js
│   ├── index-universal.js
│   ├── index.js
│   ├── shared
│   │   ├── ajv.js
│   │   ├── config-ops.js
│   │   ├── config-validator.js
│   │   ├── deep-merge-arrays.js
│   │   ├── deprecation-warnings.js
│   │   ├── naming.js
│   │   ├── relative-module-resolver.js
│   │   └── types.js

```

```
| | | | |   └─ types
| | | | |     └─ index.d.ts
| | | | |   └─ node_modules
| | | | |     └─ globals
| | | | |       └─ globals.json
| | | | |       └─ index.d.ts
| | | | |       └─ index.js
| | | | |       └─ license
| | | | |       └─ package.json
| | | | |       └─ readme.md
| | | | |   └─ package.json
| | | | |   └─ universal.js
| | | | └─ js
| | | |   └─ LICENSE
| | | |   └─ README.md
| | | |   └─ package.json
| | | |   └─ src
| | | |     └─ configs
| | | |       └─ eslint-all.js
| | | |       └─ eslint-recommended.js
| | | |     └─ index.js
| | | |   └─ types
| | | |     └─ index.d.ts
| | | └─ object-schema
| | |   └─ LICENSE
| | |   └─ README.md
| | |   └─ dist
| | |     └─ cjs
| | |       └─ index.cjs
| | |       └─ index.d.cts
| | |       └─ types.cts
| | |     └─ esm
| | |       └─ index.d.ts
| | |       └─ index.js
| | |       └─ types.d.ts
| | |       └─ types.ts
| | |     └─ package.json
| | └─ plugin-kit
| |   └─ LICENSE
| |   └─ README.md
```

```

├── dist
│   ├── cjs
│   │   ├── index.cjs
│   │   ├── index.d.cts
│   │   └── types.cts
│   └── esm
│       ├── index.d.ts
│       ├── index.js
│       ├── types.d.ts
│       └── types.ts
├── package.json
└── @eslint-community
    ├── eslint-utils
    │   ├── LICENSE
    │   ├── README.md
    │   ├── index.d.mts
    │   ├── index.d.ts
    │   ├── index.js
    │   ├── index.js.map
    │   ├── index.mjs
    │   ├── index.mjs.map
    │   └── node_modules
    │       └── eslint-visitor-keys
    │           ├── LICENSE
    │           ├── README.md
    │           ├── dist
    │           │   ├── eslint-visitor-keys.cjs
    │           │   ├── eslint-visitor-keys.d.cts
    │           │   ├── index.d.ts
    │           │   └── visitor-keys.d.ts
    │           └── lib
    │               ├── index.js
    │               └── visitor-keys.js
    │           └── package.json
    ├── package.json
    └── regexpp
        ├── LICENSE
        ├── README.md
        ├── index.d.ts
        └── index.js

```

```

├── index.js.map
├── index.mjs
├── index.mjs.map
├── package.json
├── @humanfs
│   ├── core
│   │   ├── LICENSE
│   │   ├── README.md
│   │   ├── dist
│   │   │   ├── errors.d.ts
│   │   │   ├── fsx.d.ts
│   │   │   ├── hfs.d.ts
│   │   │   ├── index.d.ts
│   │   │   └── path.d.ts
│   │   ├── package.json
│   │   └── src
│   │       ├── errors.js
│   │       ├── hfs.js
│   │       ├── index.js
│   │       └── path.js
│   └── node
│       ├── LICENSE
│       ├── README.md
│       ├── dist
│       │   ├── index.d.ts
│       │   ├── node-fsx.d.ts
│       │   └── node-hfs.d.ts
│       ├── package.json
│       └── src
│           ├── index.js
│           └── node-hfs.js
├── @humanwhocodes
│   ├── module-importer
│   │   ├── CHANGELOG.md
│   │   ├── LICENSE
│   │   ├── README.md
│   │   ├── dist
│   │   │   ├── module-importer.cjs
│   │   │   ├── module-importer.d.cts
│   │   │   └── module-importer.d.ts

```

```
| | | |   └─ module-importer.js
| | | |   └─ package.json
| | | |   └─ src
| | | |     └─ module-importer.cjs
| | | |     └─ module-importer.js
| | | └─ retry
| | |   └─ LICENSE
| | |   └─ README.md
| | |   └─ dist
| | |     └─ retrier.cjs
| | |     └─ retrier.d.cts
| | |     └─ retrier.d.ts
| | |     └─ retrier.js
| | |     └─ retrier.min.js
| | |     └─ retrier.mjs
| | |   └─ package.json
| └─ @jridgewell
|   └─ gen-mapping
|     └─ LICENSE
|     └─ README.md
|     └─ dist
|       └─ gen-mapping.mjs
|       └─ gen-mapping.mjs.map
|       └─ gen-mapping.umd.js
|       └─ gen-mapping.umd.js.map
|       └─ types
|         └─ gen-mapping.d.ts
|         └─ set-array.d.ts
|         └─ sourcemap-segment.d.ts
|         └─ types.d.ts
|       └─ package.json
|       └─ src
|         └─ gen-mapping.ts
|         └─ set-array.ts
|         └─ sourcemap-segment.ts
|         └─ types.ts
|       └─ types
|         └─ gen-mapping.d.cts
|         └─ gen-mapping.d.cts.map
|         └─ gen-mapping.d.mts
```



```
| | | |— gen-mapping.d.mts.map
| | | |— set-array.d.cts
| | | |— set-array.d.cts.map
| | | |— set-array.d.mts
| | | |— set-array.d.mts.map
| | | |— sourcemap-segment.d.cts
| | | |— sourcemap-segment.d.cts.map
| | | |— sourcemap-segment.d.mts
| | | |— sourcemap-segment.d.mts.map
| | | |— types.d.cts
| | | |— types.d.cts.map
| | | |— types.d.mts
| | | |— types.d.mts.map
| | | |— remapping
| | | |— LICENSE
| | | |— README.md
| | | |— dist
| | | |— remapping.mjs
| | | |— remapping.mjs.map
| | | |— remapping.umd.js
| | | |— remapping.umd.js.map
| | | |— package.json
| | | |— src
| | | |— build-source-map-tree.ts
| | | |— remapping.ts
| | | |— source-map-tree.ts
| | | |— source-map.ts
| | | |— types.ts
| | | |— types
| | | |— build-source-map-tree.d.cts
| | | |— build-source-map-tree.d.cts.map
| | | |— build-source-map-tree.d.mts
| | | |— build-source-map-tree.d.mts.map
| | | |— remapping.d.cts
| | | |— remapping.d.cts.map
| | | |— remapping.d.mts
| | | |— remapping.d.mts.map
| | | |— source-map-tree.d.cts
| | | |— source-map-tree.d.cts.map
| | | |— source-map-tree.d.mts
```

```

| | | |— source-map-tree.d.mts.map
| | | |— source-map.d.cts
| | | |— source-map.d.cts.map
| | | |— source-map.d.mts
| | | |— source-map.d.mts.map
| | | |— types.d.cts
| | | |— types.d.cts.map
| | | |— types.d.mts
| | | |— types.d.mts.map
| | | |— resolve-uri
| | | |— LICENSE
| | | |— README.md
| | | |— dist
| | | |— resolve-uri.mjs
| | | |— resolve-uri.mjs.map
| | | |— resolve-uri.umd.js
| | | |— resolve-uri.umd.js.map
| | | |— types
| | | |— resolve-uri.d.ts
| | | |— package.json
| | | |— sourcemap-codec
| | | |— LICENSE
| | | |— README.md
| | | |— dist
| | | |— sourcemap-codec.mjs
| | | |— sourcemap-codec.mjs.map
| | | |— sourcemap-codec.umd.js
| | | |— sourcemap-codec.umd.js.map
| | | |— package.json
| | | |— src
| | | |— scopes.ts
| | | |— sourcemap-codec.ts
| | | |— strings.ts
| | | |— vlq.ts
| | | |— types
| | | |— scopes.d.cts
| | | |— scopes.d.cts.map
| | | |— scopes.d.mts
| | | |— scopes.d.mts.map
| | | |— sourcemap-codec.d.cts

```

```
| | | |— sourcemap-codec.d.cts.map
| | | |— sourcemap-codec.d.mts
| | | |— sourcemap-codec.d.mts.map
| | | |— strings.d.cts
| | | |— strings.d.cts.map
| | | |— strings.d.mts
| | | |— strings.d.mts.map
| | | |— vlq.d.cts
| | | |— vlq.d.cts.map
| | | |— vlq.d.mts
| | | |— vlq.d.mts.map
| | | |— trace-mapping
| | | |— LICENSE
| | | |— README.md
| | | |— dist
| | | |— trace-mapping.mjs
| | | |— trace-mapping.mjs.map
| | | |— trace-mapping.umd.js
| | | |— trace-mapping.umd.js.map
| | | |— package.json
| | | |— src
| | | |— binary-search.ts
| | | |— by-source.ts
| | | |— flatten-map.ts
| | | |— resolve.ts
| | | |— sort.ts
| | | |— sourcemap-segment.ts
| | | |— strip-filename.ts
| | | |— trace-mapping.ts
| | | |— types.ts
| | | |— types
| | | |— binary-search.d.cts
| | | |— binary-search.d.cts.map
| | | |— binary-search.d.mts
| | | |— binary-search.d.mts.map
| | | |— by-source.d.cts
| | | |— by-source.d.cts.map
| | | |— by-source.d.mts
| | | |— by-source.d.mts.map
| | | |— flatten-map.d.cts
```

```

├── flatten-map.d.cts.map
├── flatten-map.d.mts
├── flatten-map.d.mts.map
├── resolve.d.cts
├── resolve.d.cts.map
├── resolve.d.mts
├── resolve.d.mts.map
├── sort.d.cts
├── sort.d.cts.map
├── sort.d.mts
├── sort.d.mts.map
├── sourcemap-segment.d.cts
├── sourcemap-segment.d.cts.map
├── sourcemap-segment.d.mts
├── sourcemap-segment.d.mts.map
├── strip-filename.d.cts
├── strip-filename.d.cts.map
├── strip-filename.d.mts
├── strip-filename.d.mts.map
├── trace-mapping.d.cts
├── trace-mapping.d.cts.map
├── trace-mapping.d.mts
├── trace-mapping.d.mts.map
├── types.d.cts
├── types.d.cts.map
├── types.d.mts
├── types.d.mts.map
├── @rolldown
│   ├── pluginutils
│   │   ├── LICENSE
│   │   ├── README.md
│   │   └── dist
│   │       ├── index.d.mts
│   │       └── index.mjs
│   └── package.json
├── @rollup
│   ├── rollup-linux-x64-gnu
│   │   ├── README.md
│   │   ├── package.json
│   │   └── rollup.linux-x64-gnu.node

```

```
| | | └─ rollup-linux-x64-musl
| | |   └─ README.md
| | |   └─ package.json
| | |   └─ rollup.linux-x64-musl.node
| └─ @types
|   └─ babel_core
|     └─ LICENSE
|     └─ README.md
|     └─ index.d.ts
|     └─ package.json
|   └─ babel_generator
|     └─ LICENSE
|     └─ README.md
|     └─ index.d.ts
|     └─ package.json
|   └─ babel_template
|     └─ LICENSE
|     └─ README.md
|     └─ index.d.ts
|     └─ package.json
|   └─ babel_traverse
|     └─ LICENSE
|     └─ README.md
|     └─ index.d.ts
|     └─ package.json
|   └─ estree
|     └─ LICENSE
|     └─ README.md
|     └─ flow.d.ts
|     └─ index.d.ts
|     └─ package.json
|   └─ json-schema
|     └─ LICENSE
|     └─ README.md
|     └─ index.d.ts
|     └─ package.json
|   └─ react
|     └─ LICENSE
|     └─ README.md
|     └─ canary.d.ts
```

```
| | | |─ compiler-runtime.d.ts
| | | |─ experimental.d.ts
| | | |─ global.d.ts
| | | |─ index.d.ts
| | | |─ jsx-dev-runtime.d.ts
| | | |─ jsx-runtime.d.ts
| | | |─ package.json
| | | |─ ts5.0
| | | |   |─ canary.d.ts
| | | |   |─ experimental.d.ts
| | | |   |─ global.d.ts
| | | |   |─ index.d.ts
| | | |   |─ jsx-dev-runtime.d.ts
| | | |   └─ jsx-runtime.d.ts
| | └─ react-dom
| |   |─ LICENSE
| |   |─ README.md
| |   |─ canary.d.ts
| |   |─ client.d.ts
| |   |─ experimental.d.ts
| |   |─ index.d.ts
| |   |─ package.json
| |   |─ server.browser.d.ts
| |   |─ server.bun.d.ts
| |   |─ server.d.ts
| |   |─ server.edge.d.ts
| |   |─ server.node.d.ts
| |   |─ static.browser.d.ts
| |   |─ static.d.ts
| |   |─ static.edge.d.ts
| |   |─ static.node.d.ts
| |   └─ test-utils
| |     └─ index.d.ts
| └─ @vitejs
|   └─ plugin-react
|     |─ LICENSE
|     |─ README.md
|     |─ dist
|     |   └─ index.d.ts
|     |   └─ index.js
```

```
| | | └─ refresh-runtime.js
| | | └─ package.json
| | | └─ types
| | |   └─ preamble.d.ts
| └─ accepts
|   └─ HISTORY.md
|   └─ LICENSE
|   └─ README.md
|   └─ index.js
|   └─ package.json
└─ acorn
  └─ CHANGELOG.md
  └─ LICENSE
  └─ README.md
  └─ bin
    └─ acorn
  └─ dist
    └─ acorn.d.mts
    └─ acorn.d.ts
    └─ acorn.js
    └─ acorn.mjs
    └─ bin.js
    └─ package.json
└─ acorn-jsx
  └─ LICENSE
  └─ README.md
  └─ index.d.ts
  └─ index.js
  └─ package.json
  └─ xhtml.js
└─ ajv
  └─ LICENSE
  └─ README.md
  └─ dist
    └─ ajv.bundle.js
    └─ ajv.min.js
    └─ ajv.min.js.map
  └─ lib
    └─ ajv.d.ts
    └─ ajv.js
```

```
| | | | |— cache.js
| | | | |— compile
| | | | |— async.js
| | | | |— equal.js
| | | | |— error_classes.js
| | | | |— formats.js
| | | | |— index.js
| | | | |— resolve.js
| | | | |— rules.js
| | | | |— schema_obj.js
| | | | |— ucs2length.js
| | | | |— util.js
| | | | |— data.js
| | | | |— definition_schema.js
| | | | |— dot
| | | | |— _limit.jst
| | | | |— _limitItems.jst
| | | | |— _limitLength.jst
| | | | |— _limitProperties.jst
| | | | |— allOf.jst
| | | | |— anyOf.jst
| | | | |— coerce.def
| | | | |— comment.jst
| | | | |— const.jst
| | | | |— contains.jst
| | | | |— custom.jst
| | | | |— defaults.def
| | | | |— definitions.def
| | | | |— dependencies.jst
| | | | |— enum.jst
| | | | |— errors.def
| | | | |— format.jst
| | | | |— if.jst
| | | | |— items.jst
| | | | |— missing.def
| | | | |— multipleOf.jst
| | | | |— not.jst
| | | | |— oneOf.jst
| | | | |— pattern.jst
| | | | |— properties.jst
```



```
| | | | | — propertyNames.jst
| | | | | — ref.jst
| | | | | — required.jst
| | | | | — uniqueItems.jst
| | | | | — validate.jst
| | | | — dotjs
| | | | — README.md
| | | | — _limit.js
| | | | — _limitItems.js
| | | | — _limitLength.js
| | | | — _limitProperties.js
| | | | — allOf.js
| | | | — anyOf.js
| | | | — comment.js
| | | | — const.js
| | | | — contains.js
| | | | — custom.js
| | | | — dependencies.js
| | | | — enum.js
| | | | — format.js
| | | | — if.js
| | | | — index.js
| | | | — items.js
| | | | — multipleOf.js
| | | | — not.js
| | | | — oneOf.js
| | | | — pattern.js
| | | | — properties.js
| | | | — propertyNames.js
| | | | — ref.js
| | | | — required.js
| | | | — uniqueItems.js
| | | | — validate.js
| | | | — keyword.js
| | | | — refs
| | | | — data.json
| | | | — json-schema-draft-04.json
| | | | — json-schema-draft-06.json
| | | | — json-schema-draft-07.json
| | | | — json-schema-secure.json
```

```
| | |— package.json
| | |— scripts
| | |   |— bundle.js
| | |   |— compile-dots.js
| | |   |— info
| | |   |— prepare-tests
| | |   |— publish-built-version
| | |   |— travis-gh-pages
| | |— ansi-styles
| | |   |— index.d.ts
| | |   |— index.js
| | |   |— license
| | |   |— package.json
| | |   |— readme.md
| | |— argparse
| | |   |— CHANGELOG.md
| | |   |— LICENSE
| | |   |— README.md
| | |   |— argparse.js
| | |   |— lib
| | |     |— sub.js
| | |     |— textwrap.js
| | |   |— package.json
| | |— balanced-match
| | |   |— LICENSE.md
| | |   |— README.md
| | |   |— index.js
| | |   |— package.json
| | |— baseline-browser-mapping
| | |   |— LICENSE.txt
| | |   |— README.md
| | |   |— dist
| | |     |— cli.js
| | |     |— index.cjs
| | |     |— index.d.ts
| | |     |— index.js
| | |   |— package.json
| | |— body-parser
| | |   |— HISTORY.md
| | |   |— LICENSE
```

```
| | | — README.md
| | | — index.js
| | | — lib
| | |   | — read.js
| | |   | — types
| | |   |   | — json.js
| | |   |   | — raw.js
| | |   |   | — text.js
| | |   |   | — urlencoded.js
| | |   | — utils.js
| | | — package.json
| — brace-expansion
| | — LICENSE
| | — README.md
| | — index.js
| | — package.json
| — browserslist
| | — LICENSE
| | — README.md
| | — browser.js
| | — cli.js
| | — error.d.ts
| | — error.js
| | — index.d.ts
| | — index.js
| | — node.js
| | — package.json
| | — parse.js
| — bytes
| | — History.md
| | — LICENSE
| | — Readme.md
| | — index.js
| | — package.json
| — call-bind-apply-helpers
| | — CHANGELOG.md
| | — LICENSE
| | — README.md
| | — actualApply.d.ts
| | — actualApply.js
```

- | | | | — applyBind.d.ts
- | | | | — applyBind.js
- | | | | — functionApply.d.ts
- | | | | — functionApply.js
- | | | | — functionCall.d.ts
- | | | | — functionCall.js
- | | | | — index.d.ts
- | | | | — index.js
- | | | | — package.json
- | | | | — reflectApply.d.ts
- | | | | — reflectApply.js
- | | | | — test
 - | | | | | — index.js
- | | | | — tsconfig.json
- | | — call-bound
 - | | | — CHANGELOG.md
 - | | | — LICENSE
 - | | | — README.md
 - | | | — index.d.ts
 - | | | — index.js
 - | | | — package.json
 - | | | — test
 - | | | | — index.js
 - | | | — tsconfig.json
- | | — callsites
 - | | | — index.d.ts
 - | | | — index.js
 - | | | — license
 - | | | — package.json
 - | | | — readme.md
- | | — caniuse-lite
 - | | | — LICENSE
 - | | | — README.md
 - | | | — data
 - | | | | — agents.js
 - | | | | — browserVersions.js
 - | | | | — browsers.js
 - | | | | — features
 - | | | | | — aac.js
 - | | | | | — abortcontroller.js

				ac3-ec3.js
				accelerometer.js
				addeventlistener.js
				alternate-stylesheet.js
				ambient-light.js
				apng.js
				array-find-index.js
				array-find.js
				array-flat.js
				array-includes.js
				arrow-functions.js
				asmjs.js
				async-clipboard.js
				async-functions.js
				atob-btoa.js
				audio-api.js
				audio.js
				audiotracks.js
				autofocus.js
				auxclick.js
				av1.js
				avif.js
				background-attachment.js
				background-clip-text.js
				background-img-opts.js
				background-position-x-y.js
				background-repeat-round-space.js
				background-sync.js
				battery-status.js
				beacon.js
				beforeafterprint.js
				bigint.js
				blobbuilder.js
				bloburls.js
				border-image.js
				border-radius.js
				broadcastchannel.js
				brotli.js
				calc.js
				canvas-blending.js

					— canvas-text.js
					— canvas.js
					— ch-unit.js
					— chacha20-poly1305.js
					— channel-messaging.js
					— childnode-remove.js
					— classlist.js
					— client-hints-dpr-width-viewport.js
					— clipboard.js
					— colr-v1.js
					— colr.js
					— comparedocumentposition.js
					— console-basic.js
					— console-time.js
					— const.js
					— constraint-validation.js
					— contenteditable.js
					— contentsecuritypolicy.js
					— contentsecuritypolicy2.js
					— cookie-store-api.js
					— cors.js
					— createimagebitmap.js
					— credential-management.js
					— cross-document-view-transitions.js
					— cryptography.js
					— css-all.js
					— css-anchor-positioning.js
					— css-animation.js
					— css-any-link.js
					— css-appearance.js
					— css-at-counter-style.js
					— css-autofill.js
					— css-backdrop-filter.js
					— css-background-offsets.js
					— css-backgroundblendmode.js
					— css-boxdecorationbreak.js
					— css-boxshadow.js
					— css-canvas.js
					— css-caret-color.js
					— css-cascade-layers.js

					—	css-cascade-scope.js
					—	css-case-insensitive.js
					—	css-clip-path.js
					—	css-color-adjust.js
					—	css-color-function.js
					—	css-conic-gradients.js
					—	css-container-queries-style.js
					—	css-container-queries.js
					—	css-container-query-units.js
					—	css-containment.js
					—	css-content-visibility.js
					—	css-counters.js
					—	css-crisp-edges.js
					—	css-cross-fade.js
					—	css-default-pseudo.js
					—	css-descendant-gtgt.js
					—	css-deviceadaptation.js
					—	css-dir-pseudo.js
					—	css-display-content.js
					—	css-element-function.js
					—	css-env-function.js
					—	css-exclusions.js
					—	css-featurequeries.js
					—	css-file-selector-button.js
					—	css-filter-function.js
					—	css-filters.js
					—	css-first-letter.js
					—	css-first-line.js
					—	css-fixed.js
					—	css-focus-visible.js
					—	css-focus-within.js
					—	css-font-palette.js
					—	css-font-rendering-controls.js
					—	css-font-stretch.js
					—	css-gencontent.js
					—	css-gradients.js
					—	css-grid-animation.js
					—	css-grid.js
					—	css-hanging-punctuation.js
					—	css-has.js

					—	css-hyphens.js
					—	css-if.js
					—	css-image-orientation.js
					—	css-image-set.js
					—	css-in-out-of-range.js
					—	css-indeterminate-pseudo.js
					—	css-initial-letter.js
					—	css-initial-value.js
					—	css-lch-lab.js
					—	css-letter-spacing.js
					—	css-line-clamp.js
					—	css-logical-props.js
					—	css-marker-pseudo.js
					—	css-masks.js
					—	css-matches-pseudo.js
					—	css-math-functions.js
					—	css-media-interaction.js
					—	css-media-range-syntax.js
					—	css-media-resolution.js
					—	css-media-scripting.js
					—	css-mediaqueries.js
					—	css-mixblendmode.js
					—	css-module-scripts.js
					—	css-motion-paths.js
					—	css-namespaces.js
					—	css-nesting.js
					—	css-not-sel-list.js
					—	css-nth-child-of.js
					—	css-opacity.js
					—	css-optional-pseudo.js
					—	css-overflow-anchor.js
					—	css-overflow-overlay.js
					—	css-overflow.js
					—	css-overscroll-behavior.js
					—	css-page-break.js
					—	css-paged-media.js
					—	css-paint-api.js
					—	css-placeholder-shown.js
					—	css-placeholder.js
					—	css-print-color-adjust.js

					—	css-read-only-write.js
					—	css-rebeccapurple.js
					—	css-reflections.js
					—	css-regions.js
					—	css-relative-colors.js
					—	css-repeating-gradients.js
					—	css-resize.js
					—	css-revert-value.js
					—	css-rrggbbaa.js
					—	css-scroll-behavior.js
					—	css-scrollbar.js
					—	css-sel2.js
					—	css-sel3.js
					—	css-selection.js
					—	css-shapes.js
					—	css-snappoints.js
					—	css-sticky.js
					—	css-subgrid.js
					—	css-supports-api.js
					—	css-table.js
					—	css-text-align-last.js
					—	css-text-box-trim.js
					—	css-text-indent.js
					—	css-text-justify.js
					—	css-text-orientation.js
					—	css-text-spacing.js
					—	css-text-wrap-balance.js
					—	css-textshadow.js
					—	css-touch-action.js
					—	css-transitions.js
					—	css-unicode-bidi.js
					—	css-unset-value.js
					—	css-variables.js
					—	css-when-else.js
					—	css-widows-orphans.js
					—	css-width-stretch.js
					—	css-writing-mode.js
					—	css-zoom.js
					—	css3-attr.js
					—	css3-boxsizing.js

					— css3-colors.js
					— css3-cursors-grab.js
					— css3-cursors-newer.js
					— css3-cursors.js
					— css3-tabsize.js
					— currentcolor.js
					— custom-elements.js
					— custom-elementsv1.js
					— customevent.js
					— datalist.js
					— dataset.js
					— datauri.js
					— date-to-local-date-string.js
					— declarative-shadow-dom.js
					— decorators.js
					— details.js
					— device-orientation.js
					— device-pixel-ratio.js
					— dialog.js
					— dispatch-event.js
					— dnssec.js
					— do-not-track.js
					— document-current-script.js
					— document-evaluate-xpath.js
					— document-execcommand.js
					— document-policy.js
					— document-scrolling-element.js
					— document-head.js
					— dom-manip-convenience.js
					— dom-range.js
					— dom-content-loaded.js
					— dom-matrix.js
					— download.js
					— drag-and-drop.js
					— element-closest.js
					— element-from-point.js
					— element-scroll-methods.js
					— eme.js
					— eot.js
					— es5.js

					es6-class.js
					es6-generators.js
					es6-module-dynamic-import.js
					es6-module.js
					es6-number.js
					es6-string-includes.js
					es6.js
					eventsourcing.js
					extended-system-fonts.js
					feature-policy.js
					fetch.js
					fieldset-disabled.js
					fileapi.js
					filereader.js
					filereadersync.js
					filesystem.js
					flac.js
					flexbox-gap.js
					flexbox.js
					flow-root.js
					focusin-focusout-events.js
					font-family-system-ui.js
					font-feature.js
					font-kerning.js
					font-loading.js
					font-size-adjust.js
					font-smooth.js
					font-unicode-range.js
					font-variant-alternates.js
					font-variant-numeric.js
					fontface.js
					form-attribute.js
					form-submit-attributes.js
					form-validation.js
					forms.js
					fullscreen.js
					gamepad.js
					geolocation.js
					getboundingclientrect.js
					getcomputedstyle.js

					getelementsbyclassname.js
					getrandomvalues.js
					gyroscope.js
					hardwareconcurrency.js
					hashchange.js
					heif.js
					hevc.js
					hidden.js
					high-resolution-time.js
					history.js
					html-media-capture.js
					html5semantic.js
					http-live-streaming.js
					http2.js
					http3.js
					iframe-sandbox.js
					iframe-seamless.js
					iframe-srcdoc.js
					imagecapture.js
					ime.js
					img-naturalwidth-naturalheight.js
					import-maps.js
					imports.js
					indeterminate-checkbox.js
					indexeddb.js
					indexeddb2.js
					inline-block.js
					innertext.js
					input-autocomplete-onoff.js
					input-color.js
					input-datetime.js
					input-email-tel-url.js
					input-event.js
					input-file-accept.js
					input-file-directory.js
					input-file-multiple.js
					input-inputmode.js
					input-minlength.js
					input-number.js
					input-pattern.js

					input-placeholder.js
					input-range.js
					input-search.js
					input-selection.js
					insert-adjacent.js
					insertadjacenthtml.js
					internationalization.js
					intersectionobserver-v2.js
					intersectionobserver.js
					intl-pluralrules.js
					intrinsic-width.js
					jpeg2000.js
					jpegxl.js
					jpegxr.js
					js-regexp-lookbehind.js
					json.js
					justify-content-space-evenly.js
					kerning-pairs-ligatures.js
					keyboardevent-charcode.js
					keyboardevent-code.js
					keyboardevent-getmodifierstate.js
					keyboardevent-key.js
					keyboardevent-location.js
					keyboardevent-which.js
					lazyload.js
					let.js
					link-icon-png.js
					link-icon-svg.js
					link-rel-dns-prefetch.js
					link-rel-modulepreload.js
					link-rel-preconnect.js
					link-rel-prefetch.js
					link-rel-preload.js
					link-rel-prerender.js
					loading-lazy-attr.js
					localecompare.js
					magnetometer.js
					matchselector.js
					matchmedia.js
					mathml.js

					maxlength.js
					mdn-css-backdrop-pseudo-element.js
					mdn-css-unicode-bidi-isolate-override.js
					mdn-css-unicode-bidi-isolate.js
					mdn-css-unicode-bidi-plaintext.js
					mdn-text-decoration-color.js
					mdn-text-decoration-line.js
					mdn-text-decoration-shorthand.js
					mdn-text-decoration-style.js
					media-fragments.js
					mediacapture-fromelement.js
					mediarecorder.js
					mediasource.js
					menu.js
					meta-theme-color.js
					meter.js
					midi.js
					minmaxwh.js
					mp3.js
					mpeg-dash.js
					mpeg4.js
					multibackgrounds.js
					multicolumn.js
					mutation-events.js
					mutationobserver.js
					namevalue-storage.js
					native-file-system-api.js
					nav-timing.js
					netinfo.js
					notifications.js
					object-entries.js
					object-fit.js
					object-observe.js
					object-values.js
					objectrtc.js
					offline-apps.js
					offscreencanvas.js
					ogg-vorbis.js
					ogv.js
					ol-reversed.js

					once-event-listener.js
					online-status.js
					opus.js
					orientation-sensor.js
					outline.js
					pad-start-end.js
					page-transition-events.js
					pagevisibility.js
					passive-event-listener.js
					passkeys.js
					passwordrules.js
					path2d.js
					payment-request.js
					pdf-viewer.js
					permissions-api.js
					permissions-policy.js
					picture-in-picture.js
					picture.js
					ping.js
					png-alpha.js
					pointer-events.js
					pointer.js
					pointerlock.js
					portals.js
					prefers-color-scheme.js
					prefers-reduced-motion.js
					progress.js
					promise-finally.js
					promises.js
					proximity.js
					proxy.js
					publickeypinning.js
					push-api.js
					querySelector.js
					readonly-attr.js
					referrer-policy.js
					registerprotocolhandler.js
					rel-noopener.js
					rel-noreferrer.js
					rellist.js

					rem.js
					requestanimationframe.js
					requestidlecallback.js
					resizeobserver.js
					resource-timing.js
					rest-parameters.js
					rtcpeerconnection.js
					ruby.js
					run-in.js
					same-site-cookie-attribute.js
					screen-orientation.js
					script-async.js
					script-defer.js
					scrollintoview.js
					scrollintoviewifneeded.js
					sdch.js
					selection-api.js
					selectlist.js
					server-timing.js
					serviceworkers.js
					setimmediate.js
					shadowdom.js
					shadowdomv1.js
					sharedarraybuffer.js
					sharedworkers.js
					sni.js
					spdy.js
					speech-recognition.js
					speech-synthesis.js
					spellcheck-attribute.js
					sql-storage.js
					srcset.js
					stream.js
					streams.js
					stricttransportsecurity.js
					style-scoped.js
					subresource-bundling.js
					subresource-integrity.js
					svg-css.js
					svg-filters.js

81/249

					— vibration.js
					— video.js
					— videotracks.js
					— view-transitions.js
					— viewport-unit-variants.js
					— viewport-units.js
					— wai-aria.js
					— wake-lock.js
					— wasm-bigint.js
					— wasm-bulk-memory.js
					— wasm-extended-const.js
					— wasm-gc.js
					— wasm-multi-memory.js
					— wasm-multi-value.js
					— wasm-mutable-globals.js
					— wasm-nontrapping-fptoint.js
					— wasm-reference-types.js
					— wasm-relaxed-simd.js
					— wasm-signext.js
					— wasm-simd.js
					— wasm-tail-calls.js
					— wasm-threads.js
					— wasm.js
					— wav.js
					— wbr-element.js
					— web-animation.js
					— web-app-manifest.js
					— web-bluetooth.js
					— web-serial.js
					— web-share.js
					— webauthn.js
					— webcodecs.js
					— webgl.js
					— webgl2.js
					— webgpu.js
					— webhid.js
					— webkit-user-drag.js
					— webm.js
					— webnfc.js
					— webp.js

					— websockets.js
					— webtransport.js
					— webusb.js
					— webvr.js
					— webvtt.js
					— webworkers.js
					— webxr.js
					— will-change.js
					— woff.js
					— woff2.js
					— word-break.js
					— wordwrap.js
					— x-doc-messaging.js
					— x-frame-options.js
					— xhr2.js
					— xhtml.js
					— xhtmlsmil.js
					— xml-serializer.js
					— zstd.js
					— features.js
					— regions
					— AD.js
					— AE.js
					— AF.js
					— AG.js
					— AI.js
					— AL.js
					— AM.js
					— AO.js
					— AR.js
					— AS.js
					— AT.js
					— AU.js
					— AW.js
					— AX.js
					— AZ.js
					— BA.js
					— BB.js
					— BD.js
					— BE.js

				BF.js
				BG.js
				BH.js
				BI.js
				BJ.js
				BM.js
				BN.js
				BO.js
				BR.js
				BS.js
				BT.js
				BW.js
				BY.js
				BZ.js
				CA.js
				CD.js
				CF.js
				CG.js
				CH.js
				CI.js
				CK.js
				CL.js
				CM.js
				CN.js
				CO.js
				CR.js
				CU.js
				CV.js
				CX.js
				CY.js
				CZ.js
				DE.js
				DJ.js
				DK.js
				DM.js
				DO.js
				DZ.js
				EC.js
				EE.js
				EG.js

				— ER.js
				— ES.js
				— ET.js
				— FI.js
				— FJ.js
				— FK.js
				— FM.js
				— FO.js
				— FR.js
				— GA.js
				— GB.js
				— GD.js
				— GE.js
				— GF.js
				— GG.js
				— GH.js
				— GI.js
				— GL.js
				— GM.js
				— GN.js
				— GP.js
				— GQ.js
				— GR.js
				— GT.js
				— GU.js
				— GW.js
				— GY.js
				— HK.js
				— HN.js
				— HR.js
				— HT.js
				— HU.js
				— ID.js
				— IE.js
				— IL.js
				— IM.js
				— IN.js
				— IQ.js
				— IR.js
				— IS.js

				IT.js
				JE.js
				JM.js
				JO.js
				JP.js
				KE.js
				KG.js
				KH.js
				KI.js
				KM.js
				KN.js
				KP.js
				KR.js
				KW.js
				KY.js
				KZ.js
				LA.js
				LB.js
				LC.js
				LI.js
				LK.js
				LR.js
				LS.js
				LT.js
				LU.js
				LV.js
				LY.js
				MA.js
				MC.js
				MD.js
				ME.js
				MG.js
				MH.js
				MK.js
				ML.js
				MM.js
				MN.js
				MO.js
				MP.js
				MQ.js

				— MR.js
				— MS.js
				— MT.js
				— MU.js
				— MV.js
				— MW.js
				— MX.js
				— MY.js
				— MZ.js
				— NA.js
				— NC.js
				— NE.js
				— NF.js
				— NG.js
				— NI.js
				— NL.js
				— NO.js
				— NP.js
				— NR.js
				— NU.js
				— NZ.js
				— OM.js
				— PA.js
				— PE.js
				— PF.js
				— PG.js
				— PH.js
				— PK.js
				— PL.js
				— PM.js
				— PN.js
				— PR.js
				— PS.js
				— PT.js
				— PW.js
				— PY.js
				— QA.js
				— RE.js
				— RO.js
				— RS.js

				RU.js
				RW.js
				SA.js
				SB.js
				SC.js
				SD.js
				SE.js
				SG.js
				SH.js
				SI.js
				SK.js
				SL.js
				SM.js
				SN.js
				SO.js
				SR.js
				ST.js
				SV.js
				SY.js
				SZ.js
				TC.js
				TD.js
				TG.js
				TH.js
				TJ.js
				TL.js
				TM.js
				TN.js
				TO.js
				TR.js
				TT.js
				TV.js
				TW.js
				TZ.js
				UA.js
				UG.js
				US.js
				UY.js
				UZ.js
				VA.js


```
| | | | VC.js
| | | | VE.js
| | | | VG.js
| | | | VI.js
| | | | VN.js
| | | | VU.js
| | | | WF.js
| | | | WS.js
| | | | YE.js
| | | | YT.js
| | | | ZA.js
| | | | ZM.js
| | | | ZW.js
| | | | alt-af.js
| | | | alt-an.js
| | | | alt-as.js
| | | | alt-eu.js
| | | | alt-na.js
| | | | alt-oc.js
| | | | alt-sa.js
| | | | alt-ww.js
| | | |
| | | | dist
| | | | | lib
| | | | | | statuses.js
| | | | | | supported.js
| | | | | unpacker
| | | | | agents.js
| | | | | browserVersions.js
| | | | | browsers.js
| | | | | feature.js
| | | | | features.js
| | | | | index.js
| | | | | region.js
| | | | package.json
| | | |
| | | | chalk
| | | | index.d.ts
| | | | license
| | | | package.json
| | | | readme.md
| | | | source
```

```

├── index.js
├── templates.js
├── util.js
├── color-convert
├── CHANGELOG.md
├── LICENSE
├── README.md
├── conversions.js
├── index.js
├── package.json
├── route.js
├── color-name
├── LICENSE
├── README.md
├── index.js
├── package.json
├── concat-map
├── LICENSE
├── README.markdown
├── example
├──   └── map.js
├── index.js
├── package.json
├── test
├──   └── map.js
├── content-disposition
├── HISTORY.md
├── LICENSE
├── README.md
├── index.js
├── package.json
├── content-type
├── HISTORY.md
├── LICENSE
├── README.md
├── index.js
├── package.json
├── convert-source-map
├── LICENSE
├── README.md

```

```

├── index.js
├── package.json
├── cookie
├── LICENSE
├── README.md
├── SECURITY.md
├── dist
├── index.d.ts
├── index.js
├── index.js.map
├── index.js
├── package.json
├── cookie-signature
├── History.md
├── LICENSE
├── Readme.md
├── index.js
├── package.json
├── cors
├── CONTRIBUTING.md
├── HISTORY.md
├── LICENSE
├── README.md
├── lib
├── index.js
├── package.json
├── cross-spawn
├── LICENSE
├── README.md
├── index.js
├── lib
├── enoent.js
├── parse.js
├── util
├── escape.js
├── readShebang.js
├── resolveCommand.js
├── package.json
├── csstype
├── LICENSE

```

```
graph TD;
    Root[ ] --- README.md;
    Root --- index.d.ts;
    Root --- index.js.flow;
    Root --- package.json;
    Root --- debug;
    Root --- LICENSE;
    Root --- README.md;
    Root --- package.json;
    Root --- src;
    Root --- browser.js;
    Root --- common.js;
    Root --- index.js;
    Root --- node.js;
    Root --- deep-is;
    Root --- LICENSE;
    Root --- README.markdown;
    Root --- example;
    Root --- cmp.js;
    Root --- index.js;
    Root --- package.json;
    Root --- test;
    Root --- NaN.js;
    Root --- cmp.js;
    Root --- neg-vs-pos-0.js;
    Root --- depd;
    Root --- History.md;
    Root --- LICENSE;
    Root --- Readme.md;
    Root --- index.js;
    Root --- lib;
    Root --- browser;
    Root --- index.js;
    Root --- package.json;
    Root --- dom-serializer;
    Root --- LICENSE;
    Root --- README.md;
    Root --- lib;
    Root --- esm;
    Root --- foreignNames.d.ts;
    Root --- foreignNames.d.ts.map;
```

```
| | | | | — foreignNames.js
| | | | | — index.d.ts
| | | | | — index.d.ts.map
| | | | | — index.js
| | | | | — package.json
| | | | — foreignNames.d.ts
| | | | — foreignNames.d.ts.map
| | | | — foreignNames.js
| | | | — index.d.ts
| | | | — index.d.ts.map
| | | | — index.js
| | | — node_modules
| | | — entities
| | | — LICENSE
| | | — lib
| | | — decode.d.ts
| | | — decode.d.ts.map
| | | — decode.js
| | | — decode.js.map
| | | — decode_codepoint.d.ts
| | | — decode_codepoint.d.ts.map
| | | — decode_codepoint.js
| | | — decode_codepoint.js.map
| | | — encode.d.ts
| | | — encode.d.ts.map
| | | — encode.js
| | | — encode.js.map
| | | — escape.d.ts
| | | — escape.d.ts.map
| | | — escape.js
| | | — escape.js.map
| | | — esm
| | | — decode.d.ts
| | | — decode.d.ts.map
| | | — decode.js
| | | — decode.js.map
| | | — decode_codepoint.d.ts
| | | — decode_codepoint.d.ts.map
| | | — decode_codepoint.js
| | | — decode_codepoint.js.map
```

```
| | | | | |— encode.d.ts
| | | | | |— encode.d.ts.map
| | | | | |— encode.js
| | | | | |— encode.js.map
| | | | | |— escape.d.ts
| | | | | |— escape.d.ts.map
| | | | | |— escape.js
| | | | | |— escape.js.map
| | | | | |— generated
| | | | | | |— decode-data-html.d.ts
| | | | | | |— decode-data-html.d.ts.map
| | | | | | |— decode-data-html.js
| | | | | | |— decode-data-html.js.map
| | | | | | |— decode-data-xml.d.ts
| | | | | | |— decode-data-xml.d.ts.map
| | | | | | |— decode-data-xml.js
| | | | | | |— decode-data-xml.js.map
| | | | | | |— encode-html.d.ts
| | | | | | |— encode-html.d.ts.map
| | | | | | |— encode-html.js
| | | | | | |— encode-html.js.map
| | | | | |— index.d.ts
| | | | | |— index.d.ts.map
| | | | | |— index.js
| | | | | |— index.js.map
| | | | | |— package.json
| | | | | |— generated
| | | | | | |— decode-data-html.d.ts
| | | | | | |— decode-data-html.d.ts.map
| | | | | | |— decode-data-html.js
| | | | | | |— decode-data-html.js.map
| | | | | | |— decode-data-xml.d.ts
| | | | | | |— decode-data-xml.d.ts.map
| | | | | | |— decode-data-xml.js
| | | | | | |— decode-data-xml.js.map
| | | | | | |— encode-html.d.ts
| | | | | | |— encode-html.d.ts.map
| | | | | | |— encode-html.js
| | | | | | |— encode-html.js.map
| | | | | |— index.d.ts
```

```
| | | | |— index.d.ts.map
| | | | |— index.js
| | | | |— index.js.map
| | | | |— package.json
| | | | |— readme.md
| | | |— package.json
| | |— domelementtype
| | |— LICENSE
| | |— lib
| | | |— esm
| | | | |— index.d.ts
| | | | |— index.d.ts.map
| | | | |— index.js
| | | | |— package.json
| | | |— index.d.ts
| | | |— index.d.ts.map
| | | |— index.js
| | |— package.json
| | |— readme.md
| |— domhandler
| |— LICENSE
| |— lib
| | |— esm
| | | |— index.d.ts
| | | |— index.d.ts.map
| | | |— index.js
| | | |— node.d.ts
| | | |— node.d.ts.map
| | | |— node.js
| | | |— package.json
| | |— index.d.ts
| | |— index.d.ts.map
| | |— index.js
| | |— node.d.ts
| | |— node.d.ts.map
| | |— node.js
| |— package.json
| |— readme.md
|— domutils
|— LICENSE
```




```
| | | |— helpers.d.ts.map
| | | |— helpers.js
| | | |— helpers.js.map
| | | |— index.d.ts
| | | |— index.d.ts.map
| | | |— index.js
| | | |— index.js.map
| | | |— legacy.d.ts
| | | |— legacy.d.ts.map
| | | |— legacy.js
| | | |— legacy.js.map
| | | |— manipulation.d.ts
| | | |— manipulation.d.ts.map
| | | |— manipulation.js
| | | |— manipulation.js.map
| | | |— querying.d.ts
| | | |— querying.d.ts.map
| | | |— querying.js
| | | |— querying.js.map
| | | |— stringify.d.ts
| | | |— stringify.d.ts.map
| | | |— stringify.js
| | | |— stringify.js.map
| | | |— traversal.d.ts
| | | |— traversal.d.ts.map
| | | |— traversal.js
| | | |— traversal.js.map
| | | |— package.json
| | | |— readme.md
| | | |— dotenv
| | | |— CHANGELOG.md
| | | |— LICENSE
| | | |— README-es.md
| | | |— README.md
| | | |— SECURITY.md
| | | |— config.d.ts
| | | |— config.js
| | | |— lib
| | | |— cli-options.js
| | | |— env-options.js
```

```
| | | |— main.d.ts
| | | |— main.js
| | | |— package.json
| | |— dunder-proto
| | |— CHANGELOG.md
| | |— LICENSE
| | |— README.md
| | |— get.d.ts
| | |— get.js
| | |— package.json
| | |— set.d.ts
| | |— set.js
| | |— test
| | | |— get.js
| | | |— index.js
| | | |— set.js
| | |— tsconfig.json
| |— ee-first
| | |— LICENSE
| | |— README.md
| | |— index.js
| | |— package.json
| |— electron-to-chromium
| | |— LICENSE
| | |— README.md
| | |— chromium-versions.js
| | |— chromium-versions.json
| | |— full-chromium-versions.js
| | |— full-chromium-versions.json
| | |— full-versions.js
| | |— full-versions.json
| | |— index.js
| | |— package.json
| | |— versions.js
| | |— versions.json
| |— encodeurl
| | |— LICENSE
| | |— README.md
| | |— index.js
| | |— package.json
```

```
graph TD; entities --> LICENSE; entities --> decode_d_ts[decode.d.ts]; entities --> decode_js[decode.js]; entities --> dist; entities --> commonjs; commonjs --> decode_codepoint_d_ts[decode-codepoint.d.ts]; commonjs --> decode_codepoint_d_ts_map[decode-codepoint.d.ts.map]; commonjs --> decode_codepoint_js[decode-codepoint.js]; commonjs --> decode_codepoint_js_map[decode-codepoint.js.map]; commonjs --> decode_d_ts; commonjs --> decode_d_ts_map[decode.d.ts.map]; commonjs --> decode_js; commonjs --> decode_js_map[decode.js.map]; commonjs --> encode_d_ts[encode.d.ts]; commonjs --> encode_d_ts_map[encode.d.ts.map]; commonjs --> encode_js[encode.js]; commonjs --> encode_js_map[encode.js.map]; commonjs --> escape_d_ts[escape.d.ts]; commonjs --> escape_d_ts_map[escape.d.ts.map]; commonjs --> escape_js[escape.js]; commonjs --> escape_js_map[escape.js.map]; commonjs --> generated; generated --> decode_data_html_d_ts[decode-data-html.d.ts]; generated --> decode_data_html_d_ts_map[decode-data-html.d.ts.map]; generated --> decode_data_html_js[decode-data-html.js]; generated --> decode_data_html_js_map[decode-data-html.js.map]; generated --> decode_data_xml_d_ts[decode-data-xml.d.ts]; generated --> decode_data_xml_d_ts_map[decode-data-xml.d.ts.map]; generated --> decode_data_xml_js[decode-data-xml.js]; generated --> decode_data_xml_js_map[decode-data-xml.js.map]; generated --> encode_html_d_ts[encode-html.d.ts]; generated --> encode_html_d_ts_map[encode-html.d.ts.map]; generated --> encode_html_js[encode-html.js]; generated --> encode_html_js_map[encode-html.js.map]; generated --> index_d_ts[index.d.ts]; generated --> index_d_ts_map[index.d.ts.map]; generated --> index_js[index.js]; generated --> index_js_map[index.js.map]; generated --> package_json[package.json]
```

```
| | | └─ esm
| | |   └─ decode-codepoint.d.ts
| | |   └─ decode-codepoint.d.ts.map
| | |   └─ decode-codepoint.js
| | |   └─ decode-codepoint.js.map
| | |   └─ decode.d.ts
| | |   └─ decode.d.ts.map
| | |   └─ decode.js
| | |   └─ decode.js.map
| | |   └─ encode.d.ts
| | |   └─ encode.d.ts.map
| | |   └─ encode.js
| | |   └─ encode.js.map
| | |   └─ escape.d.ts
| | |   └─ escape.d.ts.map
| | |   └─ escape.js
| | |   └─ escape.js.map
| | |   └─ generated
| | |     └─ decode-data-html.d.ts
| | |     └─ decode-data-html.d.ts.map
| | |     └─ decode-data-html.js
| | |     └─ decode-data-html.js.map
| | |     └─ decode-data-xml.d.ts
| | |     └─ decode-data-xml.d.ts.map
| | |     └─ decode-data-xml.js
| | |     └─ decode-data-xml.js.map
| | |     └─ encode-html.d.ts
| | |     └─ encode-html.d.ts.map
| | |     └─ encode-html.js
| | |     └─ encode-html.js.map
| | |   └─ index.d.ts
| | |   └─ index.d.ts.map
| | |   └─ index.js
| | |   └─ index.js.map
| | |   └─ package.json
| | └─ escape.d.ts
| | └─ escape.js
| | └─ package.json
| | └─ readme.md
| └─ src
```

```

├── decode-codepoint.ts
├── decode.spec.ts
├── decode.ts
├── encode.spec.ts
├── encode.ts
├── escape.spec.ts
├── escape.ts
├── generated
│   ├── decode-data-html.ts
│   ├── decode-data-xml.ts
│   └── encode-html.ts
├── index.spec.ts
├── index.ts
├── es-define-property
│   ├── CHANGELOG.md
│   ├── LICENSE
│   ├── README.md
│   ├── index.d.ts
│   ├── index.js
│   ├── package.json
│   ├── test
│   │   └── index.js
│   └── tsconfig.json
├── es-errors
│   ├── CHANGELOG.md
│   ├── LICENSE
│   ├── README.md
│   ├── eval.d.ts
│   ├── eval.js
│   ├── index.d.ts
│   ├── index.js
│   ├── package.json
│   ├── range.d.ts
│   ├── range.js
│   ├── ref.d.ts
│   ├── ref.js
│   ├── syntax.d.ts
│   ├── syntax.js
│   ├── test
│   │   └── index.js

```

```
graph TD;
    Root[ ] --- tsconfig.json;
    Root --- type.d.ts;
    Root --- type.js;
    Root --- uri.d.ts;
    Root --- uri.js;
    Root --- es-object-atoms;
    Root --- CHANGELOG.md;
    Root --- LICENSE;
    Root --- README.md;
    Root --- RequireObjectCoercible.d.ts;
    Root --- RequireObjectCoercible.js;
    Root --- ToObject.d.ts;
    Root --- ToObject.js;
    Root --- index.d.ts;
    Root --- index.js;
    Root --- isObject.d.ts;
    Root --- isObject.js;
    Root --- package.json;
    Root --- test;
    Root --- test-sub[index.js];
    Root --- test-tsconfig.json;
    Root --- esbuild;
    Root --- LICENSE.md;
    Root --- README.md;
    Root --- bin;
    Root --- bin-esbuild[esbuild];
    Root --- install.js;
    Root --- lib;
    Root --- lib-main.d.ts[main.d.ts];
    Root --- lib-main.js[main.js];
    Root --- lib-package.json[package.json];
    Root --- escalade;
    Root --- dist;
    Root --- dist-index.js[index.js];
    Root --- dist-index.mjs[index.mjs];
    Root --- index.d.mts;
    Root --- index.d.ts;
    Root --- license;
    Root --- package.json;
    Root --- readme.md;
```

```

├── sync
│   ├── index.d.mts
│   ├── index.d.ts
│   ├── index.js
│   └── index.mjs
├── escape-html
│   ├── LICENSE
│   ├── Readme.md
│   ├── index.js
│   └── package.json
├── escape-string-regexp
│   ├── index.d.ts
│   ├── index.js
│   ├── license
│   ├── package.json
│   └── readme.md
├── eslint
│   ├── LICENSE
│   ├── README.md
│   ├── bin
│   │   └── eslint.js
│   ├── conf
│   │   ├── default-cli-options.js
│   │   ├── ecma-version.js
│   │   ├── globals.js
│   │   ├── replacements.json
│   │   └── rule-type-list.json
│   ├── lib
│   │   ├── api.js
│   │   ├── cli-engine
│   │   │   ├── cli-engine.js
│   │   │   ├── file-enumerator.js
│   │   │   ├── formatters
│   │   │   │   ├── formatters-meta.json
│   │   │   │   ├── html.js
│   │   │   │   ├── json-with-metadata.js
│   │   │   │   ├── json.js
│   │   │   │   └── stylish.js
│   │   │   └── hash.js
│   │   └── index.js

```

```

├── lint-result-cache.js
├── load-rules.js
├── cli.js
├── config
│   ├── config-loader.js
│   ├── config.js
│   ├── default-config.js
│   ├── flat-config-array.js
│   └── flat-config-schema.js
├── config-api.js
├── eslint
│   ├── eslint-helpers.js
│   ├── eslint.js
│   ├── index.js
│   ├── legacy-eslint.js
│   └── worker.js
├── languages
│   └── js
│       ├── index.js
│       ├── source-code
│       │   ├── index.js
│       │   ├── source-code.js
│       │   └── token-store
│       │       ├── backward-token-comment-cursor.js
│       │       ├── backward-token-cursor.js
│       │       ├── cursor.js
│       │       ├── cursors.js
│       │       ├── decorative-cursor.js
│       │       ├── filter-cursor.js
│       │       ├── forward-token-comment-cursor.js
│       │       ├── forward-token-cursor.js
│       │       ├── index.js
│       │       ├── limit-cursor.js
│       │       ├── padded-token-cursor.js
│       │       ├── skip-cursor.js
│       │       └── utils.js
│       └── validate-language-options.js
├── linter
│   ├── apply-disable-directives.js
│   └── code-path-analysis

```


- | | | | | | — code-path-analyzer.js
- | | | | | | — code-path-segment.js
- | | | | | | — code-path-state.js
- | | | | | | — code-path.js
- | | | | | | — debug-helpers.js
- | | | | | | — fork-context.js
- | | | | | | — id-generator.js
- | | | | | — esquery.js
- | | | | | — file-context.js
- | | | | | — file-report.js
- | | | | | — index.js
- | | | | | — interpolate.js
- | | | | | — linter.js
- | | | | | — rule-fixer.js
- | | | | | — rules.js
- | | | | | — source-code-fixer.js
- | | | | | — source-code-traverser.js
- | | | | | — source-code-visitor.js
- | | | | | — timing.js
- | | | | | — vfile.js
- | | | | — options.js
- | | | | — rule-tester
- | | | | | — index.js
- | | | | | — rule-tester.js
- | | | | — rules
- | | | | | — accessor-pairs.js
- | | | | | — array-bracket-newline.js
- | | | | | — array-bracket-spacing.js
- | | | | | — array-callback-return.js
- | | | | | — array-element-newline.js
- | | | | | — arrow-body-style.js
- | | | | | — arrow-parens.js
- | | | | | — arrow-spacing.js
- | | | | | — block-scoped-var.js
- | | | | | — block-spacing.js
- | | | | | — brace-style.js
- | | | | | — callback-return.js
- | | | | | — camelcase.js
- | | | | | — capitalized-comments.js
- | | | | | — class-methods-use-this.js

					— comma-dangle.js
					— comma-spacing.js
					— comma-style.js
					— complexity.js
					— computed-property-spacing.js
					— consistent-return.js
					— consistent-this.js
					— constructor-super.js
					— curly.js
					— default-case-last.js
					— default-case.js
					— default-param-last.js
					— dot-location.js
					— dot-notation.js
					— eol-last.js
					— eqeqeq.js
					— for-direction.js
					— func-call-spacing.js
					— func-name-matching.js
					— func-names.js
					— func-style.js
					— function-call-argument-newline.js
					— function-paren-newline.js
					— generator-star-spacing.js
					— getter-return.js
					— global-require.js
					— grouped-accessor-pairs.js
					— guard-for-in.js
					— handle-callback-err.js
					— id-blacklist.js
					— id-denylist.js
					— id-length.js
					— id-match.js
					— implicit-arrow-linebreak.js
					— indent-legacy.js
					— indent.js
					— index.js
					— init-declarations.js
					— jsx-quotes.js
					— key-spacing.js

					keyword-spacing.js
					line-comment-position.js
					linebreak-style.js
					lines-around-comment.js
					lines-around-directive.js
					lines-between-class-members.js
					logical-assignment-operators.js
					max-classes-per-file.js
					max-depth.js
					max-len.js
					max-lines-per-function.js
					max-lines.js
					max-nested-callbacks.js
					max-params.js
					max-statements-per-line.js
					max-statements.js
					multiline-comment-style.js
					multiline-ternary.js
					new-cap.js
					new-parens.js
					newline-after-var.js
					newline-before-return.js
					newline-per-chained-call.js
					no-alert.js
					no-array-constructor.js
					no-async-promise-executor.js
					no-await-in-loop.js
					no-bitwise.js
					no-buffer-constructor.js
					no-caller.js
					no-case-declarations.js
					no-catch-shadow.js
					no-class-assign.js
					no-compare-neg-zero.js
					no-cond-assign.js
					no-confusing-arrow.js
					no-console.js
					no-const-assign.js
					no-constant-binary-expression.js
					no-constant-condition.js

					no-constructor-return.js
					no-continue.js
					no-control-regex.js
					no-debugger.js
					no-delete-var.js
					no-div-regex.js
					no-dupe-args.js
					no-dupe-class-members.js
					no-dupe-else-if.js
					no-dupe-keys.js
					no-duplicate-case.js
					no-duplicate-imports.js
					no-else-return.js
					no-empty-character-class.js
					no-empty-function.js
					no-empty-pattern.js
					no-empty-static-block.js
					no-empty.js
					no-eq-null.js
					no-eval.js
					no-ex-assign.js
					no-extend-native.js
					no-extra-bind.js
					no-extra-boolean-cast.js
					no-extra-label.js
					no-extra-parens.js
					no-extra-semi.js
					no-fallthrough.js
					no-floating-decimal.js
					no-func-assign.js
					no-global-assign.js
					no-implicit-coercion.js
					no-implicit-globals.js
					no-implied-eval.js
					no-import-assign.js
					no-inline-comments.js
					no-inner-declarations.js
					no-invalid-regexp.js
					no-invalid-this.js
					no-irregular-whitespace.js

					no-iterator.js
					no-label-var.js
					no-labels.js
					no-lone-blocks.js
					no-lonely-if.js
					no-loop-func.js
					no-loss-of-precision.js
					no-magic-numbers.js
					no-misleading-character-class.js
					no-mixed-operators.js
					no-mixed-requires.js
					no-mixed-spaces-and-tabs.js
					no-multi-assign.js
					no-multi-spaces.js
					no-multi-str.js
					no-multiple-empty-lines.js
					no-native-reassign.js
					no-negated-condition.js
					no-negated-in-lhs.js
					no-nested-ternary.js
					no-new-func.js
					no-new-native-nonconstructor.js
					no-new-object.js
					no-new-require.js
					no-new-symbol.js
					no-new-wrappers.js
					no-new.js
					no-noctal-decimal-escape.js
					no-obj-calls.js
					no-object-constructor.js
					no-octal-escape.js
					no-octal.js
					no-param-reassign.js
					no-path-concat.js
					no-plusplus.js
					no-process-env.js
					no-process-exit.js
					no-promise-executor-return.js
					no-proto.js
					no-prototype-builtins.js

					no-redeclare.js
					no-regex-spaces.js
					no-restricted-exports.js
					no-restricted-globals.js
					no-restricted-imports.js
					no-restricted-modules.js
					no-restricted-properties.js
					no-restricted-syntax.js
					no-return-assign.js
					no-return-await.js
					no-script-url.js
					no-self-assign.js
					no-self-compare.js
					no-sequences.js
					no-setter-return.js
					no-shadow-restricted-names.js
					no-shadow.js
					no-spaced-func.js
					no-sparse-arrays.js
					no-sync.js
					no-tabs.js
					no-template-curly-in-string.js
					no-ternary.js
					no-this-before-super.js
					no-throw-literal.js
					no-trailing-spaces.js
					no-unassigned-vars.js
					no-undef-init.js
					no-undef.js
					no-undefined.js
					no-underscore-dangle.js
					no-unexpected-multiline.js
					no-unmodified-loop-condition.js
					no-unneeded-ternary.js
					no-unreachable-loop.js
					no-unreachable.js
					no-unsafe-finally.js
					no-unsafe-negation.js
					no-unsafe-optional-chaining.js
					no-unused-expressions.js

					no-unused-labels.js
					no-unused-private-class-members.js
					no-unused-vars.js
					no-use-before-define.js
					no-useless-assignment.js
					no-useless-backreference.js
					no-useless-call.js
					no-useless-catch.js
					no-useless-computed-key.js
					no-useless-concat.js
					no-useless-constructor.js
					no-useless-escape.js
					no-useless-rename.js
					no-useless-return.js
					no-var.js
					no-void.js
					no-warning-comments.js
					no-whitespace-before-property.js
					no-with.js
					nonblock-statement-body-position.js
					object-curly-newline.js
					object-curly-spacing.js
					object-property-newline.js
					object-shorthand.js
					one-var-declaration-per-line.js
					one-var.js
					operator-assignment.js
					operator-linebreak.js
					padded-blocks.js
					padding-line-between-statements.js
					prefer-arrow-callback.js
					prefer-const.js
					prefer-destructuring.js
					prefer-exponentiation-operator.js
					prefer-named-capture-group.js
					prefer-numeric-literals.js
					prefer-object-has-own.js
					prefer-object-spread.js
					prefer-promise-reject-errors.js
					prefer-reflect.js

					└─ prefer-regex-literals.js
					└─ prefer-rest-params.js
					└─ prefer-spread.js
					└─ prefer-template.js
					└─ preserve-caught-error.js
					└─ quote-props.js
					└─ quotes.js
					└─ radix.js
					└─ require-atomic-updates.js
					└─ require-await.js
					└─ require-unicode-regexp.js
					└─ require-yield.js
					└─ rest-spread-spacing.js
					└─ semi-spacing.js
					└─ semi-style.js
					└─ semi.js
					└─ sort-imports.js
					└─ sort-keys.js
					└─ sort-vars.js
					└─ space-before-blocks.js
					└─ space-before-function-paren.js
					└─ space-in-parens.js
					└─ space-infix-ops.js
					└─ space-unary-ops.js
					└─ spaced-comment.js
					└─ strict.js
					└─ switch-colon-spacing.js
					└─ symbol-description.js
					└─ template-curly-spacing.js
					└─ template-tag-spacing.js
					└─ unicode-bom.js
					└─ use-isnan.js
					└─ utils
					└─ ast-utils.js
					└─ char-source.js
					└─ fix-tracker.js
					└─ keywords.js
					└─ lazy-loading-rule-map.js
					└─ regular-expressions.js
					└─ unicode

113/249

```
| | | |   └─ use-at-your-own-risk.d.ts
| | | |   └─ universal.js
| | | |   └─ unsupported-api.js
| | | └─ messages
| | |   └─ all-files-ignored.js
| | |   └─ all-matched-files-ignored.js
| | |   └─ config-file-missing.js
| | |   └─ config-plugin-missing.js
| | |   └─ config-serialize-function.js
| | |   └─ eslintrc-incompat.js
| | |   └─ eslintrc-plugins.js
| | |   └─ extend-config-missing.js
| | |   └─ failed-to-read-json.js
| | |   └─ file-not-found.js
| | |   └─ invalid-rule-options.js
| | |   └─ invalid-rule-severity.js
| | |   └─ no-config-found.js
| | |   └─ plugin-conflict.js
| | |   └─ plugin-invalid.js
| | |   └─ plugin-missing.js
| | |   └─ print-config-with-directory-path.js
| | |   └─ shared.js
| | |   └─ whitespace-found.js
| | └─ package.json
| └─ eslint-plugin-react-hooks
|   └─ LICENSE
|   └─ README.md
|   └─ cjs
|     └─ eslint-plugin-react-hooks.d.ts
|     └─ eslint-plugin-react-hooks.development.js
|     └─ eslint-plugin-react-hooks.production.js
|   └─ index.d.ts
|   └─ index.js
|   └─ package.json
| └─ eslint-plugin-react-refresh
|   └─ LICENSE
|   └─ README.md
|   └─ index.d.ts
|   └─ index.js
|   └─ package.json
```

```

├── eslint-scope
│   ├── LICENSE
│   ├── README.md
│   ├── dist
│   │   └── eslint-scope.cjs
│   ├── lib
│   │   ├── assert.js
│   │   ├── definition.js
│   │   ├── index.js
│   │   ├── pattern-visitor.js
│   │   ├── reference.js
│   │   ├── referencer.js
│   │   ├── scope-manager.js
│   │   ├── scope.js
│   │   ├── variable.js
│   │   └── version.js
│   └── package.json
├── eslint-visitor-keys
│   ├── LICENSE
│   ├── README.md
│   ├── dist
│   │   ├── eslint-visitor-keys.cjs
│   │   ├── eslint-visitor-keys.d.cts
│   │   ├── index.d.ts
│   │   └── visitor-keys.d.ts
│   ├── lib
│   │   ├── index.js
│   │   └── visitor-keys.js
│   └── package.json
├── espree
│   ├── LICENSE
│   ├── README.md
│   ├── dist
│   │   └── espree.cjs
│   ├── espree.js
│   ├── lib
│   │   ├── espree.js
│   │   ├── features.js
│   │   ├── options.js
│   │   └── token-translator.js

```

```
| | |   └─ version.js
| | |   └─ package.json
| | └─ esquery
| |   └─ README.md
| |   └─ dist
| |     └─ esquery.esm.js
| |     └─ esquery.esm.min.js
| |     └─ esquery.esm.min.js.map
| |     └─ esquery.js
| |     └─ esquery.lite.js
| |     └─ esquery.lite.min.js
| |     └─ esquery.lite.min.js.map
| |     └─ esquery.min.js
| |     └─ esquery.min.js.map
| |   └─ license.txt
| |   └─ package.json
| |   └─ parser.js
| └─ esrecurse
|   └─ README.md
|   └─ esrecurse.js
|   └─ gulpfile.babel.js
|   └─ package.json
└─ estraverse
  └─ LICENSE.BSD
  └─ README.md
  └─ estraverse.js
  └─ gulpfile.js
  └─ package.json
└─ esutils
  └─ LICENSE.BSD
  └─ README.md
  └─ lib
    └─ ast.js
    └─ code.js
    └─ keyword.js
    └─ utils.js
  └─ package.json
└─ etag
  └─ HISTORY.md
  └─ LICENSE
```

```
| | | — README.md
| | | — index.js
| | | — package.json
| | — express
| | | — History.md
| | | — LICENSE
| | | — Readme.md
| | | — index.js
| | | — lib
| | | | — application.js
| | | | — express.js
| | | | — request.js
| | | | — response.js
| | | | — utils.js
| | | | — view.js
| | | — node_modules
| | | | — cookie
| | | | | — LICENSE
| | | | | — README.md
| | | | | — SECURITY.md
| | | | | — index.js
| | | | | — package.json
| | | — package.json
| | — fast-deep-equal
| | | — LICENSE
| | | — README.md
| | | — es6
| | | | — index.d.ts
| | | | — index.js
| | | | — react.d.ts
| | | | — react.js
| | | — index.d.ts
| | | — index.js
| | | — package.json
| | | — react.d.ts
| | | — react.js
| | — fast-json-stable-stringify
| | | — LICENSE
| | | — README.md
| | | — benchmark
```

```
| | | |— index.js
| | | |— test.json
| | | |— example
| | | |— key_cmp.js
| | | |— nested.js
| | | |— str.js
| | | |— value_cmp.js
| | | |— index.d.ts
| | | |— index.js
| | | |— package.json
| | | |— test
| | | |— cmp.js
| | | |— nested.js
| | | |— str.js
| | | |— to-json.js
| | | |— fast-levenshtein
| | | |— LICENSE.md
| | | |— README.md
| | | |— levenshtein.js
| | | |— package.json
| | | |— fdir
| | | |— LICENSE
| | | |— README.md
| | | |— dist
| | | |— index.cjs
| | | |— index.d.cts
| | | |— index.d.mts
| | | |— index.mjs
| | | |— package.json
| | | |— file-entry-cache
| | | |— LICENSE
| | | |— README.md
| | | |— cache.js
| | | |— package.json
| | | |— finalhandler
| | | |— HISTORY.md
| | | |— LICENSE
| | | |— README.md
| | | |— index.js
| | | |— package.json
```

```

├── find-up
│   ├── index.d.ts
│   ├── index.js
│   ├── license
│   ├── package.json
│   └── readme.md
├── flat-cache
│   ├── LICENSE
│   ├── README.md
│   ├── changelog.md
│   ├── package.json
│   └── src
│       ├── cache.js
│       ├── del.js
│       └── utils.js
├── flattened
│   ├── LICENSE
│   ├── README.md
│   ├── cjs
│   │   ├── index.js
│   │   └── package.json
│   ├── es.js
│   ├── esm
│   │   └── index.js
│   ├── esm.js
│   ├── index.js
│   ├── min.js
│   ├── package.json
│   ├── php
│   │   └── flattened.php
│   ├── python
│   │   └── flattened.py
│   ├── types
│   │   └── index.d.ts
├── forwarded
│   ├── HISTORY.md
│   ├── LICENSE
│   ├── README.md
│   ├── index.js
│   └── package.json

```

- └─ fresh
 - └─ HISTORY.md
 - └─ LICENSE
 - └─ README.md
 - └─ index.js
 - └─ package.json
- └─ function-bind
 - └─ CHANGELOG.md
 - └─ LICENSE
 - └─ README.md
 - └─ implementation.js
 - └─ index.js
 - └─ package.json
 - └─ test
 - └─ index.js
- └─ gensync
 - └─ LICENSE
 - └─ README.md
 - └─ index.js
 - └─ index.js.flow
 - └─ package.json
 - └─ test
 - └─ index.test.js
- └─ get-intrinsic
 - └─ CHANGELOG.md
 - └─ LICENSE
 - └─ README.md
 - └─ index.js
 - └─ package.json
 - └─ test
 - └─ GetIntrinsic.js
- └─ get-proto
 - └─ CHANGELOG.md
 - └─ LICENSE
 - └─ Object.getPrototypeOf.d.ts
 - └─ Object.getPrototypeOf.js
 - └─ README.md
 - └─ Reflect.getPrototypeOf.d.ts
 - └─ Reflect.getPrototypeOf.js
 - └─ index.d.ts


```
graph LR;
    Root[ ] --- index.js;
    Root --- package.json;
    Root --- test;
    Root --- glob-parent;
    Root --- globals;
    Root --- gopd;
    Root --- has-flag;
    Root --- has-symbols;
    Root --- index.d.ts;
    Root --- license;
    Root --- package.json;
    Root --- readme.md;
    Root --- tsconfig.json;
    Root --- CHANGELOG.md;
    Root --- README.md;
    Root --- gOPD.d.ts;
    Root --- gOPD.js;
    Root --- index.js;
    Root --- test;
    Root --- tsconfig.json;
```

```

├── index.js
├── package.json
├── shams.d.ts
├── shams.js
├── test
│   ├── index.js
│   ├── shams
│   │   ├── core-js.js
│   │   └── get-own-property-symbols.js
│   └── tests.js
├── tsconfig.json
├── hasown
├── CHANGELOG.md
├── LICENSE
├── README.md
├── index.d.ts
├── index.js
├── package.json
├── tsconfig.json
├── html-dom-parser
├── LICENSE
├── README.md
├── dist
│   ├── html-dom-parser.js
│   ├── html-dom-parser.js.map
│   ├── html-dom-parser.min.js
│   └── html-dom-parser.min.js.map
├── esm
│   ├── client
│   │   ├── html-to-dom.d.mts
│   │   └── html-to-dom.mjs
│   ├── index.d.mts
│   ├── index.mjs
│   ├── server
│   │   ├── html-to-dom.d.mts
│   │   └── html-to-dom.mjs
│   └── types.ts
├── lib
├── client
│   └── constants.d.ts

```

```
| | | | |— constants.d.ts.map
| | | | |— constants.js
| | | | |— constants.js.map
| | | | |— domparser.d.ts
| | | | |— domparser.d.ts.map
| | | | |— domparser.js
| | | | |— domparser.js.map
| | | | |— html-to-dom.d.ts
| | | | |— html-to-dom.d.ts.map
| | | | |— html-to-dom.js
| | | | |— html-to-dom.js.map
| | | | |— utilities.d.ts
| | | | |— utilities.d.ts.map
| | | | |— utilities.js
| | | | |— utilities.js.map
| | | | |— index.d.ts
| | | | |— index.d.ts.map
| | | | |— index.js
| | | | |— index.js.map
| | | | |— server
| | | | |— html-to-dom.d.ts
| | | | |— html-to-dom.d.ts.map
| | | | |— html-to-dom.js
| | | | |— html-to-dom.js.map
| | | | |— utilities.d.ts
| | | | |— utilities.d.ts.map
| | | | |— utilities.js
| | | | |— utilities.js.map
| | | | |— types.d.ts
| | | | |— types.d.ts.map
| | | | |— types.js
| | | | |— types.js.map
| | | |— package.json
| | |— src
| | |— client
| | |— constants.ts
| | |— domparser.ts
| | |— html-to-dom.ts
| | |— utilities.ts
| |— index.ts
```

```
| | | | server
| | | | | html-to-dom.ts
| | | | | utilities.ts
| | | | | types.ts
| | | | |
| | | | | html-react-parser
| | | | | | LICENSE
| | | | | | README.md
| | | | | | dist
| | | | | | | html-react-parser.js
| | | | | | | html-react-parser.js.map
| | | | | | | html-react-parser.min.js
| | | | | | | html-react-parser.min.js.map
| | | | | |
| | | | | | esm
| | | | | | | attributes-to-props.d.mts
| | | | | | | attributes-to-props.mjs
| | | | | | | dom-to-react.d.mts
| | | | | | | dom-to-react.mjs
| | | | | | | index.d.mts
| | | | | | | index.mjs
| | | | | | | utilities.d.mts
| | | | | | | utilities.mjs
| | | | | |
| | | | | | lib
| | | | | | | attributes-to-props.d.ts
| | | | | | | attributes-to-props.d.ts.map
| | | | | | | attributes-to-props.js
| | | | | | | attributes-to-props.js.map
| | | | | | | dom-to-react.d.ts
| | | | | | | dom-to-react.d.ts.map
| | | | | | | dom-to-react.js
| | | | | | | dom-to-react.js.map
| | | | | | | index.d.ts
| | | | | | | index.d.ts.map
| | | | | | | index.js
| | | | | | | index.js.map
| | | | | | | types.d.ts
| | | | | | | types.d.ts.map
| | | | | | | types.js
| | | | | | | types.js.map
| | | | | | | utilities.d.ts
| | | | | | | utilities.d.ts.map
```

```
| | | |— utilities.js
| | | |— utilities.js.map
| | | |— package.json
| | | |— src
| | | |   |— attributes-to-props.ts
| | | |   |— dom-to-react.ts
| | | |   |— index.ts
| | | |   |— types.ts
| | | |   |— utilities.ts
| | | |— htmlparser2
| | | |   |— LICENSE
| | | |   |— README.md
| | | |   |— WritableStream.js
| | | |   |— dist
| | | |     |— commonjs
| | | |       |— Parser.d.ts
| | | |       |— Parser.d.ts.map
| | | |       |— Parser.js
| | | |       |— Parser.js.map
| | | |       |— Tokenizer.d.ts
| | | |       |— Tokenizer.d.ts.map
| | | |       |— Tokenizer.js
| | | |       |— Tokenizer.js.map
| | | |       |— WritableStream.d.ts
| | | |       |— WritableStream.d.ts.map
| | | |       |— WritableStream.js
| | | |       |— WritableStream.js.map
| | | |       |— index.d.ts
| | | |       |— index.d.ts.map
| | | |       |— index.js
| | | |       |— index.js.map
| | | |       |— package.json
| | | |     |— esm
| | | |       |— Parser.d.ts
| | | |       |— Parser.d.ts.map
| | | |       |— Parser.js
| | | |       |— Parser.js.map
| | | |       |— Tokenizer.d.ts
| | | |       |— Tokenizer.d.ts.map
| | | |       |— Tokenizer.js
```

```
| | | | — Tokenizer.js.map
| | | | — WritableStream.d.ts
| | | | — WritableStream.d.ts.map
| | | | — WritableStream.js
| | | | — WritableStream.js.map
| | | | — index.d.ts
| | | | — index.d.ts.map
| | | | — index.js
| | | | — index.js.map
| | | | — package.json
| | | — package.json
| | — src
| | | — FeedHandler.spec.ts
| | | — Parser.events.spec.ts
| | | — Parser.spec.ts
| | | — Parser.ts
| | | — Tokenizer.spec.ts
| | | — Tokenizer.ts
| | | — WritableStream.spec.ts
| | | — WritableStream.ts
| | | — _fixtures_
| | | | — Documents
| | | | | — Atom_Example.xml
| | | | | — Attributes.html
| | | | | — Basic.html
| | | | | — RDF_Example.xml
| | | | | — RSS_Example.xml
| | | | | — Svg.html
| | | | — testHelper.ts
| | | — _snapshots_
| | | | — FeedHandler.spec.ts.snap
| | | | — Parser.events.spec.ts.snap
| | | | — Tokenizer.spec.ts.snap
| | | | — WritableStream.spec.ts.snap
| | | | — index.spec.ts.snap
| | | — index.spec.ts
| | | — index.ts
| — http-errors
| — HISTORY.md
| — LICENSE
```

```

├── README.md
├── index.js
├── node_modules
│   ├── statuses
│   │   ├── HISTORY.md
│   │   ├── LICENSE
│   │   ├── README.md
│   │   ├── codes.json
│   │   ├── index.js
│   │   └── package.json
│   └── package.json
├── iconv-lite
│   ├── Changelog.md
│   ├── LICENSE
│   ├── README.md
│   ├── encodings
│   │   ├── dbcs-codec.js
│   │   ├── dbcs-data.js
│   │   ├── index.js
│   │   ├── internal.js
│   │   ├── sbcs-codec.js
│   │   ├── sbcs-data-generated.js
│   │   ├── sbcs-data.js
│   │   └── tables
│   │       ├── big5-added.json
│   │       ├── cp936.json
│   │       ├── cp949.json
│   │       ├── cp950.json
│   │       ├── eucjp.json
│   │       ├── gb18030-ranges.json
│   │       ├── gbk-added.json
│   │       └── shiftjis.json
│   ├── utf16.js
│   ├── utf32.js
│   └── utf7.js
├── lib
│   ├── bom-handling.js
│   ├── index.d.ts
│   ├── index.js
│   └── streams.js

```

```
| |   └─ package.json
| |   └─ ignore
| |   └─ LICENSE-MIT
| |   └─ README.md
| |   └─ index.d.ts
| |   └─ index.js
| |   └─ legacy.js
| |   └─ package.json
| |   └─ import-fresh
| |   └─ index.d.ts
| |   └─ index.js
| |   └─ license
| |   └─ package.json
| |   └─ readme.md
| |   └─ imurmurhash
| |   └─ README.md
| |   └─ imurmurhash.js
| |   └─ imurmurhash.min.js
| |   └─ package.json
| |   └─ inherits
| |   └─ LICENSE
| |   └─ README.md
| |   └─ inherits.js
| |   └─ inherits_browser.js
| |   └─ package.json
| |   └─ inline-style-parser
| |   └─ LICENSE
| |   └─ README.md
| |   └─ dist
| |   |   └─ inline-style-parser.js
| |   |   └─ inline-style-parser.js.map
| |   |   └─ inline-style-parser.min.js
| |   |   └─ inline-style-parser.min.js.map
| |   └─ index.d.ts
| |   └─ index.js
| |   └─ package.json
| |   └─ ipaddr.js
| |   └─ LICENSE
| |   └─ README.md
| |   └─ ipaddr.min.js
```



```
graph LR; lib[lib] --> ipaddrjs[ipaddr.js]; ipaddrjs --> ipaddrjsdts[ipaddr.js.d.ts]; ipaddrjsdts --> packagejson1[package.json]; isextglob[is-extglob] --> LICENSE1[LICENSE]; isextglob --> READMEmd1[README.md]; isextglob --> indexjs1[index.js]; indexjs1 --> packagejson2[package.json]; isglob[is-glob] --> LICENSE2[LICENSE]; isglob --> READMEmd2[README.md]; isglob --> indexjs2[index.js]; indexjs2 --> packagejson3[package.json]; ispromise[is-promise] --> LICENSE3[LICENSE]; ispromise --> indexedts[index.d.ts]; ispromise --> indexjs3[index.js]; ispromise --> indexmjs[index.mjs]; ispromise --> packagejson4[package.json]; ispromise --> readme[readme.md]; isexe[isexe] --> LICENSE4[LICENSE]; isexe --> READMEmd3[README.md]; isexe --> indexjs4[index.js]; isexe --> modejs[mode.js]; isexe --> packagejson5[package.json]; isexe --> test[test]; test --> basicjs[basic.js]; test --> windowsjs[windows.js]; js-tokens[js-tokens] --> CHANGELOGmd[CHANGELOG.md]; js-tokens --> LICENSE5[LICENSE]; js-tokens --> READMEmd4[README.md]; js-tokens --> indexjs5[index.js]; indexjs5 --> packagejson6[package.json]; js-yaml[js-yaml] --> CHANGELOGmd2[CHANGELOG.md]; js-yaml --> LICENSE6[LICENSE]; js-yaml --> READMEmd5[README.md]
```

[illegible]

```
| | |— jsesc.js
| | |— man
| | |  |— jsesc.1
| | |  |— package.json
| |— json-buffer
| | |— LICENSE
| | |— README.md
| | |— index.js
| | |— package.json
| | |  |— test
| | |    |— index.js
|— json-schema-traverse
| | |— LICENSE
| | |— README.md
| | |— index.js
| | |— package.json
| | |  |— spec
| | |    |— fixtures
| | |    |  |— schema.js
| | |    |— index.spec.js
|— json-stable-stringify-without-jsonify
| | |— LICENSE
| | |— example
| | |  |— key_cmp.js
| | |  |— nested.js
| | |  |— str.js
| | |  |— value_cmp.js
| | |— index.js
| | |— package.json
| | |— readme.markdown
| | |  |— test
| | |    |— cmp.js
| | |    |— nested.js
| | |    |— replacer.js
| | |    |— space.js
| | |    |— str.js
| | |    |— to-json.js
|— json5
| | |— LICENSE.md
| | |— README.md
```

```

├── dist
│   ├── index.js
│   ├── index.min.js
│   ├── index.min.mjs
│   └── index.mjs
├── lib
│   ├── cli.js
│   ├── index.d.ts
│   ├── index.js
│   ├── parse.d.ts
│   ├── parse.js
│   ├── register.js
│   ├── require.js
│   ├── stringify.d.ts
│   ├── stringify.js
│   ├── unicode.d.ts
│   ├── unicode.js
│   ├── util.d.ts
│   └── util.js
├── package.json
├── keyv
│   ├── README.md
│   ├── package.json
│   └── src
│       ├── index.d.ts
│       └── index.js
├── levn
│   ├── LICENSE
│   ├── README.md
│   ├── lib
│   │   ├── cast.js
│   │   ├── index.js
│   │   └── parse-string.js
│   └── package.json
├── locate-path
│   ├── index.d.ts
│   ├── index.js
│   ├── license
│   ├── package.json
│   └── readme.md

```

```

├── lodash.merge
│   ├── LICENSE
│   ├── README.md
│   ├── index.js
│   └── package.json
├── lru-cache
│   ├── LICENSE
│   ├── README.md
│   ├── index.js
│   └── package.json
├── math-intrinsics
│   ├── CHANGELOG.md
│   ├── LICENSE
│   ├── README.md
│   ├── abs.d.ts
│   ├── abs.js
│   ├── constants
│   │   ├── maxArrayLength.d.ts
│   │   ├── maxArrayLength.js
│   │   ├── maxSafeInteger.d.ts
│   │   ├── maxSafeInteger.js
│   │   ├── maxValue.d.ts
│   │   └── maxValue.js
│   ├── floor.d.ts
│   ├── floor.js
│   ├── isFinite.d.ts
│   ├── isFinite.js
│   ├── isInteger.d.ts
│   ├── isInteger.js
│   ├── isNaN.d.ts
│   ├── isNaN.js
│   ├── isNegativeZero.d.ts
│   ├── isNegativeZero.js
│   ├── max.d.ts
│   ├── max.js
│   ├── min.d.ts
│   ├── min.js
│   ├── mod.d.ts
│   ├── mod.js
│   └── package.json

```

```
| | |— pow.d.ts
| | |— pow.js
| | |— round.d.ts
| | |— round.js
| | |— sign.d.ts
| | |— sign.js
| | |— test
| | |  |— index.js
| | |  |— tsconfig.json
| | |— media-typer
| | |  |— HISTORY.md
| | |  |— LICENSE
| | |  |— README.md
| | |  |— index.js
| | |  |— package.json
| | |— merge-descriptors
| | |  |— index.d.ts
| | |  |— index.js
| | |  |— license
| | |  |— package.json
| | |  |— readme.md
| | |— mime-db
| | |  |— HISTORY.md
| | |  |— LICENSE
| | |  |— README.md
| | |  |— db.json
| | |  |— index.js
| | |  |— package.json
| | |— mime-types
| | |  |— HISTORY.md
| | |  |— LICENSE
| | |  |— README.md
| | |  |— index.js
| | |  |— mimeTypeScore.js
| | |  |— package.json
| | |— minimatch
| | |  |— LICENSE
| | |  |— README.md
| | |  |— minimatch.js
| | |  |— package.json
```

```
| | | ms
| | | | | index.js
| | | | | license.md
| | | | | package.json
| | | | | readme.md
| | | nanoid
| | | | | LICENSE
| | | | | README.md
| | | | | async
| | | | | | | index.browser.cjs
| | | | | | | index.browser.js
| | | | | | | index.cjs
| | | | | | | index.d.ts
| | | | | | | index.js
| | | | | | | index.native.js
| | | | | | | package.json
| | | | | bin
| | | | | | | nanoid.cjs
| | | | | index.browser.cjs
| | | | | index.browser.js
| | | | | index.cjs
| | | | | index.d.cts
| | | | | index.d.ts
| | | | | index.js
| | | | | nanoid.js
| | | | | non-secure
| | | | | | | index.cjs
| | | | | | | index.d.ts
| | | | | | | index.js
| | | | | | | package.json
| | | | | package.json
| | | | | | | url-alphabet
| | | | | | | index.cjs
| | | | | | | index.js
| | | | | | | package.json
| | | | | natural-compare
| | | | | | | README.md
| | | | | | | index.js
| | | | | | | package.json
| | | | | negotiator
```

```
| | | |— HISTORY.md
| | | |— LICENSE
| | | |— README.md
| | | |— index.js
| | | |— lib
| | | | |— charset.js
| | | | |— encoding.js
| | | | |— language.js
| | | | |— mediaType.js
| | | |— package.json
| | |— node-releases
| | | |— LICENSE
| | | |— README.md
| | | |— data
| | | | |— processed
| | | | | |— envs.json
| | | | |— release-schedule
| | | | | |— release-schedule.json
| | | |— package.json
| | |— nodemailer
| | | |— CHANGELOG.md
| | | |— CODE_OF_CONDUCT.md
| | | |— LICENSE
| | | |— README.md
| | | |— SECURITY.txt
| | | |— eslint.config.js
| | | |— lib
| | | | |— addressparser
| | | | | |— index.js
| | | | |— base64
| | | | | |— index.js
| | | | |— dkim
| | | | | |— index.js
| | | | | |— message-parser.js
| | | | | |— relaxed-body.js
| | | | | |— sign.js
| | | | |— fetch
| | | | | |— cookies.js
| | | | | |— index.js
| | | |— json-transport
```



```
| | | |   └─ index.js
| | | | └─ mail-composer
| | | |   └─ index.js
| | | | └─ mailer
| | | |   └─ index.js
| | | |   └─ mail-message.js
| | | | └─ mime-funcs
| | | |   └─ index.js
| | | |   └─ mime-types.js
| | | | └─ mime-node
| | | |   └─ index.js
| | | |   └─ last-newline.js
| | | |   └─ le-unix.js
| | | |   └─ le-windows.js
| | | | └─ nodemailer.js
| | | | └─ punycode
| | | |   └─ index.js
| | | | └─ qp
| | | |   └─ index.js
| | | | └─ sendmail-transport
| | | |   └─ index.js
| | | | └─ ses-transport
| | | |   └─ index.js
| | | | └─ shared
| | | |   └─ index.js
| | | | └─ smtp-connection
| | | |   └─ data-stream.js
| | | |   └─ http-proxy-client.js
| | | |   └─ index.js
| | | | └─ smtp-pool
| | | |   └─ index.js
| | | |   └─ pool-resource.js
| | | | └─ smtp-transport
| | | |   └─ index.js
| | | | └─ stream-transport
| | | |   └─ index.js
| | | | └─ well-known
| | | |   └─ index.js
| | | |   └─ services.json
| | | | └─ xoauth2
```

```
| | |   └─ index.js
| | |   └─ package.json
| | └─ object-assign
| |   └─ index.js
| |   └─ license
| |   └─ package.json
| |   └─ readme.md
| | └─ object-inspect
| |   └─ CHANGELOG.md
| |   └─ LICENSE
| |   └─ example
| |     └─ all.js
| |     └─ circular.js
| |     └─ fn.js
| |     └─ inspect.js
| |   └─ index.js
| |   └─ package-support.json
| |   └─ package.json
| |   └─ readme.markdown
| |   └─ test
| |     └─ bigint.js
| |     └─ browser
| |       └─ dom.js
| |     └─ circular.js
| |     └─ deep.js
| |     └─ element.js
| |     └─ err.js
| |     └─ fakes.js
| |     └─ fn.js
| |     └─ global.js
| |     └─ has.js
| |     └─ holes.js
| |     └─ indent-option.js
| |     └─ inspect.js
| |     └─ lowbyte.js
| |     └─ number.js
| |     └─ quoteStyle.js
| |     └─ toStringTag.js
| |     └─ undef.js
| |     └─ values.js
```

```
| | | test-core-js.js
| | | └─ util.inspect.js
| | └─ on-finished
| | | HISTORY.md
| | | LICENSE
| | | README.md
| | | index.js
| | └─ package.json
| └─ once
| | LICENSE
| | README.md
| | once.js
| └─ package.json
└─ optionator
  | CHANGELOG.md
  | LICENSE
  | README.md
  | lib
  | | help.js
  | | index.js
  | └─ util.js
  └─ package.json
└─ p-limit
  | index.d.ts
  | index.js
  | license
  | package.json
  └─ readme.md
└─ p-locate
  | index.d.ts
  | index.js
  | license
  | package.json
  └─ readme.md
└─ parent-module
  | index.js
  | license
  | package.json
  └─ readme.md
└─ parseurl
```

```
| | | | | HISTORY.md
| | | | | LICENSE
| | | | | README.md
| | | | | index.js
| | | | | package.json
| | | | |
| | | | | path-exists
| | | | | | | index.d.ts
| | | | | | | index.js
| | | | | | | license
| | | | | | | package.json
| | | | | | | readme.md
| | | | |
| | | | | path-key
| | | | | | | index.d.ts
| | | | | | | index.js
| | | | | | | license
| | | | | | | package.json
| | | | | | | readme.md
| | | | |
| | | | | path-to-regexp
| | | | | | | LICENSE
| | | | | | | Readme.md
| | | | | | | dist
| | | | | | | | | index.d.ts
| | | | | | | | | index.js
| | | | | | | | | index.js.map
| | | | | | | package.json
| | | | |
| | | | | pg
| | | | | | | LICENSE
| | | | | | | README.md
| | | | | | | esm
| | | | | | | | | index.mjs
| | | | | | | lib
| | | | | | | | | client.js
| | | | | | | | | connection-parameters.js
| | | | | | | | | connection.js
| | | | | | | | | crypto
| | | | | | | | | | | cert-signatures.js
| | | | | | | | | | | sasl.js
| | | | | | | | | | | utils-legacy.js
| | | | | | | | | | | utils-webcrypto.js
| | | | | | | | | | | utils.js
```

```
| | | | defaults.js
| | | | index.js
| | | | native
| | | | | client.js
| | | | | index.js
| | | | | query.js
| | | | query.js
| | | | result.js
| | | | stream.js
| | | | type-overrides.js
| | | | | utils.js
| | | | package.json
| | | pg-cloudflare
| | | | LICENSE
| | | | README.md
| | | | dist
| | | | | empty.d.ts
| | | | | empty.js
| | | | | empty.js.map
| | | | | index.d.ts
| | | | | index.js
| | | | | | index.js.map
| | | | esm
| | | | | index.mjs
| | | | package.json
| | | | | src
| | | | | | empty.ts
| | | | | | index.ts
| | | | | | types.d.ts
| | | pg-connection-string
| | | | LICENSE
| | | | README.md
| | | | esm
| | | | | index.mjs
| | | | | index.d.ts
| | | | | index.js
| | | | | package.json
| | | pg-int8
| | | | LICENSE
| | | | README.md
```

```

├── index.js
├── package.json
├── pg-pool
│   ├── LICENSE
│   ├── README.md
│   └── esm
│       └── index.mjs
├── index.js
├── package.json
├── pg-protocol
│   ├── LICENSE
│   ├── README.md
│   └── dist
│       ├── b.d.ts
│       ├── b.js
│       ├── b.js.map
│       ├── buffer-reader.d.ts
│       ├── buffer-reader.js
│       ├── buffer-reader.js.map
│       ├── buffer-writer.d.ts
│       ├── buffer-writer.js
│       ├── buffer-writer.js.map
│       ├── inbound-parser.test.d.ts
│       ├── inbound-parser.test.js
│       ├── inbound-parser.test.js.map
│       ├── index.d.ts
│       ├── index.js
│       ├── index.js.map
│       ├── messages.d.ts
│       ├── messages.js
│       ├── messages.js.map
│       ├── outbound-serializer.test.d.ts
│       ├── outbound-serializer.test.js
│       ├── outbound-serializer.test.js.map
│       ├── parser.d.ts
│       ├── parser.js
│       ├── parser.js.map
│       ├── serializer.d.ts
│       ├── serializer.js
│       └── serializer.js.map

```

```

├── esm
│   ├── index.js
│   ├── package.json
│   └── src
│       ├── b.ts
│       ├── buffer-reader.ts
│       ├── buffer-writer.ts
│       ├── inbound-parser.test.ts
│       ├── index.ts
│       ├── messages.ts
│       ├── outbound-serializer.test.ts
│       ├── parser.ts
│       ├── serializer.ts
│       ├── testing
│       │   ├── buffer-list.ts
│       │   └── test-buffers.ts
│       └── types
│           └── chunky.d.ts
├── pg-types
│   ├── Makefile
│   ├── README.md
│   ├── index.d.ts
│   ├── index.js
│   ├── index.test-d.ts
│   ├── lib
│   │   ├── arrayParser.js
│   │   ├── binaryParsers.js
│   │   ├── builtins.js
│   │   └── textParsers.js
│   ├── package.json
│   └── test
│       ├── index.js
│       └── types.js
├── pgpass
│   ├── README.md
│   ├── lib
│   │   ├── helper.js
│   │   └── index.js
│   └── package.json
└── picocolors

```

```
| | | — LICENSE
| | | — README.md
| | | — package.json
| | | — picocolors.browser.js
| | | — picocolors.d.ts
| | | — picocolors.js
| | | — types.d.ts
| | — picomatch
| | | — LICENSE
| | | — README.md
| | | — index.js
| | | — lib
| | | | — constants.js
| | | | — parse.js
| | | | — picomatch.js
| | | | — scan.js
| | | | — utils.js
| | | — package.json
| | | — posix.js
| | — postcss
| | | — LICENSE
| | | — README.md
| | | — lib
| | | | — at-rule.d.ts
| | | | — at-rule.js
| | | | — comment.d.ts
| | | | — comment.js
| | | | — container.d.ts
| | | | — container.js
| | | | — css-syntax-error.d.ts
| | | | — css-syntax-error.js
| | | | — declaration.d.ts
| | | | — declaration.js
| | | | — document.d.ts
| | | | — document.js
| | | | — fromJSON.d.ts
| | | | — fromJSON.js
| | | | — input.d.ts
| | | | — input.js
| | | | — lazy-result.d.ts
```


- | | | | — lazy-result.js
- | | | | — list.d.ts
- | | | | — list.js
- | | | | — map-generator.js
- | | | | — no-work-result.d.ts
- | | | | — no-work-result.js
- | | | | — node.d.ts
- | | | | — node.js
- | | | | — parse.d.ts
- | | | | — parse.js
- | | | | — parser.js
- | | | | — postcss.d.mts
- | | | | — postcss.d.ts
- | | | | — postcss.js
- | | | | — postcss.mjs
- | | | | — previous-map.d.ts
- | | | | — previous-map.js
- | | | | — processor.d.ts
- | | | | — processor.js
- | | | | — result.d.ts
- | | | | — result.js
- | | | | — root.d.ts
- | | | | — root.js
- | | | | — rule.d.ts
- | | | | — rule.js
- | | | | — stringifier.d.ts
- | | | | — stringifier.js
- | | | | — stringify.d.ts
- | | | | — stringify.js
- | | | | — symbols.js
- | | | | — terminal-highlight.js
- | | | | — tokenize.js
- | | | | — warn-once.js
- | | | | — warning.d.ts
- | | | | — warning.js
- | | | — package.json
- | | — postgres-array
- | | — index.d.ts
- | | — index.js
- | | — license

```
| | | — package.json
| | | — readme.md
| | — postgres-bytea
| | | — index.js
| | | — license
| | | — package.json
| | | — readme.md
| | — postgres-date
| | | — index.js
| | | — license
| | | — package.json
| | | — readme.md
| | — postgres-interval
| | | — index.d.ts
| | | — index.js
| | | — license
| | | — package.json
| | | — readme.md
| | — prelude-ls
| | | — CHANGELOG.md
| | | — LICENSE
| | | — README.md
| | | — lib
| | | | — Func.js
| | | | — List.js
| | | | — Num.js
| | | | — Obj.js
| | | | — Str.js
| | | | — index.js
| | | — package.json
| | — proxy-addr
| | | — HISTORY.md
| | | — LICENSE
| | | — README.md
| | | — index.js
| | | — package.json
| | — punycode
| | | — LICENSE-MIT.txt
| | | — README.md
| | | — package.json
```

```

├── punycode.es6.js
├── punycode.js
├── qs
│   ├── CHANGELOG.md
│   ├── LICENSE.md
│   ├── README.md
│   ├── dist
│   │   └── qs.js
│   ├── lib
│   │   ├── formats.js
│   │   ├── index.js
│   │   ├── parse.js
│   │   ├── stringify.js
│   │   └── utils.js
│   ├── package.json
│   └── test
│       ├── empty-keys-cases.js
│       ├── parse.js
│       ├── stringify.js
│       └── utils.js
├── range-parser
│   ├── HISTORY.md
│   ├── LICENSE
│   ├── README.md
│   ├── index.js
│   └── package.json
├── raw-body
│   ├── HISTORY.md
│   ├── LICENSE
│   ├── README.md
│   ├── SECURITY.md
│   ├── index.d.ts
│   ├── index.js
│   ├── node_modules
│   │   └── iconv-lite
│   │       ├── Changelog.md
│   │       ├── LICENSE
│   │       ├── README.md
│   │       ├── encodings
│   │       └── dbcs-decode.js

```

```
| | | | |— dbcs-data.js
| | | | |— index.js
| | | | |— internal.js
| | | | |— sbcs-codec.js
| | | | |— sbcs-data-generated.js
| | | | |— sbcs-data.js
| | | | |— tables
| | | | |   |— big5-added.json
| | | | |   |— cp936.json
| | | | |   |— cp949.json
| | | | |   |— cp950.json
| | | | |   |— eucjp.json
| | | | |   |— gb18030-ranges.json
| | | | |   |— gbk-added.json
| | | | |   |— shiftjis.json
| | | | |— utf16.js
| | | | |— utf32.js
| | | | |— utf7.js
| | | | |— lib
| | | | |   |— bom-handling.js
| | | | |   |— helpers
| | | | |   |   |— merge-exports.js
| | | | |   |— index.d.ts
| | | | |   |— index.js
| | | | |   |— streams.js
| | | | |— package.json
| | | |— package.json
| | |— react
| | |   |— LICENSE
| | |   |— README.md
| | |   |— cjs
| | |     |— react-compiler-runtime.development.js
| | |     |— react-compiler-runtime.production.js
| | |     |— react-compiler-runtime.profiling.js
| | |     |— react-jsx-dev-runtime.development.js
| | |     |— react-jsx-dev-runtime.production.js
| | |     |— react-jsx-dev-runtime.profiling.js
| | |     |— react-jsx-dev-runtime.react-server.development.js
| | |     |— react-jsx-dev-runtime.react-server.production.js
| | |     |— react-jsx-runtime.development.js
```

```
| | | |— react-jsx-runtime.production.js
| | | |— react-jsx-runtime.profiling.js
| | | |— react-jsx-runtime.react-server.development.js
| | | |— react-jsx-runtime.react-server.production.js
| | | |— react.development.js
| | | |— react.production.js
| | | |— react.react-server.development.js
| | | |— react.react-server.production.js
| | | |— compiler-runtime.js
| | | |— index.js
| | | |— jsx-dev-runtime.js
| | | |— jsx-dev-runtime.react-server.js
| | | |— jsx-runtime.js
| | | |— jsx-runtime.react-server.js
| | | |— package.json
| | | |— react.react-server.js
| | | |— react-dom
| | | |— LICENSE
| | | |— README.md
| | | |— cjs
| | | |— react-dom-client.development.js
| | | |— react-dom-client.production.js
| | | |— react-dom-profiling.development.js
| | | |— react-dom-profiling.profiling.js
| | | |— react-dom-server-legacy.browser.development.js
| | | |— react-dom-server-legacy.browser.production.js
| | | |— react-dom-server-legacy.node.development.js
| | | |— react-dom-server-legacy.node.production.js
| | | |— react-dom-server.browser.development.js
| | | |— react-dom-server.browser.production.js
| | | |— react-dom-server.bun.development.js
| | | |— react-dom-server.bun.production.js
| | | |— react-dom-server.edge.development.js
| | | |— react-dom-server.edge.production.js
| | | |— react-dom-server.node.development.js
| | | |— react-dom-server.node.production.js
| | | |— react-dom-test-utils.development.js
| | | |— react-dom-test-utils.production.js
| | | |— react-dom.development.js
| | | |— react-dom.production.js
```

```
| | | |— react-dom.react-server.development.js
| | | |— react-dom.react-server.production.js
| | | |— client.js
| | | |— client.react-server.js
| | | |— index.js
| | | |— package.json
| | | |— profiling.js
| | | |— profiling.react-server.js
| | | |— react-dom.react-server.js
| | | |— server.browser.js
| | | |— server.bun.js
| | | |— server.edge.js
| | | |— server.js
| | | |— server.node.js
| | | |— server.react-server.js
| | | |— static.browser.js
| | | |— static.edge.js
| | | |— static.js
| | | |— static.node.js
| | | |— static.react-server.js
| | | |— test-utils.js
| | |— react-property
| | | |— README.md
| | | |— lib
| | | | |— index.d.ts
| | | | |— index.js
| | | | |— possibleStandardNames.d.ts
| | | | |— possibleStandardNames.js
| | | | |— possibleStandardNamesOptimized.d.ts
| | | | |— possibleStandardNamesOptimized.js
| | | |— package.json
| | |— react-refresh
| | | |— LICENSE
| | | |— README.md
| | | |— babel.js
| | | |— cjs
| | | | |— react-refresh-babel.development.js
| | | | |— react-refresh-babel.production.js
| | | | |— react-refresh-runtime.development.js
| | | | |— react-refresh-runtime.production.js
```

```
| | | | | package.json
| | | | | runtime.js
| | | | |
| | | | | react-router
| | | | |
| | | | | CHANGELOG.md
| | | | | LICENSE.md
| | | | | README.md
| | | | | dist
| | | | |
| | | | | development
| | | | | | browser-z32v5KVN.d.mts
| | | | | | chunk-72XNTZCV.js
| | | | | | chunk-DI2QHYMJ.js
| | | | | | chunk-OIYGIGL5.mjs
| | | | | | chunk-WY5IRSCW.mjs
| | | | | | context-DSyS5mLj.d.mts
| | | | | | dom-export.d.mts
| | | | | | dom-export.d.ts
| | | | | | dom-export.js
| | | | | | dom-export.mjs
| | | | | | index-react-server-client-Blz4AUNd.d.mts
| | | | | | index-react-server-client-BbRcBjrA.d.ts
| | | | | | index-react-server-client.d.mts
| | | | | | index-react-server-client.d.ts
| | | | | | index-react-server-client.js
| | | | | | index-react-server-client.mjs
| | | | | | index-react-server.d.mts
| | | | | | index-react-server.d.ts
| | | | | | index-react-server.js
| | | | | | index-react-server.mjs
| | | | | | index.d.mts
| | | | | | index.d.ts
| | | | | | index.js
| | | | | | index.mjs
| | | | | | lib
| | | | | | | types
| | | | | | | | internal.d.mts
| | | | | | | | internal.d.ts
| | | | | | | | internal.js
| | | | | | | | internal.mjs
| | | | | | register-C34pU-in.d.ts
| | | | | | register-CI4bTprK.d.mts
```

```
| | | | | route-data-DZQOUSqV.d.mts
| | | | | routeModules-D5iJ6JYT.d.ts
| | | | | production
| | | | |   browser-z32v5KVN.d.mts
| | | | |   chunk-3TADTUL4.mjs
| | | | |   chunk-4E5LHRQP.js
| | | | |   chunk-FR6HSPLK.mjs
| | | | |   chunk-WNLQ53P5.js
| | | | |   context-DSyS5mLj.d.mts
| | | | |   dom-export.d.mts
| | | | |   dom-export.d.ts
| | | | |   dom-export.js
| | | | |   dom-export.mjs
| | | | |   index-react-server-client-Blz4AUNd.d.mts
| | | | |   index-react-server-client-BbRcBjrA.d.ts
| | | | |   index-react-server-client.d.mts
| | | | |   index-react-server-client.d.ts
| | | | |   index-react-server-client.js
| | | | |   index-react-server-client.mjs
| | | | |   index-react-server.d.mts
| | | | |   index-react-server.d.ts
| | | | |   index-react-server.js
| | | | |   index-react-server.mjs
| | | | |   index.d.mts
| | | | |   index.d.ts
| | | | |   index.js
| | | | |   index.mjs
| | | | |   lib
| | | | |     types
| | | | |       internal.d.mts
| | | | |       internal.d.ts
| | | | |       internal.js
| | | | |       internal.mjs
| | | | |   register-C34pU-in.d.ts
| | | | |   register-CI4bTprK.d.mts
| | | | |   route-data-DZQOUSqV.d.mts
| | | | |   routeModules-D5iJ6JYT.d.ts
| | | | | package.json
| | | | | react-router-dom
| | | | | LICENSE.md
```



```
| | | └─ README.md
| | | └─ dist
| | |   └─ index.d.mts
| | |   └─ index.d.ts
| | |   └─ index.js
| | |   └─ index.mjs
| | └─ package.json
| └─ resolve-from
|   └─ index.js
|   └─ license
|   └─ package.json
|   └─ readme.md
└─ rollup
  └─ LICENSE.md
  └─ README.md
  └─ dist
    └─ bin
      └─ rollup
    └─ es
      └─ getLogFilter.js
      └─ package.json
      └─ parseAst.js
      └─ rollup.js
      └─ shared
        └─ node-entry.js
        └─ parseAst.js
        └─ watch.js
    └─ getLogFilter.d.ts
    └─ getLogFilter.js
    └─ loadConfigFile.d.ts
    └─ loadConfigFile.js
    └─ native.js
    └─ parseAst.d.ts
    └─ parseAst.js
    └─ rollup.d.ts
    └─ rollup.js
    └─ shared
      └─ fsevents-importer.js
      └─ index.js
      └─ loadConfigFile.js
```

```
| | | |— parseAst.js
| | | |— rollup.js
| | | |— watch-cli.js
| | | |— watch.js
| | |— package.json
| |— router
| |— HISTORY.md
| |— LICENSE
| |— README.md
| |— index.js
| |— lib
| | |— layer.js
| | |— route.js
| |— package.json
|— safe-buffer
|— LICENSE
|— README.md
|— index.d.ts
|— index.js
|— package.json
— safer-buffer
  — LICENSE
  — Porting-Buffer.md
  — Readme.md
  — dangerous.js
  — package.json
  — safer.js
  — tests.js
— scheduler
  — LICENSE
  — README.md
  — cjs
  |— scheduler-unstable_mock.development.js
  |— scheduler-unstable_mock.production.js
  |— scheduler-unstable_post_task.development.js
  |— scheduler-unstable_post_task.production.js
  |— scheduler.development.js
  |— scheduler.native.development.js
  |— scheduler.native.production.js
  |— scheduler.production.js
```

```

├── index.js
├── index.native.js
├── package.json
├── unstable_mock.js
├── unstable_post_task.js
├── semver
├── LICENSE
├── README.md
├── bin
│   └── semver.js
├── package.json
├── range.bnf
├── semver.js
├── send
├── HISTORY.md
├── LICENSE
├── README.md
├── index.js
├── package.json
├── serve-static
├── HISTORY.md
├── LICENSE
├── README.md
├── index.js
├── package.json
├── set-cookie-parser
├── LICENSE
├── README.md
├── lib
│   └── set-cookie.js
├── package.json
├── setprototypeof
├── LICENSE
├── README.md
├── index.d.ts
├── index.js
├── package.json
├── test
│   └── index.js
├── shebang-command

```

```

├── index.js
├── license
├── package.json
├── └── readme.md
├── shebang-regex
├── index.d.ts
├── index.js
├── license
├── package.json
├── └── readme.md
├── side-channel
├── └── CHANGELOG.md
├── └── LICENSE
├── └── README.md
├── └── index.d.ts
├── └── index.js
├── └── package.json
├── └── test
├── └── └── index.js
├── └── └── tsconfig.json
├── side-channel-list
├── └── CHANGELOG.md
├── └── LICENSE
├── └── README.md
├── └── index.d.ts
├── └── index.js
├── └── list.d.ts
├── └── package.json
├── └── test
├── └── └── index.js
├── └── └── tsconfig.json
├── side-channel-map
├── └── CHANGELOG.md
├── └── LICENSE
├── └── README.md
├── └── index.d.ts
├── └── index.js
├── └── package.json
├── └── test
├── └── └── index.js

```

```
| |   └─ tsconfig.json
| |   └─ side-channel-weakmap
| |   └─ CHANGELOG.md
| |   └─ LICENSE
| |   └─ README.md
| |   └─ index.d.ts
| |   └─ index.js
| |   └─ package.json
| |   └─ test
| |   └─   └─ index.js
| |   └─   └─ tsconfig.json
| |   └─ source-map-js
| |   └─ LICENSE
| |   └─ README.md
| |   └─ lib
| |   └─   └─ array-set.js
| |   └─   └─ base64-vlq.js
| |   └─   └─ base64.js
| |   └─   └─ binary-search.js
| |   └─   └─ mapping-list.js
| |   └─   └─ quick-sort.js
| |   └─   └─ source-map-consumer.d.ts
| |   └─   └─ source-map-consumer.js
| |   └─   └─ source-map-generator.d.ts
| |   └─   └─ source-map-generator.js
| |   └─   └─ source-node.d.ts
| |   └─   └─ source-node.js
| |   └─   └─ util.js
| |   └─ package.json
| |   └─ source-map.d.ts
| |   └─ source-map.js
| |   └─ split2
| |   └─ LICENSE
| |   └─ README.md
| |   └─ bench.js
| |   └─ index.js
| |   └─ package.json
| |   └─ test.js
| |   └─ statuses
| |   └─ HISTORY.md
```

```
| | | |— LICENSE
| | | |— README.md
| | | |— codes.json
| | | |— index.js
| | | |— package.json
| | |— strip-json-comments
| | | |— index.d.ts
| | | |— index.js
| | | |— license
| | | |— package.json
| | | |— readme.md
| | |— style-to-js
| | | |— LICENSE
| | | |— README.md
| | | |— cjs
| | | | |— index.d.ts
| | | | |— index.d.ts.map
| | | | |— index.js
| | | | |— index.js.map
| | | | |— utilities.d.ts
| | | | |— utilities.d.ts.map
| | | | |— utilities.js
| | | | |— utilities.js.map
| | | |— package.json
| | | |— src
| | | | |— index.test.ts
| | | | |— index.ts
| | | | |— utilities.test.ts
| | | | |— utilities.ts
| | | |— umd
| | | | |— style-to-js.js
| | | | |— style-to-js.js.map
| | | | |— style-to-js.min.js
| | | | |— style-to-js.min.js.map
| | |— style-to-object
| | | |— LICENSE
| | | |— README.md
| | | |— cjs
| | | | |— index.d.ts
| | | | |— index.d.ts.map
```

```
| | | |— index.js
| | | |— index.js.map
| | | |— dist
| | | |— style-to-object.js
| | | |— style-to-object.js.map
| | | |— style-to-object.min.js
| | | |— style-to-object.min.js.map
| | | |— esm
| | | |— index.d.ts
| | | |— index.d.ts.map
| | | |— index.js
| | | |— index.js.map
| | | |— index.mjs
| | | |— index.mjs.map
| | | |— package.json
| | | |— src
| | | |— index.ts
| | |— supports-color
| | |— browser.js
| | |— index.js
| | |— license
| | |— package.json
| | |— readme.md
| |— tinyglobby
| |— LICENSE
| |— README.md
| |— dist
| | |— index.cjs
| | |— index.d.cts
| | |— index.d.mts
| | |— index.mjs
| | |— package.json
| |— toidentifier
| |— HISTORY.md
| |— LICENSE
| |— README.md
| |— index.js
| |— package.json
|— type-check
|— LICENSE
```

```
| | | — README.md
| | | — lib
| | |   | — check.js
| | |   | — index.js
| | |   | — parse-type.js
| | | — package.json
| — type-is
| | — HISTORY.md
| | — LICENSE
| | — README.md
| | — index.js
| | — package.json
| — unpipe
| | — HISTORY.md
| | — LICENSE
| | — README.md
| | — index.js
| | — package.json
| — update-browserslist-db
| | — LICENSE
| | — README.md
| | — check-npm-version.js
| | — cli.js
| | — index.d.ts
| | — index.js
| | — package.json
| | — utils.js
| — uri-js
| | — LICENSE
| | — README.md
| | — dist
| |   | — es5
| |   |   | — uri.all.d.ts
| |   |   | — uri.all.js
| |   |   | — uri.all.js.map
| |   |   | — uri.all.min.d.ts
| |   |   | — uri.all.min.js
| |   |   | — uri.all.min.js.map
| |   — esnext
| |   — index.d.ts
```



```
| | | |— index.js
| | | |— index.js.map
| | | |— regexps-iri.d.ts
| | | |— regexps-iri.js
| | | |— regexps-iri.js.map
| | | |— regexps-uri.d.ts
| | | |— regexps-uri.js
| | | |— regexps-uri.js.map
| | | |— schemes
| | | |   |— http.d.ts
| | | |   |— http.js
| | | |   |— http.js.map
| | | |   |— https.d.ts
| | | |   |— https.js
| | | |   |— https.js.map
| | | |   |— mailto.d.ts
| | | |   |— mailto.js
| | | |   |— mailto.js.map
| | | |   |— urn-uuid.d.ts
| | | |   |— urn-uuid.js
| | | |   |— urn-uuid.js.map
| | | |   |— urn.d.ts
| | | |   |— urn.js
| | | |   |— urn.js.map
| | | |   |— ws.d.ts
| | | |   |— ws.js
| | | |   |— ws.js.map
| | | |   |— wss.d.ts
| | | |   |— wss.js
| | | |   |— wss.js.map
| | | |— uri.d.ts
| | | |— uri.js
| | | |— uri.js.map
| | | |— util.d.ts
| | | |— util.js
| | | |   |— util.js.map
| | |— package.json
| | |— yarn.lock
| |— vary
| |— HISTORY.md
```

```

├── LICENSE
├── README.md
├── index.js
├── package.json
├── vite
│   ├── LICENSE.md
│   ├── README.md
│   ├── bin
│   │   ├── openChrome.js
│   │   └── vite.js
│   ├── client.d.ts
│   ├── dist
│   │   ├── client
│   │   │   ├── client.mjs
│   │   │   └── env.mjs
│   │   └── node
│   │       ├── chunks
│   │       │   ├── build.js
│   │       │   ├── build2.js
│   │       │   ├── chunk.js
│   │       │   ├── config.js
│   │       │   ├── config2.js
│   │       │   ├── dist.js
│   │       │   ├── lib.js
│   │       │   ├── logger.js
│   │       │   ├── moduleRunnerTransport.d.ts
│   │       │   ├── optimizer.js
│   │       │   ├── postcss-import.js
│   │       │   ├── preview.js
│   │       │   └── server.js
│   │       ├── cli.js
│   │       ├── index.d.ts
│   │       ├── index.js
│   │       ├── module-runner.d.ts
│   │       └── module-runner.js
│   ├── misc
│   │   ├── false.js
│   │   └── true.js
│   ├── package.json
│   └── types

```

```
| | | | — customEvent.d.ts
| | | | — hmrPayload.d.ts
| | | | — hot.d.ts
| | | | — import-meta.d.ts
| | | | — importGlob.d.ts
| | | | — importMeta.d.ts
| | | | — internal
| | | | | — cssPreprocessorOptions.d.ts
| | | | | — lightningcssOptions.d.ts
| | | | | — terserOptions.d.ts
| | | | — metadata.d.ts
| | | | — package.json
| | — which
| | | — CHANGELOG.md
| | | — LICENSE
| | | — README.md
| | | — bin
| | | | — node-which
| | | — package.json
| | | — which.js
| — word-wrap
| | — LICENSE
| | — README.md
| | — index.d.ts
| | — index.js
| | — package.json
| — wrappy
| | — LICENSE
| | — README.md
| | — package.json
| | — wrappy.js
| — xtend
| | — LICENSE
| | — README.md
| | — immutable.js
| | — mutable.js
| | — package.json
| | — test.js
| — yallist
| | — LICENSE
```

```
| | | | — README.md
| | | | — iterator.js
| | | | — package.json
| | | | — yallist.js
| | | — yocto-queue
| | | | — index.d.ts
| | | | — index.js
| | | | — license
| | | | — package.json
| | | | — readme.md
| — package-lock.json
| — package.json
| — public
| | — maPage.css
| | — maPage.html
| | — vite.svg
| — routes
| — softghost.session.sql
| — src
| | — App.css
| | — App.jsx
| | — assets
| | | — images
| | | | — Bitwarden
| | | | | — birwarden2.png
| | | | | — bitwarden1.png
| | | | | — bitwarden3.png
| | | | | — bitwarden4.png
| | | | — Blender
| | | | | — blender1.png
| | | | | — blender2.jpg
| | | | | — blender3.jpg
| | | | | — blender4.png
| | | | — Davinci_resolve
| | | | | — davinci1.webp
| | | | | — davinci2.jpg
| | | | | — davinci3.jpg
| | | | | — davinci4.jpg
| | | | — Draw.io
| | | | | — draw1.png
```

```
| | | | | — draw2.jpg
| | | | | — draw3.jpg
| | | | | — draw4.png
| | | | — Freemocap
| | | | | — freemocap1.jpg
| | | | | — freemocap2.jpg
| | | | | — freemocap3.jpg
| | | | | — freemocap4.png
| | | | — Ibis_paint
| | | | | — ibispaint1.jpg
| | | | | — ibispaint2.jpg
| | | | | — ibispaint3.jpg
| | | | | — ibispaint4.jpg
| | | | — Inkscape
| | | | | — inkscape1.png
| | | | | — inkscape2.webp
| | | | | — inkscape3.png
| | | | | — inkscape4.jpg
| | | | — Kdenlive
| | | | | — kdenlive1.webp
| | | | | — kdenlive2.png
| | | | | — kdenlive3.png
| | | | | — kdenlive4.jpg
| | | | — Krita
| | | | | — krita1.avif
| | | | | — krita2.webp
| | | | | — krita3.png
| | | | | — krita4.webp
| | | | — Notion
| | | | | — notion1.png
| | | | | — notion2.png
| | | | | — notion3.jpg
| | | | | — notion4.avif
| | | | — Obsidian
| | | | | — obsidian1.png
| | | | | — obsidian2.jpg
| | | | | — obsidian3.png
| | | | | — obsidian4.png
| | | | — Ollama
| | | | | — ollama1.png
```

```
| | | | | — ollama2.png
| | | | | — ollama3.png
| | | | | — ollama4.png
| | | | — Onlyoffice
| | | | | — onlyoffice1.png
| | | | | — onlyoffice2.png
| | | | | — onlyoffice3.png
| | | | | — onlyoffice4.png
| | | | — SlimeVR
| | | | | — slimevr1.webp
| | | | | — slimevr2.jpg
| | | | | — slimevr3.webp
| | | | | — slimevr4.jpg
| | | | — Ubuntu
| | | | | — ubuntu1.jpg
| | | | | — ubuntu2.webp
| | | | | — ubuntu3.jpeg
| | | | | — ubuntu4.png
| | | — react.svg
| | — components
| | | — AccueilFormations.css
| | | — AccueilFormations.jsx
| | | — ConfirmationPage.css
| | | — ConfirmationPage.jsx
| | | — ConfirmationReservation.css
| | | — ConfirmationReservation.jsx
| | | — DescriptionFormation.css
| | | — DescriptionFormation.jsx
| | | — ErreurReservation.css
| | | — ErreurReservation.jsx
| | | — PageAdministrateur.css
| | | — PageAdministrateur.jsx
| | — index.css
| | — main.jsx
| — vite.config.js
```

883 directories, 5729 files

wizcolas@Purple-Neon:/mnt/c/Users/nicol/Desktop/softghost\$

Je vois que vous avez une application React/Node.js avec une base de données PostgreSQL, et vous souhaitez containeriser l'ensemble avec Docker. Voici comment structurer votre solution :

Structure recommandée

text

```
.
├── docker-compose.yml
├── backend/
│   ├── Dockerfile
│   ├── package.json
│   └── ...
├── frontend/
│   ├── Dockerfile
│   ├── package.json
│   └── ...
└── init-db/
    └── init.sql
```

1. Dockerfile pour le Backend

backend/Dockerfile :

dockerfile

FROM node:18-alpine

WORKDIR /app

Copier les fichiers de dépendances

COPY package*.json ./

Installer les dépendances

RUN npm install

Copier le code source

COPY . .

Exposer le port

```
EXPOSE 3000
```

```
# Commande de démarrage
```

```
CMD ["npm", "start"]
```

2. Dockerfile pour le Frontend

frontend/Dockerfile :

```
dockerfile
```

```
FROM node:18-alpine
```

```
WORKDIR /app
```

```
# Copier les fichiers de dépendances
```

```
COPY package*.json ./
```

```
# Installer les dépendances
```

```
RUN npm install
```

```
# Copier le code source
```

```
COPY . .
```

```
# Build de l'application
```

```
RUN npm run build
```

```
# Installer un serveur HTTP simple pour servir les fichiers static
```

```
RUN npm install -g serve
```

```
# Exposer le port
```

```
EXPOSE 5173
```

```
# Commande de démarrage
```

```
CMD ["serve", "-s", "dist", "-l", "5173"]
```

3. Fichier docker-compose.yml principal

docker-compose.yml :

```
yaml
```



```
version: '3.8'

services:
  database:
    image: postgres:15
    container_name: softghost-db
    environment:
      POSTGRES_DB: softghost
      POSTGRES_USER: postgres
      POSTGRES_PASSWORD: password
    ports:
      - "5432:5432"
    volumes:
      - postgres_data:/var/lib/postgresql/data
      - ./init-db:/docker-entrypoint-initdb.d
    networks:
      - app-network

  backend:
    build: ./backend
    container_name: softghost-backend
    environment:
      DB_HOST: database
      DB_PORT: 5432
      DB_NAME: softghost
      DB_USER: postgres
      DB_PASSWORD: password
      NODE_ENV: production
    ports:
      - "3000:3000"
    depends_on:
      - database
    networks:
      - app-network
    volumes:
      - ./backend:/app
      - /app/node_modules

  frontend:
    build: ./frontend
    container_name: softghost-frontend
    ports:
      - "5173:5173"
```

```

    depends_on:
      - backend
    networks:
      - app-network
    environment:
      VITE_API_URL: http://localhost:3000

networks:
  app-network:
    driver: bridge

volumes:
  postgres_data:

```

4. Script d'initialisation de la base de données

init-db/init.sql :

```

sql

-- Ici vous pouvez mettre votre schéma de base de données initial
-- et les données essentielles

-- Exemple :
CREATE TABLE IF NOT EXISTS formations (
  id SERIAL PRIMARY KEY,
  nom VARCHAR(255) NOT NULL,
  description TEXT,
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);

-- Insérer les données initiales
INSERT INTO formations (nom, description) VALUES
('Formation Initiale', 'Description de la formation initiale');
```

5. Configuration pour le backend

Modifiez votre **backend/db.js** pour utiliser les variables d'environnement :

```
javascript
```

```
const { Pool } = require('pg');
require('dotenv').config();

const pool = new Pool({
  host: process.env.DB_HOST || 'localhost',
  port: process.env.DB_PORT || 5432,
  database: process.env.DB_NAME || 'softghost',
  user: process.env.DB_USER || 'postgres',
  password: process.env.DB_PASSWORD || 'password',
});

module.exports = pool;
```

6. Configuration pour le frontend

Dans vite.config.js :

```
javascript

import { defineConfig } from 'vite'
import react from '@vitejs/plugin-react'

export default defineConfig({
  plugins: [react()],
  server: {
    host: '0.0.0.0',
    port: 5173,
    proxy: {
      '/api': {
        target: 'http://backend:3000',
        changeOrigin: true,
        secure: false,
      }
    }
  }
})
```

7. Scripts de gestion

package.json à la racine :

json

```
{
  "name": "softghost",
  "version": "1.0.0",
  "scripts": {
    "dev": "docker-compose up",
    "dev:build": "docker-compose up --build",
    "down": "docker-compose down",
    "clean": "docker-compose down -v --remove-orphans",
    "logs": "docker-compose logs -f"
  }
}
```

Démarrage

1. Organisez votre structure :

bash

```
mkdir -p init-db
mv Backend backend
# Gardez votre frontend à la racine ou déplacez-le dans un dossier frontend
```

2. Lancez l'application :

bash

```
npm run dev:build
```

3. Accédez à l'application :

- Frontend : <http://localhost:5173>
- Backend API : <http://localhost:3000>
- Base de données : localhost:5432

Points importants :

- Chaque service est isolé dans son propre container

- **La communication** se fait via le réseau Docker `app-network`
- **La base de données** est initialisée avec vos données de départ
- **Les volumes** persistent les données de la base
- **Les variables d'environnement** configurent les connexions

Cette structure vous permettra de déployer facilement de nouvelles instances de votre application avec une base de données fraîche à chaque fois.

Comment faire pour supprimer toutes les lignes dans une table

Voici les différentes méthodes pour supprimer toutes les lignes d'une table SQL :

1. TRUNCATE TABLE (Recommandé)

```
sql
```

```
TRUNCATE TABLE nom_table;
```

Avantages :

- Plus rapide que DELETE
- Réinitialise les séquences AUTO_INCREMENT
- Utilise moins de logs de transaction
- Libère immédiatement l'espace disque

Exemple :

```
sql
```

```
TRUNCATE TABLE utilisateurs;
```

```
TRUNCATE TABLE commandes, produits; -- Multiple tables
```

2. DELETE FROM (Alternative)

```
sql
```

```
DELETE FROM nom_table;
```

Quand l'utiliser :

- Quand vous voulez pouvoir annuler avec ROLLBACK
- Quand TRUNCATE n'est pas autorisé (droits insuffisants)
- Avec des conditions WHERE (mais pour tout supprimer, TRUNCATE est mieux)

Exemple :

sql

```
DELETE FROM utilisateurs;
```

3. DELETE avec réinitialisation AUTO_INCREMENT

sql

```
DELETE FROM nom_table;  
ALTER TABLE nom_table AUTO_INCREMENT = 1;
```

4. Différences importantes

Aspect	TRUNCATE	DELETE
Vitesse	Très rapide	Plus lent
Rollback	Dépend du SGBD	Possible
AUTO_INCREMENT	Réinitialisé	Conservé
Triggers	Non déclenché	Déclenché
WHERE	Impossible	Possible
Espace disque	Libéré immédiatement	Libéré progressivement

5. Exemples pratiques

Supprimer toutes les données avec réinitialisation :

```
sql
```

```
-- Méthode recommandée  
TRUNCATE TABLE clients;
```

Supprimer avec possibilité de rollback :

```
sql
```

```
START TRANSACTION;  
DELETE FROM clients;  
-- Si erreur : ROLLBACK;  
-- Si OK : COMMIT;
```

Supprimer plusieurs tables :

```
sql
```

```
TRUNCATE TABLE table1, table2, table3;
```

Supprimer avec conditions (DELETE uniquement) :

```
sql
```

```
DELETE FROM clients WHERE date_creation < '2020-01-01';
```

6. Précautions importantes

 **Attention : Ces commandes sont destructives !**

Toujours faire un backup avant :

```
sql
```

```
-- PostgreSQL  
CREATE TABLE clients_backup AS SELECT * FROM clients;
```

```
-- MySQL  
CREATE TABLE clients_backup AS SELECT * FROM clients;
```

Vérifier le nombre de lignes avant suppression :

sql

```
SELECT COUNT(*) FROM clients;
```

Environnement de test d'abord :

sql

```
-- Test sur une copie  
CREATE TABLE test_clients AS SELECT * FROM clients;  
TRUNCATE TABLE test_clients;
```

7. Commandes spécifiques par SGBD

PostgreSQL :

sql

```
TRUNCATE TABLE nom_table RESTART IDENTITY; -- Réinitialise les séquences  
TRUNCATE TABLE nom_table CASCADE; -- Supprime aussi les tables liées
```

MySQL :

sql

```
TRUNCATE TABLE nom_table;
```

SQL Server :

sql

```
TRUNCATE TABLE nom_table;
```

Recommandation

Utilisez **TRUNCATE TABLE** pour supprimer toutes les lignes d'une table, sauf si vous avez besoin :

- De déclencher des triggers
- De pouvoir rollback
- De conditions WHERE spécifiques

La commande la plus courante et efficace est donc :

```
sql
```

```
TRUNCATE TABLE votre_table;
```

Comment faire pour convertir une base de données en fichiers SQL pour le SQL init

Voici plusieurs méthodes pour convertir votre base de données PostgreSQL en fichiers SQL pour l'initialisation :

1. Utilisation de pg_dump (Méthode recommandée)

Dumper toute la base de données :

```
bash
```

```
pg_dump -U postgres -h localhost -d softghost > init-db/init.sql
```

Dumper seulement le schéma (structure) :

```
bash
```

```
pg_dump -U postgres -h localhost -d softghost --schema-only > init-db/schema.sql
```

Dumper seulement les données :

```
bash
```

```
pg_dump -U postgres -h localhost -d softghost --data-only > init-db/data.sql
```

Dumper avec format personnalisé :

```
bash
```

```
# Inclure Le schéma et Les données, avec commandes de nettoyage  
pg_dump -U postgres -h localhost -d softghost \  
    --clean --if-exists \  
    > init-db/init.sql
```

2. Commandes pg_dump utiles

Options courantes :

```
bash
```

```
# Avec suppression des objets existants  
pg_dump --clean --if-exists -U postgres softghost > init.sql  
  
# Seulement certaines tables  
pg_dump -t formations -t reservations -U postgres softghost > init.sql  
  
# Exclure certaines tables  
pg_dump --exclude-table-data='logs' -U postgres softghost > init.sql  
  
# Format de sortie lisible  
pg_dump --inserts -U postgres softghost > init.sql  
  
# Avec commentaires  
pg_dump --verbose -U postgres softghost > init.sql
```

3. Script complet d'export

export-database.sh :

```
bash
```

```
#!/bin/bash  
  
DB_NAME="softghost"  
DB_USER="postgres"  
DB_HOST="localhost"
```

```

OUTPUT_DIR="init-db"
TIMESTAMP=$(date +%Y%m%d_%H%M%S)

# Créer Le dossier de sortie
mkdir -p $OUTPUT_DIR

# Exporter Le schéma complet
echo "Exporting schema..."
pg_dump -h $DB_HOST -U $DB_USER -d $DB_NAME \
  --schema-only --clean --if-exists \
  > $OUTPUT_DIR/schema_${TIMESTAMP}.sql

# Exporter Les données
echo "Exporting data..."
pg_dump -h $DB_HOST -U $DB_USER -d $DB_NAME \
  --data-only --inserts \
  > $OUTPUT_DIR/data_${TIMESTAMP}.sql

# Exporter Le tout en un fichier
echo "Exporting complete database..."
pg_dump -h $DB_HOST -U $DB_USER -d $DB_NAME \
  --clean --if-exists --inserts \
  > $OUTPUT_DIR/init_complete_${TIMESTAMP}.sql

# Créer un lien symbolique vers La dernière version
ln -sf init_complete_${TIMESTAMP}.sql $OUTPUT_DIR/init.sql

echo "Export completed! Files saved in $OUTPUT_DIR/"

```

4. Structure recommandée pour Docker

init-db/init.sql :

```

sql

-- Initialisation de La base de données SoftGhost
-- Généré Le : $(date)

-- Désactiver Les contraintes temporairement
SET session_replication_role = 'replica';

-- Supprimer Les tables existantes
DROP TABLE IF EXISTS reservations CASCADE;

```

```
DROP TABLE IF EXISTS formation_instances CASCADE;
DROP TABLE IF EXISTS formations CASCADE;

-- Création des tables
CREATE TABLE formations (
    id SERIAL PRIMARY KEY,
    nom VARCHAR(255) NOT NULL,
    description TEXT,
    duree INTEGER,
    prix DECIMAL(10,2),
    image_url VARCHAR(500),
    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);

CREATE TABLE formation_instances (
    id SERIAL PRIMARY KEY,
    formation_id INTEGER REFERENCES formations(id),
    date_debut TIMESTAMP NOT NULL,
    date_fin TIMESTAMP NOT NULL,
    places_max INTEGER NOT NULL,
    places_restantes INTEGER NOT NULL,
    statut VARCHAR(50) DEFAULT 'active',
    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);

CREATE TABLE reservations (
    id SERIAL PRIMARY KEY,
    instance_id INTEGER REFERENCES formation_instances(id),
    nom VARCHAR(255) NOT NULL,
    email VARCHAR(255) NOT NULL,
    telephone VARCHAR(50),
    entreprise VARCHAR(255),
    statut VARCHAR(50) DEFAULT 'confirmée',
    token_confirmation VARCHAR(500),
    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);

-- Réactiver les contraintes
SET session_replication_role = 'origin';

-- Insérer les données initiales
INSERT INTO formations (nom, description, duree, prix, image_url) VALUES
('Blender 3D', 'Formation complète à Blender pour la modélisation 3D', 24, 899.00, '/
```

```
images/blender.jpg'),
('Krita Digital Painting', 'Apprendre la peinture numérique avec Krita', 16, 599.00,
'/images/krita.jpg'),
('Davinci Resolve', 'Montage vidéo professionnel avec Davinci Resolve', 20, 749.00,
'/images/davinci.jpg'),
('Inkscape Vectoriel', 'Création graphique vectorielle avec Inkscape', 12, 449.00, '/
images/inkscape.jpg');
```

```
INSERT INTO formation_instances (formation_id, date_debut, date_fin, places_max, places_restantes) VALUES
```

```
(1, '2024-02-15 09:00:00', '2024-02-17 17:00:00', 12, 8),
(1, '2024-03-10 09:00:00', '2024-03-12 17:00:00', 12, 12),
(2, '2024-02-20 09:00:00', '2024-02-21 17:00:00', 8, 5),
(3, '2024-02-25 09:00:00', '2024-02-27 17:00:00', 10, 10);
```

```
-- Créer Les indexes pour Les performances
```

```
CREATE INDEX idx_formation_instances_date ON formation_instances(date_debut);
CREATE INDEX idx_reservations_email ON reservations(email);
CREATE INDEX idx_reservations_instance_id ON reservations(instance_id);
```

5. Automatisation avec Makefile

Makefile :

```
makefile
```

```
DB_NAME=softghost
DB_USER=postgres
DB_HOST=localhost
```

```
.PHONY: export-db import-db clean
```

```
export-db:
```

```
@echo "Exporting database..."
pg_dump -h $(DB_HOST) -U $(DB_USER) -d $(DB_NAME) \
--clean --if-exists --inserts \
> init-db/init.sql
@echo "Database exported to init-db/init.sql"
```

```
import-db:
```

```
@echo "Importing database..."
psql -h $(DB_HOST) -U $(DB_USER) -d $(DB_NAME) -f init-db/init.sql
```

backup:

```
@mkdir -p backups
pg_dump -h $(DB_HOST) -U $(DB_USER) -d $(DB_NAME) \
    > backups/backup_$(shell date +%Y%m%d_%H%M%S).sql
```

clean:

```
rm -f init-db/*.sql backups/*.sql
```

Pour Docker

docker-export:

```
docker exec -i softghost-db pg_dump -U postgres softghost > init-db/init.sql
```

docker-import:

```
docker exec -i softghost-db psql -U postgres softghost < init-db/init.sql
```

6. Utilisation avec Docker Compose

Modifiez votre **docker-compose.yml** :

yaml

services:**database:****image:** postgres:15**container_name:** softghost-db**environment:****POSTGRES_DB:** softghost**POSTGRES_USER:** postgres**POSTGRES_PASSWORD:** password**ports:**

- "5432:5432"

volumes:

- postgres_data:/var/lib/postgresql/data

- ./init-db:/docker-entrypoint-initdb.d # Montage des scripts SQL

networks:

- app-network

7. Process complet

1. Exporter votre base actuelle :

```
bash
```

```
chmod +x export-database.sh  
./export-database.sh
```

2. Vérifier le fichier généré :

```
bash
```

```
ls -la init-db/
```

3. Tester l'import :

```
bash
```

```
# Sur une base de test  
createdb softghost_test  
psql -d softghost_test -f init-db/init.sql
```

4. Lancer avec Docker :

```
bash
```

```
docker-compose down -v  
docker-compose up --build
```

8. Vérifications

Vérifier que le script fonctionne :

```
sql
```

```
-- Tester quelques requêtes  
SELECT COUNT(*) FROM formations;  
SELECT COUNT(*) FROM formation_instances;  
SELECT * FROM formations LIMIT 5;
```

Cette méthode vous permettra de facilement recréer votre base de données dans n'importe quel environnement avec toutes vos données et structure intactes.

```
C:\Users\nicol\Desktop>pg_dump -U postgres -h localhost -d  
softghost > C:\Users\nicol\Desktop  
Access is denied.
```

```
C:\Users\nicol\Desktop>
```

Le problème est que vous essayez d'écrire directement dans le dossier
C:\Users\nicol\Desktop sans spécifier de nom de fichier, et Windows bloque
l'accès. Voici les solutions :

1. Spécifier un nom de fichier complet

cmd

```
pg_dump -U postgres -h localhost -d softghost > "C:\Users\nicol\Desktop\softghost_bac  
kup.sql"
```

2. Créer un dossier dédié d'abord

cmd

```
mkdir C:\Users\nicol\Desktop\softghost_backup  
pg_dump -U postgres -h localhost -d softghost > "C:\Users\nicol\Desktop\softghost_bac  
kup\init.sql"
```

3. Utiliser le dossier temporaire ou Documents

cmd

```
# Dans le dossier Documents  
pg_dump -U postgres -h localhost -d softghost > "%USERPROFILE%\Documents\softghost_in  
it.sql"
```

```
# Ou dans le dossier temporaire  
pg_dump -U postgres -h localhost -d softghost > "%TEMP%\softghost_init.sql"
```

4. Solutions avec PowerShell (recommandé)

Ouvrez **PowerShell** en tant qu'**administrateur** et exécutez :

```
powershell
```

```
# Créer Le dossier dans votre projet
```

```
mkdir -Force C:\Users\nicol\Desktop\softghost\init-db
```

```
# Exporter la base
```

```
pg_dump -U postgres -h localhost -d softghost -f "C:\Users\nicol\Desktop\softghost\init-db\init.sql"
```

5. Script batch complet

Créez un fichier **export_database.bat** :

```
batch
```

```
@echo off
```

```
set BACKUP_DIR=C:\Users\nicol\Desktop\softghost\init-db
```

```
set DB_NAME=softghost
```

```
set DB_USER=postgres
```

```
echo Creating backup directory...
```

```
if not exist "%BACKUP_DIR%" mkdir "%BACKUP_DIR%"
```

```
echo Exporting database...
```

```
pg_dump -U %DB_USER% -h localhost -d %DB_NAME% --clean --if-exists --inserts > "%BACKUP_DIR%\init.sql"
```

```
if %errorlevel% equ 0 (
```

```
    echo Backup successful! File: %BACKUP_DIR%\init.sql
```

```
) else (
```

```
    echo Backup failed!
```

```
    pause
```

```
)
```

6. Avec options pg_dump recommandées

```
cmd
```

```
pg_dump -U postgres -h localhost -d softghost ^
--clean --if-exists --inserts --verbose ^
> "C:\Users\nicol\Desktop\softghost\init-db\init.sql"
```

7. Vérification du succès

Après l'export, vérifiez que le fichier a été créé :

```
cmd

dir "C:\Users\nicol\Desktop\softghost\init-db"
type "C:\Users\nicol\Desktop\softghost\init-db\init.sql" | more
```

8. Structure de dossier recommandée

Organisez votre projet comme ceci :

```
text

C:\Users\nicol\Desktop\softghost\
├─ docker-compose.yml
├─ backend\
├─ frontend\
├─ init-db\
│   └─ init.sql          <-- Votre export SQL ici
```

9. Commandes PowerShell alternatives

```
powershell

# Se positionner dans le dossier de votre projet
cd "C:\Users\nicol\Desktop\softghost"

# Créer le dossier init-db
New-Item -ItemType Directory -Force -Path "init-db"

# Exporter avec pg_dump
& pg_dump -U postgres -h localhost -d softghost --clean --if-exists --inserts | Out-File -FilePath "init-db\init.sql" -Encoding UTF8
```

```
# Vérifier la taille du fichier  
Get-ChildItem "init-db\init.sql" | Format-Table Name, Length
```

Solution la plus simple :

1. Ouvrez PowerShell en tant qu'administrateur
2. Exécutez :

```
powershell  
  
cd C:\Users\nicol\Desktop\softghost  
mkdir init-db  
pg_dump -U postgres -h localhost -d softghost --clean --if-exists --inserts -f "init-  
db\init.sql"
```

Cela résoudra le problème d'accès et créera votre fichier SQL d'initialisation correctement.

```
C:\Users\nicol\Desktop>pg_dump -U postgres -h localhost -d  
softghost > "C:\Users\nicol\Desktop\softghost_backup.sql"  
'pg_dump' is not recognized as an internal or external command,  
operable program or batch file.
```

```
C:\Users\nicol\Desktop>
```

Le problème est que `pg_dump` n'est pas dans votre PATH. Voici comment résoudre ce problème :

1. Trouver l'emplacement de `pg_dump`

Méthode 1 : Chercher dans les dossiers courants

```
cmd  
  
dir "C:\Program Files\PostgreSQL\*" /ad
```

Méthode 2 : Rechercher pg_dump

cmd

```
where pg_dump
```

OU

cmd

```
dir "C:\Program Files\PostgreSQL\*\bin\pg_dump.exe" /s
```

2. Utiliser le chemin complet

Une fois que vous avez trouvé le chemin, utilisez-le directement :

cmd

```
"C:\Program Files\PostgreSQL\15\bin\pg_dump.exe" -U postgres -h localhost -d softghost > "C:\Users\nicol\Desktop\softghost_backup.sql"
```

3. Ajouter PostgreSQL au PATH (Solution permanente)

Méthode 1 : Via les variables d'environnement

1. **Windows + Pause** → Paramètres système avancés
2. **Variables d'environnement**
3. Dans **Path**, ajoutez : C:\Program Files\PostgreSQL\15\bin
4. **Redémarrer** le terminal

Méthode 2 : En ligne de commande temporaire

cmd

```
set PATH=C:\Program Files\PostgreSQL\15\bin;%PATH%  
pg_dump -U postgres -h localhost -d softghost > "C:\Users\nicol\Desktop\softghost_bac
```

```
kup.sql"
```

4. Solutions alternatives

Utiliser psql avec \copy

```
cmd

# Se connecter d'abord
psql -U postgres -d softghost

# Puis dans psql :
\o 'C:/Users/nicol/Desktop/softghost_backup.sql'
\dt # Lister les tables
\q
```

Utiliser pgAdmin

1. Ouvrez **pgAdmin**
2. Clic droit sur votre base `softghost`
3. **Backup...**
4. Choisissez le format "Plain"
5. Sélectionnez le fichier de destination

5. Script batch automatique

Créez `export_database.bat` :

```
batch

@echo off
setlocal

:: Trouver PostgreSQL automatiquement
set PG_PATH=
for /d %i in ("C:\Program Files\PostgreSQL\*") do (
    if exist "%i\bin\pg_dump.exe" set PG_PATH=%i\bin
```

```

)

if "%PG_PATH%"==" " (
    echo PostgreSQL not found!
    pause
    exit /b 1
)

echo Found PostgreSQL in: %PG_PATH%

:: Exporter la base
"%PG_PATH%\pg_dump.exe" -U postgres -h localhost -d softghost --clean --if-exists --i
nserts > "C:\Users\nicol\Desktop\softghost_backup.sql"

if %errorlevel% equ 0 (
    echo Backup successful!
) else (
    echo Backup failed!
)

pause

```

6. Avec PowerShell (recommandé)

Ouvrez PowerShell et exécutez :

```

powershell

# Trouver pg_dump
$pgDump = Get-ChildItem "C:\Program Files\PostgreSQL" -Recurse -Filter "pg_dump.exe"
| Select-Object -First 1

if ($pgDump) {
    & $pgDump.FullName -U postgres -h localhost -d softghost --clean --if-exists --in
serts -f "C:\Users\nicol\Desktop\softghost_backup.sql"
    Write-Host "Backup completed!" -ForegroundColor Green
} else {
    Write-Host "pg_dump not found!" -ForegroundColor Red
}

```

7. Vérification de l'installation

Vérifiez d'abord que PostgreSQL est bien installé :

cmd

```
# Vérifier le service PostgreSQL  
sc query postgresql*
```

```
# Vérifier la connexion  
psql -U postgres -l
```

Solution rapide à essayer :

1. Ouvrez le menu Démarrer
2. Cherchez "pgAdmin" et ouvrez-le
3. Utilisez l'interface graphique pour faire le backup

OU

3. Ouvrez PowerShell et collez :

powershell

```
$pgPath = "C:\Program Files\PostgreSQL\15\bin\pg_dump.exe"  
if (Test-Path $pgPath) {  
    & $pgPath -U postgres -h localhost -d softghost -f "$env:USERPROFILE\Desktop\softghost_backup.sql" --clean --if-exists --inserts  
    Write-Host "Success! File created on Desktop"  
} else {  
    Write-Host "PostgreSQL not found at $pgPath"  
}
```

Quelle version de PostgreSQL avez-vous installée ? (14, 15, 16 ?) Cela m'aidera à vous donner la commande exacte.

En fait c'est que le serveur postgres est un serveur dans un container docker

Ah, c'est la clé du problème ! Si PostgreSQL est dans un container Docker, vous devez utiliser `docker exec` pour accéder à `pg_dump`. Voici les solutions :

1. Utiliser docker exec pour exporter

Méthode de base :

bash

```
docker exec -i votre-container-postgres pg_dump -U postgres softghost > init.sql
```

Avec votre configuration probable :

bash

Si votre container s'appelle comme dans docker-compose

```
docker exec -i softghost-db pg_dump -U postgres softghost > "C:\Users\nicol\Desktop\softghost\init-db\init.sql"
```

2. Commandes complètes avec options

Export complet avec nettoyage :

bash

```
docker exec -i softghost-db pg_dump -U postgres softghost --clean --if-exists --inserts > "C:\Users\nicol\Desktop\softghost\init-db\init.sql"
```

Export schéma seulement :

bash

```
docker exec -i softghost-db pg_dump -U postgres softghost --schema-only --clean --if-exists > "C:\Users\nicol\Desktop\softghost\init-db\schema.sql"
```

Export données seulement :

bash


```
docker exec -i softghost-db pg_dump -U postgres softghost --data-only --inserts >
"C:\Users\nicol\Desktop\softghost\init-db\data.sql"
```

3. Vérifier d'abord le nom de votre container

```
bash
```

```
docker ps
```

Vous devriez voir quelque chose comme :

```
text
```

CONTAINER ID	IMAGE	PORTS	NAMES
a1b2c3d4e5f6	postgres:15	0.0.0.0:5432->5432/tcp	softghost-db

4. Script batch complet pour Windows

Créez **export-db.bat** dans votre dossier softghost :

```
batch
```

```
@echo off
```

```
echo Exporting database from Docker container...
```

```
:: Vérifier que Docker est en cours d'exécution
```

```
docker ps >nul 2>&1
```

```
if errorlevel 1 (
```

```
    echo Docker is not running! Please start Docker Desktop.
```

```
    pause
```

```
    exit /b 1
```

```
)
```

```
:: Créer le dossier init-db
```

```
if not exist "init-db" mkdir init-db
```

```
:: Exporter la base de données
```

```
echo Exporting softghost database...
```

```
docker exec -i softghost-db pg_dump -U postgres softghost --clean --if-exists --inserts > "init-db\init.sql"
```

```
if errorlevel 1 (  
    echo Failed to export database!  
    echo Check if container 'softghost-db' is running.  
    pause  
    exit /b 1  
)  
  
echo Database successfully exported to init-db\init.sql  
echo File size:  
dir "init-db\init.sql" | find "init.sql"  
pause
```

5. Avec PowerShell

```
powershell  
  
# Se positionner dans Le projet  
cd "C:\Users\nicol\Desktop\softghost"  
  
# Créer Le dossier  
mkdir -Force init-db  
  
# Exporter  
docker exec -i softghost-db pg_dump -U postgres softghost --clean --if-exists --inserts | Out-File -FilePath "init-db\init.sql" -Encoding UTF8  
  
Write-Host "Export completed!" -ForegroundColor Green  
Get-ChildItem "init-db\init.sql"
```

6. Commandes de vérification

Vérifier que le container fonctionne :

```
bash  
  
docker ps | findstr "softghost-db"
```

Vérifier la connexion à la base :

```
bash
```

```
docker exec -i softghost-db psql -U postgres -d softghost -c "SELECT version();"
```

Vérifier les tables :

```
bash
```

```
docker exec -i softghost-db psql -U postgres -d softghost -c "\dt"
```

7. Process complet

1. Ouvrez PowerShell ou CMD dans votre dossier softghost

2. Vérifiez le container :

```
bash
```

```
docker ps
```

3. Exportez la base :

```
bash
```

```
docker exec -i softghost-db pg_dump -U postgres softghost --clean --if-exists --in  
serts > "init-db\init.sql"
```

4. Vérifiez le résultat :

```
bash
```

```
dir init-db  
type init-db\init.sql | head -10
```

8. Si le container a un nom différent

Si votre container ne s'appelle pas softghost-db , trouvez le bon nom :

```
bash
```

```
docker ps --format "table {{.Names}}\t{{.Image}}\t{{.Ports}}"
```

Puis utilisez le bon nom :

```
bash
```

```
docker exec -i NOM_DU_CONTAINER pg_dump -U postgres softghost > "init-db/init.sql"
```

9. Test rapide

Essayez cette commande directement :

```
bash
```

```
cd C:\Users\nicol\Desktop\softghost
```

```
mkdir init-db
```

```
docker exec -i softghost-db pg_dump -U postgres softghost > init-db/init.sql
```

Cette méthode devrait fonctionner puisque pg_dump est à l'intérieur du container PostgreSQL et vous n'avez pas besoin de l'installer sur votre machine Windows.

Parfait tout cela fonctionne sauf une chose. En fait il n'y a absolument rien dans la base de données suite à mon fichier SQL. J'ai un fichier SQL qui contient la création de base de la base de données, soit le fichier init-db/init.sql à partir de là racine de mon projet :

```
--
```

```
-- PostgreSQL database dump
```

```
--
```

```
\restrict
```

```
U3Ud9FPbhgZnXAojh7mILI35RcLuo5fYfod95ggASMIavugcK9ORuC  
HA5p1JWD3
```

```
-- Dumped from database version 18.0 (Debian 18.0-1.pgdg13+3)
```

```
-- Dumped by pg_dump version 18.0 (Debian 18.0-1.pgdg13+3)
```

```
SET statement_timeout = 0;
SET lock_timeout = 0;
SET idle_in_transaction_session_timeout = 0;
SET transaction_timeout = 0;
SET client_encoding = 'UTF8';
SET standard_conforming_strings = on;
SELECT pg_catalog.set_config('search_path', '', false);
SET check_function_bodies = false;
SET xmloption = content;
SET client_min_messages = warning;
SET row_security = off;

--
-- Name: generate_formation_id(); Type: FUNCTION; Schema:
public; Owner: postgres
--

CREATE FUNCTION public.generate_formation_id() RETURNS trigger
    LANGUAGE plpgsql
    AS $$
DECLARE
    next_number INT;
BEGIN
    -- Cherche le numéro maximum d'id déjà utilis  dans
id_formation
    SELECT COALESCE(MAX(CAST(SUBSTRING(id_formation FROM
'[0-9]+' ) AS INT)), 0) + 1
    INTO next_number
    FROM formation;

    -- Assigne un nouvel ID sous la forme 'formation' + nombre
NEW.id_formation := 'formation' || next_number;

    RETURN NEW;
END;
$$;

ALTER FUNCTION public.generate_formation_id() OWNER TO
postgres;
```

```
--  
-- Name: generate_formation_instance_id(); Type: FUNCTION;  
Schema: public; Owner: postgres  
--  
  
CREATE FUNCTION public.generate_formation_instance_id()  
RETURNS trigger  
    LANGUAGE plpgsql  
    AS $$  
DECLARE  
    next_number INT;  
BEGIN  
    SELECT  
COALESCE(MAX(CAST(SUBSTRING(id_formation_instance FROM  
'[0-9]+' ) AS INT)), 0) + 1  
    INTO next_number  
    FROM formation_instance;  
  
    NEW.id_formation_instance := 'formation_instance' ||  
next_number;  
  
    RETURN NEW;  
END;  
$$;  
  
ALTER FUNCTION public.generate_formation_instance_id() OWNER  
TO postgres;  
  
--  
-- Name: generate_reservation_id(); Type: FUNCTION; Schema:  
public; Owner: postgres  
--  
  
CREATE FUNCTION public.generate_reservation_id() RETURNS  
trigger  
    LANGUAGE plpgsql  
    AS $$  
DECLARE
```

```
    next_number INT;  
BEGIN  
    SELECT COALESCE(MAX(CAST(SUBSTRING(id_reservation FROM  
'[0-9]+' ) AS INT)), 0) + 1  
    INTO next_number  
    FROM reservation;  
  
    NEW.id_reservation := 'reservation' || next_number;  
  
    RETURN NEW;  
END;  
$$;
```

```
ALTER FUNCTION public.generate_reservation_id() OWNER TO  
postgres;
```

```
--  
-- Name: generer_instances_annee(); Type: FUNCTION; Schema:  
public; Owner: postgres  
--
```

```
CREATE FUNCTION public.generer_instances_annee() RETURNS  
void
```

```
    LANGUAGE plpgsql  
    AS $$  
DECLARE  
    formation_record RECORD;  
    date_courante DATE;  
    date_fin DATE;  
    jour_semaine_formation INTEGER;  
    jour_semaine_courant INTEGER;  
    v_instance_exists BOOLEAN;  
BEGIN  
    date_courante := CURRENT_DATE;  
    date_fin := CURRENT_DATE + INTERVAL '1 year';  
  
    -- Pour chaque formation  
    FOR formation_record IN SELECT * FROM formation LOOP  
        date_courante := CURRENT_DATE;
```

```

WHILE date_courante <= date_fin LOOP
    -- Convertir le jour de la semaine (PostgreSQL: 0=dimanche,
    6=samedi)
    -- Notre système: 0=lundi, 6=dimanche
    jour_semaine_courant := (EXTRACT(DOW FROM
    date_courante)::INTEGER + 6) % 7;

    -- Vérifier si c'est le bon jour de la semaine
    IF jour_semaine_courant = formation_record.jour_semaine
    THEN
        -- Vérifier si l'instance existe déjà
        SELECT EXISTS(
            SELECT 1
            FROM formation_instance
            WHERE id_reference_formation =
            formation_record.id_formation
            AND jour = date_courante
        ) INTO v_instance_exists;

        -- Créer l'instance seulement si elle n'existe pas
        IF NOT v_instance_exists THEN
            INSERT INTO formation_instance (jour,
            id_reference_formation)
            VALUES (date_courante, formation_record.id_formation);
        END IF;
    END IF;

    date_courante := date_courante + INTERVAL '1 day';
END LOOP;
END LOOP;
END;
$$;

```

```

ALTER FUNCTION public.generer_instances_annee() OWNER TO
postgres;

```

```

--
-- Name: get_formation_instances_with_counts(integer, integer);

```


Type: FUNCTION; Schema: public; Owner: postgres

--

CREATE FUNCTION

public.get_formation_instances_with_counts(debut integer, fin integer) RETURNS TABLE(id_formation_instance text, jour date, id_reference_formation text, nombre_inscription integer)

LANGUAGE plpgsql

AS \$\$

BEGIN

-- ≡föÏ Validation des param ÷tres

IF debut < 1 THEN

RAISE EXCEPTION 'Le param ÷tre "debut" doit ÷tre sup ÷rieur ou ÷gal á 1.';

END IF;

IF fin <= debut THEN

RAISE EXCEPTION 'Le param ÷tre "fin" doit ÷tre sup ÷rieur au param ÷tre "debut".';

END IF;

-- ≡föÏ Retourner la table avec le nombre d'inscriptions et le sous-ensemble demand ÷

RETURN QUERY

SELECT

fi.id_formation_instance,

fi.jour,

fi.id_reference_formation,

COUNT(tr.id_reservation) AS nombre_inscription

FROM formation_instance fi

LEFT JOIN table_reservation tr

ON fi.id_formation_instance = tr.id_formation_instance

GROUP BY fi.id_formation_instance, fi.jour,

fi.id_reference_formation

ORDER BY fi.jour DESC

OFFSET (debut - 1)

LIMIT (fin - debut + 1);

END;

\$\$;

ALTER FUNCTION

```
public.get_formation_instances_with_counts(debut integer, fin
integer) OWNER TO postgres;
```

```
--
```

```
-- Name: obtenir_instance_par_id(character varying); Type:
FUNCTION; Schema: public; Owner: postgres
```

```
--
```

CREATE FUNCTION

```
public.obtenir_instance_par_id(p_id_formation_instance character
varying) RETURNS TABLE(id_formation_instance character varying,
jour date, id_formation character varying, nom_formation character
varying, jour_semaine integer, heure_debut time without time zone,
heure_fin time without time zone, nombre_reservations bigint,
places_restantes bigint, est_complete boolean)
```

```
LANGUAGE plpgsql
```

```
AS $$
```

```
BEGIN
```

```
RETURN QUERY
```

```
SELECT
```

```
    fi.id_formation_instance,
```

```
    fi.jour,
```

```
    fi.id_formation,
```

```
    f.nom::VARCHAR as nom_formation,
```

```
    f.jour_semaine,
```

```
    f.heure_debut,
```

```
    f.heure_fin,
```

```
    COUNT(tr.id_reservation)::BIGINT as nombre_reservations,
```

```
    (30 - COUNT(tr.id_reservation))::BIGINT as places_restantes,
```

```
    (COUNT(tr.id_reservation) >= 30)::BOOLEAN as est_complete
```

```
FROM formation_instance fi
```

```
JOIN formation f ON fi.id_formation = f.id_formation
```

```
LEFT JOIN table_reservation tr ON fi.id_formation_instance =
```

```
tr.id_formation_instance
```

```
WHERE fi.id_formation_instance = p_id_formation_instance
```

```
GROUP BY fi.id_formation_instance, fi.jour, fi.id_formation, f.nom,
```

```
f.jour_semaine, f.heure_debut, f.heure_fin;
```

```
END;
```

\$\$;

ALTER FUNCTION

public.obtenir_instance_par_id(p_id_formation_instance character
varying) OWNER TO postgres;

--

-- Name: obtenir_instances_detaillees(); Type: FUNCTION; Schema:
public; Owner: postgres

--

CREATE FUNCTION public.obtenir_instances_detaillees() RETURNS
TABLE(id_formation_instance character varying, jour date,
id_formation character varying, nom_formation character varying,
jour_semaine integer, heure_debut time without time zone, heure_fin
time without time zone, nombre_reservations bigint,
places_restantes bigint, est_complete boolean)

LANGUAGE plpgsql

AS \$\$

BEGIN

RETURN QUERY

SELECT

fi.id_formation_instance,

fi.jour,

fi.id_formation,

f.nom::VARCHAR as nom_formation,

f.jour_semaine,

f.heure_debut,

f.heure_fin,

COUNT(tr.id_reservation)::BIGINT as nombre_reservations,

(30 - COUNT(tr.id_reservation))::BIGINT as places_restantes,

(COUNT(tr.id_reservation) >= 30)::BOOLEAN as est_complete

FROM formation_instance fi

JOIN formation f ON fi.id_formation = f.id_formation

LEFT JOIN table_reservation tr ON fi.id_formation_instance =
tr.id_formation_instance

GROUP BY fi.id_formation_instance, fi.jour, fi.id_formation, f.nom,
f.jour_semaine, f.heure_debut, f.heure_fin

ORDER BY fi.jour DESC, f.nom;

```
END;
```

```
$$;
```

```
ALTER FUNCTION public.obtenir_instances_detaillees() OWNER TO  
postgres;
```

```
--
```

```
-- Name: obtenir_instances_disponibles_formation(character  
varying); Type: FUNCTION; Schema: public; Owner: postgres
```

```
--
```

```
CREATE FUNCTION
```

```
public.obtenir_instances_disponibles_formation(p_id_formation  
character varying) RETURNS TABLE(id_formation_instance character  
varying, jour date, heure_debut time without time zone, heure_fin  
time without time zone, inscriptions_actuelles bigint,  
places_restantes bigint, est_complete boolean)
```

```
LANGUAGE plpgsql
```

```
AS $$
```

```
BEGIN
```

```
RETURN QUERY
```

```
SELECT
```

```
    fi.id_formation_instance, fi.jour, f.heure_debut, f.heure_fin,  
    COUNT(tr.id_reservation)::BIGINT as inscriptions_actuelles,  
    (30 - COUNT(tr.id_reservation))::BIGINT as places_restantes,  
    (COUNT(tr.id_reservation) >= 30)::BOOLEAN as est_complete
```

```
FROM formation_instance fi
```

```
JOIN formation f ON fi.id_reference_formation = f.id_formation
```

```
LEFT JOIN table_reservation tr ON fi.id_formation_instance =  
tr.id_formation_instance
```

```
WHERE f.id_formation = p_id_formation
```

```
AND fi.jour BETWEEN CURRENT_DATE AND (CURRENT_DATE +  
INTERVAL '3 months')
```

```
GROUP BY fi.id_formation_instance, fi.jour, f.heure_debut,  
f.heure_fin
```

```
HAVING COUNT(tr.id_reservation) < 30
```

```
ORDER BY fi.jour;
```

```
END;
```

```
$$;
```

```
ALTER FUNCTION
public.obtenir_instances_disponibles_formation(p_id_formation
character varying) OWNER TO postgres;

--
-- Name: set_formation_id(); Type: FUNCTION; Schema: public;
Owner: postgres
--

CREATE FUNCTION public.set_formation_id() RETURNS trigger
    LANGUAGE plpgsql
    AS $$
DECLARE
    next_number INT := 1;
    new_id TEXT;
BEGIN
    LOOP
        new_id := 'formation' || next_number;

        IF NOT EXISTS (SELECT 1 FROM formation WHERE id_formation
= new_id) THEN
            NEW.id_formation := new_id;
            EXIT;
        END IF;

        next_number := next_number + 1;
    END LOOP;

    RETURN NEW;
END;
$$;

ALTER FUNCTION public.set_formation_id() OWNER TO postgres;

--
-- Name: set_formation_instance_id(); Type: FUNCTION; Schema:
public; Owner: postgres
```

--

```
CREATE FUNCTION public.set_formation_instance_id() RETURNS
trigger
  LANGUAGE plpgsql
  AS $$
DECLARE
  next_number INT := 1;
  new_id TEXT;
BEGIN
  LOOP
    new_id := 'formation_instance' || next_number;

    IF NOT EXISTS (SELECT 1 FROM formation_instance WHERE
id_formation_instance = new_id) THEN
      NEW.id_formation_instance := new_id;
      EXIT;
    END IF;

    next_number := next_number + 1;
  END LOOP;

  RETURN NEW;
END;
$;
```

```
ALTER FUNCTION public.set_formation_instance_id() OWNER TO
postgres;
```

--

```
-- Name: set_reservation_id(); Type: FUNCTION; Schema: public;
Owner: postgres
```

--

```
CREATE FUNCTION public.set_reservation_id() RETURNS trigger
  LANGUAGE plpgsql
  AS $$
DECLARE
  next_number INT := 1;
```

```

new_id TEXT;
BEGIN
  LOOP
    -- Générer un nouvel ID
    new_id := 'reservation' || next_number;

    -- Vérifier si l'ID existe déjà
    IF NOT EXISTS (SELECT 1 FROM reservation WHERE
id_reservation = new_id) THEN
      NEW.id_reservation := new_id;
      EXIT; -- On sort si l'ID est unique
    END IF;

    -- Sinon, on incrémente et on réessaie
    next_number := next_number + 1;
  END LOOP;

  RETURN NEW;
END;
$$;

```

```

ALTER FUNCTION public.set_reservation_id() OWNER TO postgres;

```

```

--
-- Name: verif_jour_formation_instance(); Type: FUNCTION;
Schema: public; Owner: postgres
--

```

```

CREATE FUNCTION public.verif_jour_formation_instance() RETURNS
trigger
  LANGUAGE plpgsql
  AS $$
DECLARE
  expected_jour_semaine INT;
  jour_actuel_semaine INT;
  diff INT;
BEGIN
  -- Calculer le jour_semaine de la formation
  associée

```

```

SELECT jour_semaine INTO expected_jour_semaine
FROM formation
WHERE id_formation = NEW.id_reference_formation;

IF expected_jour_semaine IS NULL THEN
    RAISE EXCEPTION 'Aucune formation trouvée pour
id_reference_formation = %', NEW.id_reference_formation;
END IF;

-- 2ème À l'heure Trouver le jour de la semaine de la date actuelle (0 =
lundi, 6 = dimanche)
jour_actuel_semaine := EXTRACT(DOW FROM NEW.jour);
-- En PostgreSQL : 0 = dimanche mais on transforme pour que 0 =
lundi
jour_actuel_semaine := (jour_actuel_semaine + 6) % 7;

-- 3ème À l'heure Si le jour correspond, on ne fait rien
IF jour_actuel_semaine = expected_jour_semaine THEN
    RETURN NEW;
END IF;

-- 4ème À l'heure Sinon, on ajuste la date pour correspondre au jour
attendu
diff := expected_jour_semaine - jour_actuel_semaine;

-- Si diff est négatif, on ajoute 7 et on choisit le jour le plus
proche (avant ou après)
IF ABS(diff) > 3 THEN
    -- Si la différence est trop grande, on préfère aller en
arrière
    IF diff > 0 THEN
        diff := diff - 7;
    ELSE
        diff := diff + 7;
    END IF;
END IF;

-- 5ème À l'heure Correction de la date
NEW.jour := NEW.jour + diff * INTERVAL '1 day';

```



```
        RAISE NOTICE 'Date ajustée automatiquement de % jours pour
correspondre au jour_semaine attendu (%).', diff,
expected_jour_semaine;
```

```
    RETURN NEW;
END;
$$;
```

```
ALTER FUNCTION public.verif_jour_formation_instance() OWNER TO
postgres;
```

```
--
-- Name: verif_max_reservations(); Type: FUNCTION; Schema:
public; Owner: postgres
--
```

```
CREATE FUNCTION public.verif_max_reservations() RETURNS
trigger
    LANGUAGE plpgsql
    AS $$
DECLARE
    nb_reservations INT;
BEGIN
    -- Compter le nombre de réservations pour l'instance de
formation
    SELECT COUNT(*)
    INTO nb_reservations
    FROM table_reservation
    WHERE ID_formation_instance = NEW.ID_formation_instance;

    -- Si c'est un INSERT, ajouter +1 pour inclure la nouvelle ligne
IF TG_OP = 'INSERT' THEN
        nb_reservations := nb_reservations + 1;
    END IF;

    -- Vérification : pas plus de 30 réservations
IF nb_reservations > 30 THEN
        RAISE EXCEPTION 'Impossible d'associer plus de 30
reservations à une instance de formation';
```

```
END IF;
```

```
RETURN NEW;
```

```
END;
```

```
$$;
```

```
ALTER FUNCTION public.verif_max_reservations() OWNER TO  
postgres;
```

```
SET default_tablespace = '';
```

```
SET default_table_access_method = heap;
```

```
--
```

```
-- Name: formation; Type: TABLE; Schema: public; Owner: postgres
```

```
--
```

```
CREATE TABLE public.formation (  
    id_formation text CONSTRAINT "Formation_id_formation_not_null"  
NOT NULL,  
    nom text CONSTRAINT "Formation_Nom_not_null" NOT NULL,  
    jour_semaine integer CONSTRAINT  
"Formation_jour_semaine_not_null" NOT NULL,  
    heure_debut time without time zone NOT NULL,  
    heure_fin time without time zone NOT NULL,  
    chemins_images text[],  
    description text,  
    CONSTRAINT check_jour_semaine CHECK (((jour_semaine <= 6)  
AND (jour_semaine >= 0)))  
);
```

```
ALTER TABLE public.formation OWNER TO postgres;
```

```
--
```

```
-- Name: formation_instance; Type: TABLE; Schema: public; Owner:  
postgres
```

```
--
```

```
CREATE TABLE public.formation_instance (  
    id_formation_instance text CONSTRAINT  
formation_instance_id_formation_not_null NOT NULL,  
    jour date NOT NULL,  
    id_reference_formation text NOT NULL  
);
```

```
ALTER TABLE public.formation_instance OWNER TO postgres;
```

```
--  
-- Name: reservation; Type: TABLE; Schema: public; Owner:  
postgres  
--
```

```
CREATE TABLE public.reservation (  
    id_reservation text CONSTRAINT  
"Reservation_id_reservation_not_null" NOT NULL,  
    prenom text CONSTRAINT "Reservation_prenom_not_null" NOT  
NULL,  
    courriel text CONSTRAINT "Reservation_courriel_not_null" NOT  
NULL,  
    telephone bigint,  
    nom text NOT NULL,  
    CONSTRAINT courriel_check CHECK ((courriel ~ '^[A-Za-z0-  
9._%+-]+@[A-Za-z0-9.-]+\.[A-Za-z]{2,}$'::text)),  
    CONSTRAINT telephone_check CHECK (((telephone >= 0) AND  
(telephone <= '999999999999'::bigint))),  
    CONSTRAINT "verification_ID" CHECK ((id_reservation ~  
'^reservation[1-9][0-9]*$'::text))  
);
```

```
ALTER TABLE public.reservation OWNER TO postgres;
```

```
--  
-- Name: table_reservation; Type: TABLE; Schema: public; Owner:  
postgres  
--
```

```
CREATE TABLE public.table_reservation (
  id_reservation text CONSTRAINT
  "Table_reservation_id_reservation_not_null" NOT NULL,
  id_formation_instance text CONSTRAINT
  "Table_reservation_id_formation_instance_not_null" NOT NULL
);
```

```
ALTER TABLE public.table_reservation OWNER TO postgres;
```

```
--
-- Data for Name: formation; Type: TABLE DATA; Schema: public;
Owner: postgres
--
```

```
COPY public.formation (id_formation, nom, jour_semaine,
heure_debut, heure_fin, chemins_images, description) FROM stdin;
formation1    Formation Blender 3D  1    14:00:00 17:00:00
{Blender/blender1.png,Blender/blender2.jpg,Blender/blender3.jpg,Bl
ender/blender4.png}    D Découvrez la magie de la création 3D !
Blender est un logiciel gratuit et puissant pour modéliser, animer et
rendre vos idées en trois dimensions. Apprenez à créer des
objets, personnages et environnements virtuels, à maîtriser
l'éclairage et les textures, et à produire des animations
époustouflantes. Parfait pour les artistes, designers et
passionnés d'animation.
formation2    Formation Krita - Dessin Digital  2    18:00:00
21:00:00
{Krita/krita1.avif,Krita/krita2.webp,Krita/krita3.png,Krita/krita4.webp}
Libérez votre créativité numérique ! Krita est un studio de
peinture numérique open-source conçu pour les artistes.
Apprenez les techniques de dessin digital, la manipulation des
calques, les pinceaux personnalisés et la colorisation
professionnelle. Idéal pour l'illustration, le concept art et la bande
dessinée.
formation3    Formation Kdenlive - Montage Vidéo  3
19:00:00 22:00:00
{Kdenlive/kdenlive1.webp,Kdenlive/kdenlive2.png,Kdenlive/kdenlive
3.png,Kdenlive/kdenlive4.jpg}    Devenez monteur vidéo !
Kdenlive est un logiciel de montage vidéo gratuit et complet.
```

Maîtrisez le découpage, les transitions, les effets visuels, le traitement audio et l'export de vidéos de qualité professionnelle. Parfait pour les YouTubeurs, vidéastes amateurs et créateurs de contenu.

formation5 Formation Ollama - Intelligence Artificielle 0

09:00:00 12:00:00

{Ollama/ollama1.png,Ollama/ollama2.png,Ollama/ollama3.png,Ollama/ollama4.png} Explorez l'intelligence artificielle locale ! Ollama vous permet d'explorer des modèles de langage avancés directement sur votre ordinateur. Découvrez comment interagir avec l'IA, personnaliser les modèles et développer des applications intelligentes sans dépendre d'internet.

formation9 Formation Bitwarden - Gestion des Mots de Passe 4

13:00:00 16:00:00

{Bitwarden/bitwarden1.png,Bitwarden/bitwarden2.png,Bitwarden/bitwarden3.png,Bitwarden/bitwarden4.png} Prenez le contrôle de votre sécurité en ligne ! Bitwarden est un gestionnaire de mots de passe open-source. Apprenez à générer des mots de passe forts, à synchroniser vos identifiants entre appareils et à protéger vos comptes contre les cybermenaces.

formation10 Formation Notion - Organisation et Productivité 5

10:00:00 13:00:00

{Notion/notion1.png,Notion/notion2.png,Notion/notion3.jpg,Notion/notion4.avif} Centralisez votre vie numérique ! Notion est un espace de travail tout-en-un pour notes, bases de données, planning et collaboration. Apprenez à créer des pages personnalisées, des systèmes d'organisation et à automatiser vos workflows.

formation11 Formation SlimeVR - Réalité Virtuelle Corporelle 5

14:00:00 17:00:00

{SlimeVR/slimevr1.webp,SlimeVR/slimevr2.jpg,SlimeVR/slimevr3.webp,SlimeVR/slimevr4.jpg} Plongez dans la réalité virtuelle corporelle ! SlimeVR est un système de tracking corporel DIY et abordable. Apprenez à configurer des capteurs, à calibrer vos mouvements et à vivre une immersion VR complète pour le gaming et les applications sociales.

formation12 Formation Inkscape - Dessin Vectoriel 0

14:00:00 17:00:00

{Inkscape/inkscape1.png,Inkscape/inkscape2.webp,Inkscape/inkscape3.png,Inkscape/inkscape4.jpg} Créez des graphiques

vectoriels professionnels ! Inkscape est l'alternative libre à Illustrator. Maîtrisez le dessin vectoriel, la manipulation des chemins, la typographie et la création de logos, icônes et illustrations évolutives.

formation13 Formation Draw.io - Création de Diagrammes 1

10:00:00 13:00:00

{Draw.io/draw1.png,Draw.io/draw2.jpg,Draw.io/draw3.jpg,Draw.io/draw4.png} Visualisez vos idées complexes ! Draw.io est un outil de diagramming gratuit et intuitif. Apprenez à créer des organigrammes, plans architecturaux, réseaux informatiques et schémas techniques pour communiquer efficacement.

formation14 Formation Freemocap - Capture de Mouvement 2

10:00:00 13:00:00

{Freemocap/freemocap1.jpg,Freemocap/freemocap2.jpg,Freemocap/freemocap3.jpg,Freemocap/freemocap4.png} Capturez le mouvement humain facilement ! Freemocap transforme des caméras standards en système de motion capture. Apprenez à enregistrer des mouvements, analyser la biomécanique et créer des animations réalistes sans équipement coûteux.

formation15 Formation Ibis Paint - Dessin sur Mobile 6

13:00:00 16:00:00

{Ibis_paint/ibispaint1.jpg,Ibis_paint/ibispaint2.jpg,Ibis_paint/ibispaint3.jpg,Ibis_paint/ibispaint4.jpg} Peignez sur mobile comme un pro ! Ibis Paint est une application de dessin complète pour smartphones et tablettes. Maîtrisez les outils de dessin digital, les calques, les filtres et créez des œuvres d'art où que vous soyez.

formation4 Formation DaVinci Resolve - Post-production 4

16:00:00 19:00:00

{Davinci_resolve/davinci1.webp,Davinci_resolve/davinci2.jpg,Davinci_resolve/davinci3.jpg,Davinci_resolve/davinci4.jpg} Passez au niveau professionnel du montage vidéo ! DaVinci Resolve combine montage, correction colorimétrique, effets visuels et post-production audio dans un seul outil. Apprenez les techniques utilisées par les studios hollywoodiens pour donner vie à vos projets vidéo.

formation6 Formation Obsidian - Organisation des Connaissances 1

19:00:00 22:00:00

{Obsidian/obsidian1.png,Obsidian/obsidian2.jpg,Obsidian/obsidian3.png,Obsidian/obsidian4.png} Organisez vos pensées comme jamais ! Obsidian est un carnet de notes puissant qui vous aide à

connecter vos id $\rightarrow$ es. Apprenez $\rightarrow$ á cr $\rightarrow$ er une base de connaissances personnelle, $\rightarrow$ á $\rightarrow$ tablir des liens entre vos notes et $\rightarrow$ á booster votre productivité $\rightarrow$ gr $\rightarrow$ óce au zettelkasten.

formation7 Formation ONLY Office - Bureautique Collaborative 2
14:00:00 17:00:00

{Onlyoffice/onlyoffice1.png,Onlyoffice/onlyoffice2.png,Onlyoffice/onlyoffice3.png,Onlyoffice/onlyoffice4.png} Ma $\rightarrow$ «trisez la suite bureautique collaborative ! ONLY Office int $\rightarrow$ gre traitement de texte, tableur et pr $\rightarrow$ sentation dans une interface moderne. Apprenez $\rightarrow$ á cr $\rightarrow$ er des documents professionnels, $\rightarrow$ á travailler en $\rightarrow$ quipe en temps r $\rightarrow$ el et $\rightarrow$ á g $\rightarrow$ rer vos projets efficacement.

formation8 Formation Linux Ubuntu - Syst $\rightarrow$ me d'Exploitation 3
10:00:00 13:00:00

{Ubuntu/ubuntu1.jpg,Ubuntu/ubuntu2.webp,Ubuntu/ubuntu3.jpeg,Ubuntu/ubuntu4.png} D $\rightarrow$ couvrez un nouveau monde informatique ! Ubuntu est un syst $\rightarrow$ me d'exploitation libre, s $\rightarrow$ curis $\rightarrow$ et performant. Apprenez les bases de Linux, la gestion des fichiers en terminal, l'installation de logiciels et les avantages d'un syst $\rightarrow$ me open-source pour votre quotidien num $\rightarrow$ rique.
\\.

--

-- Data for Name: formation_instance; Type: TABLE DATA; Schema: public; Owner: postgres

--

COPY public.formation_instance (id_formation_instance, jour, id_reference_formation) FROM stdin;

formation_instance1	2025-11-04	formation1
formation_instance2	2025-11-11	formation1
formation_instance3	2025-11-18	formation1
formation_instance4	2025-11-25	formation1
formation_instance5	2025-12-02	formation1
formation_instance6	2025-12-09	formation1
formation_instance7	2025-12-16	formation1
formation_instance8	2025-12-23	formation1
formation_instance9	2025-12-30	formation1
formation_instance10	2026-01-06	formation1
formation_instance11	2026-01-13	formation1

formation_instance12	2026-01-20	formation1
formation_instance13	2026-01-27	formation1
formation_instance14	2026-02-03	formation1
formation_instance15	2026-02-10	formation1
formation_instance16	2026-02-17	formation1
formation_instance17	2026-02-24	formation1
formation_instance18	2026-03-03	formation1
formation_instance19	2026-03-10	formation1
formation_instance20	2026-03-17	formation1
formation_instance21	2026-03-24	formation1
formation_instance22	2026-03-31	formation1
formation_instance23	2026-04-07	formation1
formation_instance24	2026-04-14	formation1
formation_instance25	2026-04-21	formation1
formation_instance26	2026-04-28	formation1
formation_instance27	2026-05-05	formation1
formation_instance28	2026-05-12	formation1
formation_instance29	2026-05-19	formation1
formation_instance30	2026-05-26	formation1
formation_instance31	2026-06-02	formation1
formation_instance32	2026-06-09	formation1
formation_instance33	2026-06-16	formation1
formation_instance34	2026-06-23	formation1
formation_instance35	2026-06-30	formation1
formation_instance36	2026-07-07	formation1
formation_instance37	2026-07-14	formation1
formation_instance38	2026-07-21	formation1
formation_instance39	2026-07-28	formation1
formation_instance40	2026-08-04	formation1
formation_instance41	2026-08-11	formation1
formation_instance42	2026-08-18	formation1
formation_instance43	2026-08-25	formation1
formation_instance44	2026-09-01	formation1
formation_instance45	2026-09-08	formation1
formation_instance46	2026-09-15	formation1
formation_instance47	2026-09-22	formation1
formation_instance48	2026-09-29	formation1
formation_instance49	2026-10-06	formation1
formation_instance50	2026-10-13	formation1
formation_instance51	2026-10-20	formation1

formation_instance52	2026-10-27	formation1
formation_instance53	2026-11-03	formation1
formation_instance54	2025-11-05	formation2
formation_instance55	2025-11-12	formation2
formation_instance56	2025-11-19	formation2
formation_instance57	2025-11-26	formation2
formation_instance58	2025-12-03	formation2
formation_instance59	2025-12-10	formation2
formation_instance60	2025-12-17	formation2
formation_instance61	2025-12-24	formation2
formation_instance62	2025-12-31	formation2
formation_instance63	2026-01-07	formation2
formation_instance64	2026-01-14	formation2
formation_instance65	2026-01-21	formation2
formation_instance66	2026-01-28	formation2
formation_instance67	2026-02-04	formation2
formation_instance68	2026-02-11	formation2
formation_instance69	2026-02-18	formation2
formation_instance70	2026-02-25	formation2
formation_instance71	2026-03-04	formation2
formation_instance72	2026-03-11	formation2
formation_instance73	2026-03-18	formation2
formation_instance74	2026-03-25	formation2
formation_instance75	2026-04-01	formation2
formation_instance76	2026-04-08	formation2
formation_instance77	2026-04-15	formation2
formation_instance78	2026-04-22	formation2
formation_instance79	2026-04-29	formation2
formation_instance80	2026-05-06	formation2
formation_instance81	2026-05-13	formation2
formation_instance82	2026-05-20	formation2
formation_instance83	2026-05-27	formation2
formation_instance84	2026-06-03	formation2
formation_instance85	2026-06-10	formation2
formation_instance86	2026-06-17	formation2
formation_instance87	2026-06-24	formation2
formation_instance88	2026-07-01	formation2
formation_instance89	2026-07-08	formation2
formation_instance90	2026-07-15	formation2
formation_instance91	2026-07-22	formation2

formation_instance92	2026-07-29	formation2
formation_instance93	2026-08-05	formation2
formation_instance94	2026-08-12	formation2
formation_instance95	2026-08-19	formation2
formation_instance96	2026-08-26	formation2
formation_instance97	2026-09-02	formation2
formation_instance98	2026-09-09	formation2
formation_instance99	2026-09-16	formation2
formation_instance100	2026-09-23	formation2
formation_instance101	2026-09-30	formation2
formation_instance102	2026-10-07	formation2
formation_instance103	2026-10-14	formation2
formation_instance104	2026-10-21	formation2
formation_instance105	2026-10-28	formation2
formation_instance106	2025-11-06	formation3
formation_instance107	2025-11-13	formation3
formation_instance108	2025-11-20	formation3
formation_instance109	2025-11-27	formation3
formation_instance110	2025-12-04	formation3
formation_instance111	2025-12-11	formation3
formation_instance112	2025-12-18	formation3
formation_instance113	2025-12-25	formation3
formation_instance114	2026-01-01	formation3
formation_instance115	2026-01-08	formation3
formation_instance116	2026-01-15	formation3
formation_instance117	2026-01-22	formation3
formation_instance118	2026-01-29	formation3
formation_instance119	2026-02-05	formation3
formation_instance120	2026-02-12	formation3
formation_instance121	2026-02-19	formation3
formation_instance122	2026-02-26	formation3
formation_instance123	2026-03-05	formation3
formation_instance124	2026-03-12	formation3
formation_instance125	2026-03-19	formation3
formation_instance126	2026-03-26	formation3
formation_instance127	2026-04-02	formation3
formation_instance128	2026-04-09	formation3
formation_instance129	2026-04-16	formation3
formation_instance130	2026-04-23	formation3
formation_instance131	2026-04-30	formation3

formation_instance132	2026-05-07	formation3
formation_instance133	2026-05-14	formation3
formation_instance134	2026-05-21	formation3
formation_instance135	2026-05-28	formation3
formation_instance136	2026-06-04	formation3
formation_instance137	2026-06-11	formation3
formation_instance138	2026-06-18	formation3
formation_instance139	2026-06-25	formation3
formation_instance140	2026-07-02	formation3
formation_instance141	2026-07-09	formation3
formation_instance142	2026-07-16	formation3
formation_instance143	2026-07-23	formation3
formation_instance144	2026-07-30	formation3
formation_instance145	2026-08-06	formation3
formation_instance146	2026-08-13	formation3
formation_instance147	2026-08-20	formation3
formation_instance148	2026-08-27	formation3
formation_instance149	2026-09-03	formation3
formation_instance150	2026-09-10	formation3
formation_instance151	2026-09-17	formation3
formation_instance152	2026-09-24	formation3
formation_instance153	2026-10-01	formation3
formation_instance154	2026-10-08	formation3
formation_instance155	2026-10-15	formation3
formation_instance156	2026-10-22	formation3
formation_instance157	2026-10-29	formation3
formation_instance158	2025-11-03	formation5
formation_instance159	2025-11-10	formation5
formation_instance160	2025-11-17	formation5
formation_instance161	2025-11-24	formation5
formation_instance162	2025-12-01	formation5
formation_instance163	2025-12-08	formation5
formation_instance164	2025-12-15	formation5
formation_instance165	2025-12-22	formation5
formation_instance166	2025-12-29	formation5
formation_instance167	2026-01-05	formation5
formation_instance168	2026-01-12	formation5
formation_instance169	2026-01-19	formation5
formation_instance170	2026-01-26	formation5
formation_instance171	2026-02-02	formation5

formation_instance172	2026-02-09	formation5
formation_instance173	2026-02-16	formation5
formation_instance174	2026-02-23	formation5
formation_instance175	2026-03-02	formation5
formation_instance176	2026-03-09	formation5
formation_instance177	2026-03-16	formation5
formation_instance178	2026-03-23	formation5
formation_instance179	2026-03-30	formation5
formation_instance180	2026-04-06	formation5
formation_instance181	2026-04-13	formation5
formation_instance182	2026-04-20	formation5
formation_instance183	2026-04-27	formation5
formation_instance184	2026-05-04	formation5
formation_instance185	2026-05-11	formation5
formation_instance186	2026-05-18	formation5
formation_instance187	2026-05-25	formation5
formation_instance188	2026-06-01	formation5
formation_instance189	2026-06-08	formation5
formation_instance190	2026-06-15	formation5
formation_instance191	2026-06-22	formation5
formation_instance192	2026-06-29	formation5
formation_instance193	2026-07-06	formation5
formation_instance194	2026-07-13	formation5
formation_instance195	2026-07-20	formation5
formation_instance196	2026-07-27	formation5
formation_instance197	2026-08-03	formation5
formation_instance198	2026-08-10	formation5
formation_instance199	2026-08-17	formation5
formation_instance200	2026-08-24	formation5
formation_instance201	2026-08-31	formation5
formation_instance202	2026-09-07	formation5
formation_instance203	2026-09-14	formation5
formation_instance204	2026-09-21	formation5
formation_instance205	2026-09-28	formation5
formation_instance206	2026-10-05	formation5
formation_instance207	2026-10-12	formation5
formation_instance208	2026-10-19	formation5
formation_instance209	2026-10-26	formation5
formation_instance210	2026-11-02	formation5
formation_instance211	2025-11-07	formation4

formation_instance212	2025-11-14	formation4
formation_instance213	2025-11-21	formation4
formation_instance214	2025-11-28	formation4
formation_instance215	2025-12-05	formation4
formation_instance216	2025-12-12	formation4
formation_instance217	2025-12-19	formation4
formation_instance218	2025-12-26	formation4
formation_instance219	2026-01-02	formation4
formation_instance220	2026-01-09	formation4
formation_instance221	2026-01-16	formation4
formation_instance222	2026-01-23	formation4
formation_instance223	2026-01-30	formation4
formation_instance224	2026-02-06	formation4
formation_instance225	2026-02-13	formation4
formation_instance226	2026-02-20	formation4
formation_instance227	2026-02-27	formation4
formation_instance228	2026-03-06	formation4
formation_instance229	2026-03-13	formation4
formation_instance230	2026-03-20	formation4
formation_instance231	2026-03-27	formation4
formation_instance232	2026-04-03	formation4
formation_instance233	2026-04-10	formation4
formation_instance234	2026-04-17	formation4
formation_instance235	2026-04-24	formation4
formation_instance236	2026-05-01	formation4
formation_instance237	2026-05-08	formation4
formation_instance238	2026-05-15	formation4
formation_instance239	2026-05-22	formation4
formation_instance240	2026-05-29	formation4
formation_instance241	2026-06-05	formation4
formation_instance242	2026-06-12	formation4
formation_instance243	2026-06-19	formation4
formation_instance244	2026-06-26	formation4
formation_instance245	2026-07-03	formation4
formation_instance246	2026-07-10	formation4
formation_instance247	2026-07-17	formation4
formation_instance248	2026-07-24	formation4
formation_instance249	2026-07-31	formation4
formation_instance250	2026-08-07	formation4
formation_instance251	2026-08-14	formation4

formation_instance252	2026-08-21	formation4
formation_instance253	2026-08-28	formation4
formation_instance254	2026-09-04	formation4
formation_instance255	2026-09-11	formation4
formation_instance256	2026-09-18	formation4
formation_instance257	2026-09-25	formation4
formation_instance258	2026-10-02	formation4
formation_instance259	2026-10-09	formation4
formation_instance260	2026-10-16	formation4
formation_instance261	2026-10-23	formation4
formation_instance262	2026-10-30	formation4
formation_instance263	2025-11-04	formation6
formation_instance264	2025-11-11	formation6
formation_instance265	2025-11-18	formation6
formation_instance266	2025-11-25	formation6
formation_instance267	2025-12-02	formation6
formation_instance268	2025-12-09	formation6
formation_instance269	2025-12-16	formation6
formation_instance270	2025-12-23	formation6
formation_instance271	2025-12-30	formation6
formation_instance272	2026-01-06	formation6
formation_instance273	2026-01-13	formation6
formation_instance274	2026-01-20	formation6
formation_instance275	2026-01-27	formation6
formation_instance276	2026-02-03	formation6
formation_instance277	2026-02-10	formation6
formation_instance278	2026-02-17	formation6
formation_instance279	2026-02-24	formation6
formation_instance280	2026-03-03	formation6
formation_instance281	2026-03-10	formation6
formation_instance282	2026-03-17	formation6
formation_instance283	2026-03-24	formation6
formation_instance284	2026-03-31	formation6
formation_instance285	2026-04-07	formation6
formation_instance286	2026-04-14	formation6
formation_instance287	2026-04-21	formation6
formation_instance288	2026-04-28	formation6
formation_instance289	2026-05-05	formation6
formation_instance290	2026-05-12	formation6
formation_instance291	2026-05-19	formation6

formation_instance292	2026-05-26	formation6
formation_instance293	2026-06-02	formation6
formation_instance294	2026-06-09	formation6
formation_instance295	2026-06-16	formation6
formation_instance296	2026-06-23	formation6
formation_instance297	2026-06-30	formation6
formation_instance298	2026-07-07	formation6
formation_instance299	2026-07-14	formation6
formation_instance300	2026-07-21	formation6
formation_instance301	2026-07-28	formation6
formation_instance302	2026-08-04	formation6
formation_instance303	2026-08-11	formation6
formation_instance304	2026-08-18	formation6
formation_instance305	2026-08-25	formation6
formation_instance306	2026-09-01	formation6
formation_instance307	2026-09-08	formation6
formation_instance308	2026-09-15	formation6
formation_instance309	2026-09-22	formation6
formation_instance310	2026-09-29	formation6
formation_instance311	2026-10-06	formation6
formation_instance312	2026-10-13	formation6
formation_instance313	2026-10-20	formation6
formation_instance314	2026-10-27	formation6
formation_instance315	2026-11-03	formation6
formation_instance316	2025-11-05	formation7
formation_instance317	2025-11-12	formation7
formation_instance318	2025-11-19	formation7
formation_instance319	2025-11-26	formation7
formation_instance320	2025-12-03	formation7
formation_instance321	2025-12-10	formation7
formation_instance322	2025-12-17	formation7
formation_instance323	2025-12-24	formation7
formation_instance324	2025-12-31	formation7
formation_instance325	2026-01-07	formation7
formation_instance326	2026-01-14	formation7
formation_instance327	2026-01-21	formation7
formation_instance328	2026-01-28	formation7
formation_instance329	2026-02-04	formation7
formation_instance330	2026-02-11	formation7
formation_instance331	2026-02-18	formation7

formation_instance332	2026-02-25	formation7
formation_instance333	2026-03-04	formation7
formation_instance334	2026-03-11	formation7
formation_instance335	2026-03-18	formation7
formation_instance336	2026-03-25	formation7
formation_instance337	2026-04-01	formation7
formation_instance338	2026-04-08	formation7
formation_instance339	2026-04-15	formation7
formation_instance340	2026-04-22	formation7
formation_instance341	2026-04-29	formation7
formation_instance342	2026-05-06	formation7
formation_instance343	2026-05-13	formation7
formation_instance344	2026-05-20	formation7
formation_instance345	2026-05-27	formation7
formation_instance346	2026-06-03	formation7
formation_instance347	2026-06-10	formation7
formation_instance348	2026-06-17	formation7
formation_instance349	2026-06-24	formation7
formation_instance350	2026-07-01	formation7
formation_instance351	2026-07-08	formation7
formation_instance352	2026-07-15	formation7
formation_instance353	2026-07-22	formation7
formation_instance354	2026-07-29	formation7
formation_instance355	2026-08-05	formation7
formation_instance356	2026-08-12	formation7
formation_instance357	2026-08-19	formation7
formation_instance358	2026-08-26	formation7
formation_instance359	2026-09-02	formation7
formation_instance360	2026-09-09	formation7
formation_instance361	2026-09-16	formation7
formation_instance362	2026-09-23	formation7
formation_instance363	2026-09-30	formation7
formation_instance364	2026-10-07	formation7
formation_instance365	2026-10-14	formation7
formation_instance366	2026-10-21	formation7
formation_instance367	2026-10-28	formation7
formation_instance368	2025-11-06	formation8
formation_instance369	2025-11-13	formation8
formation_instance370	2025-11-20	formation8
formation_instance371	2025-11-27	formation8

formation_instance372	2025-12-04	formation8
formation_instance373	2025-12-11	formation8
formation_instance374	2025-12-18	formation8
formation_instance375	2025-12-25	formation8
formation_instance376	2026-01-01	formation8
formation_instance377	2026-01-08	formation8
formation_instance378	2026-01-15	formation8
formation_instance379	2026-01-22	formation8
formation_instance380	2026-01-29	formation8
formation_instance381	2026-02-05	formation8
formation_instance382	2026-02-12	formation8
formation_instance383	2026-02-19	formation8
formation_instance384	2026-02-26	formation8
formation_instance385	2026-03-05	formation8
formation_instance386	2026-03-12	formation8
formation_instance387	2026-03-19	formation8
formation_instance388	2026-03-26	formation8
formation_instance389	2026-04-02	formation8
formation_instance390	2026-04-09	formation8
formation_instance391	2026-04-16	formation8
formation_instance392	2026-04-23	formation8
formation_instance393	2026-04-30	formation8
formation_instance394	2026-05-07	formation8
formation_instance395	2026-05-14	formation8
formation_instance396	2026-05-21	formation8
formation_instance397	2026-05-28	formation8
formation_instance398	2026-06-04	formation8
formation_instance399	2026-06-11	formation8
formation_instance400	2026-06-18	formation8
formation_instance401	2026-06-25	formation8
formation_instance402	2026-07-02	formation8
formation_instance403	2026-07-09	formation8
formation_instance404	2026-07-16	formation8
formation_instance405	2026-07-23	formation8
formation_instance406	2026-07-30	formation8
formation_instance407	2026-08-06	formation8
formation_instance408	2026-08-13	formation8
formation_instance409	2026-08-20	formation8
formation_instance410	2026-08-27	formation8
formation_instance411	2026-09-03	formation8

formation_instance412	2026-09-10	formation8
formation_instance413	2026-09-17	formation8
formation_instance414	2026-09-24	formation8
formation_instance415	2026-10-01	formation8
formation_instance416	2026-10-08	formation8
formation_instance417	2026-10-15	formation8
formation_instance418	2026-10-22	formation8
formation_instance419	2026-10-29	formation8
formation_instance420	2025-11-07	formation9
formation_instance421	2025-11-14	formation9
formation_instance422	2025-11-21	formation9
formation_instance423	2025-11-28	formation9
formation_instance424	2025-12-05	formation9
formation_instance425	2025-12-12	formation9
formation_instance426	2025-12-19	formation9
formation_instance427	2025-12-26	formation9
formation_instance428	2026-01-02	formation9
formation_instance429	2026-01-09	formation9
formation_instance430	2026-01-16	formation9
formation_instance431	2026-01-23	formation9
formation_instance432	2026-01-30	formation9
formation_instance433	2026-02-06	formation9
formation_instance434	2026-02-13	formation9
formation_instance435	2026-02-20	formation9
formation_instance436	2026-02-27	formation9
formation_instance437	2026-03-06	formation9
formation_instance438	2026-03-13	formation9
formation_instance439	2026-03-20	formation9
formation_instance440	2026-03-27	formation9
formation_instance441	2026-04-03	formation9
formation_instance442	2026-04-10	formation9
formation_instance443	2026-04-17	formation9
formation_instance444	2026-04-24	formation9
formation_instance445	2026-05-01	formation9
formation_instance446	2026-05-08	formation9
formation_instance447	2026-05-15	formation9
formation_instance448	2026-05-22	formation9
formation_instance449	2026-05-29	formation9
formation_instance450	2026-06-05	formation9
formation_instance451	2026-06-12	formation9

formation_instance452	2026-06-19	formation9
formation_instance453	2026-06-26	formation9
formation_instance454	2026-07-03	formation9
formation_instance455	2026-07-10	formation9
formation_instance456	2026-07-17	formation9
formation_instance457	2026-07-24	formation9
formation_instance458	2026-07-31	formation9
formation_instance459	2026-08-07	formation9
formation_instance460	2026-08-14	formation9
formation_instance461	2026-08-21	formation9
formation_instance462	2026-08-28	formation9
formation_instance463	2026-09-04	formation9
formation_instance464	2026-09-11	formation9
formation_instance465	2026-09-18	formation9
formation_instance466	2026-09-25	formation9
formation_instance467	2026-10-02	formation9
formation_instance468	2026-10-09	formation9
formation_instance469	2026-10-16	formation9
formation_instance470	2026-10-23	formation9
formation_instance471	2026-10-30	formation9
formation_instance472	2025-11-08	formation10
formation_instance473	2025-11-15	formation10
formation_instance474	2025-11-22	formation10
formation_instance475	2025-11-29	formation10
formation_instance476	2025-12-06	formation10
formation_instance477	2025-12-13	formation10
formation_instance478	2025-12-20	formation10
formation_instance479	2025-12-27	formation10
formation_instance480	2026-01-03	formation10
formation_instance481	2026-01-10	formation10
formation_instance482	2026-01-17	formation10
formation_instance483	2026-01-24	formation10
formation_instance484	2026-01-31	formation10
formation_instance485	2026-02-07	formation10
formation_instance486	2026-02-14	formation10
formation_instance487	2026-02-21	formation10
formation_instance488	2026-02-28	formation10
formation_instance489	2026-03-07	formation10
formation_instance490	2026-03-14	formation10
formation_instance491	2026-03-21	formation10

formation_instance492	2026-03-28	formation10
formation_instance493	2026-04-04	formation10
formation_instance494	2026-04-11	formation10
formation_instance495	2026-04-18	formation10
formation_instance496	2026-04-25	formation10
formation_instance497	2026-05-02	formation10
formation_instance498	2026-05-09	formation10
formation_instance499	2026-05-16	formation10
formation_instance500	2026-05-23	formation10
formation_instance501	2026-05-30	formation10
formation_instance502	2026-06-06	formation10
formation_instance503	2026-06-13	formation10
formation_instance504	2026-06-20	formation10
formation_instance505	2026-06-27	formation10
formation_instance506	2026-07-04	formation10
formation_instance507	2026-07-11	formation10
formation_instance508	2026-07-18	formation10
formation_instance509	2026-07-25	formation10
formation_instance510	2026-08-01	formation10
formation_instance511	2026-08-08	formation10
formation_instance512	2026-08-15	formation10
formation_instance513	2026-08-22	formation10
formation_instance514	2026-08-29	formation10
formation_instance515	2026-09-05	formation10
formation_instance516	2026-09-12	formation10
formation_instance517	2026-09-19	formation10
formation_instance518	2026-09-26	formation10
formation_instance519	2026-10-03	formation10
formation_instance520	2026-10-10	formation10
formation_instance521	2026-10-17	formation10
formation_instance522	2026-10-24	formation10
formation_instance523	2026-10-31	formation10
formation_instance524	2025-11-08	formation11
formation_instance525	2025-11-15	formation11
formation_instance526	2025-11-22	formation11
formation_instance527	2025-11-29	formation11
formation_instance528	2025-12-06	formation11
formation_instance529	2025-12-13	formation11
formation_instance530	2025-12-20	formation11
formation_instance531	2025-12-27	formation11

formation_instance532	2026-01-03	formation11
formation_instance533	2026-01-10	formation11
formation_instance534	2026-01-17	formation11
formation_instance535	2026-01-24	formation11
formation_instance536	2026-01-31	formation11
formation_instance537	2026-02-07	formation11
formation_instance538	2026-02-14	formation11
formation_instance539	2026-02-21	formation11
formation_instance540	2026-02-28	formation11
formation_instance541	2026-03-07	formation11
formation_instance542	2026-03-14	formation11
formation_instance543	2026-03-21	formation11
formation_instance544	2026-03-28	formation11
formation_instance545	2026-04-04	formation11
formation_instance546	2026-04-11	formation11
formation_instance547	2026-04-18	formation11
formation_instance548	2026-04-25	formation11
formation_instance549	2026-05-02	formation11
formation_instance550	2026-05-09	formation11
formation_instance551	2026-05-16	formation11
formation_instance552	2026-05-23	formation11
formation_instance553	2026-05-30	formation11
formation_instance554	2026-06-06	formation11
formation_instance555	2026-06-13	formation11
formation_instance556	2026-06-20	formation11
formation_instance557	2026-06-27	formation11
formation_instance558	2026-07-04	formation11
formation_instance559	2026-07-11	formation11
formation_instance560	2026-07-18	formation11
formation_instance561	2026-07-25	formation11
formation_instance562	2026-08-01	formation11
formation_instance563	2026-08-08	formation11
formation_instance564	2026-08-15	formation11
formation_instance565	2026-08-22	formation11
formation_instance566	2026-08-29	formation11
formation_instance567	2026-09-05	formation11
formation_instance568	2026-09-12	formation11
formation_instance569	2026-09-19	formation11
formation_instance570	2026-09-26	formation11
formation_instance571	2026-10-03	formation11

formation_instance572	2026-10-10	formation11
formation_instance573	2026-10-17	formation11
formation_instance574	2026-10-24	formation11
formation_instance575	2026-10-31	formation11
formation_instance576	2025-11-03	formation12
formation_instance577	2025-11-10	formation12
formation_instance578	2025-11-17	formation12
formation_instance579	2025-11-24	formation12
formation_instance580	2025-12-01	formation12
formation_instance581	2025-12-08	formation12
formation_instance582	2025-12-15	formation12
formation_instance583	2025-12-22	formation12
formation_instance584	2025-12-29	formation12
formation_instance585	2026-01-05	formation12
formation_instance586	2026-01-12	formation12
formation_instance587	2026-01-19	formation12
formation_instance588	2026-01-26	formation12
formation_instance589	2026-02-02	formation12
formation_instance590	2026-02-09	formation12
formation_instance591	2026-02-16	formation12
formation_instance592	2026-02-23	formation12
formation_instance593	2026-03-02	formation12
formation_instance594	2026-03-09	formation12
formation_instance595	2026-03-16	formation12
formation_instance596	2026-03-23	formation12
formation_instance597	2026-03-30	formation12
formation_instance598	2026-04-06	formation12
formation_instance599	2026-04-13	formation12
formation_instance600	2026-04-20	formation12
formation_instance601	2026-04-27	formation12
formation_instance602	2026-05-04	formation12
formation_instance603	2026-05-11	formation12
formation_instance604	2026-05-18	formation12
formation_instance605	2026-05-25	formation12
formation_instance606	2026-06-01	formation12
formation_instance607	2026-06-08	formation12
formation_instance608	2026-06-15	formation12
formation_instance609	2026-06-22	formation12
formation_instance610	2026-06-29	formation12
formation_instance611	2026-07-06	formation12

formation_instance612	2026-07-13	formation12
formation_instance613	2026-07-20	formation12
formation_instance614	2026-07-27	formation12
formation_instance615	2026-08-03	formation12
formation_instance616	2026-08-10	formation12
formation_instance617	2026-08-17	formation12
formation_instance618	2026-08-24	formation12
formation_instance619	2026-08-31	formation12
formation_instance620	2026-09-07	formation12
formation_instance621	2026-09-14	formation12
formation_instance622	2026-09-21	formation12
formation_instance623	2026-09-28	formation12
formation_instance624	2026-10-05	formation12
formation_instance625	2026-10-12	formation12
formation_instance626	2026-10-19	formation12
formation_instance627	2026-10-26	formation12
formation_instance628	2026-11-02	formation12
formation_instance629	2025-11-04	formation13
formation_instance630	2025-11-11	formation13
formation_instance631	2025-11-18	formation13
formation_instance632	2025-11-25	formation13
formation_instance633	2025-12-02	formation13
formation_instance634	2025-12-09	formation13
formation_instance635	2025-12-16	formation13
formation_instance636	2025-12-23	formation13
formation_instance637	2025-12-30	formation13
formation_instance638	2026-01-06	formation13
formation_instance639	2026-01-13	formation13
formation_instance640	2026-01-20	formation13
formation_instance641	2026-01-27	formation13
formation_instance642	2026-02-03	formation13
formation_instance643	2026-02-10	formation13
formation_instance644	2026-02-17	formation13
formation_instance645	2026-02-24	formation13
formation_instance646	2026-03-03	formation13
formation_instance647	2026-03-10	formation13
formation_instance648	2026-03-17	formation13
formation_instance649	2026-03-24	formation13
formation_instance650	2026-03-31	formation13
formation_instance651	2026-04-07	formation13

formation_instance652	2026-04-14	formation13
formation_instance653	2026-04-21	formation13
formation_instance654	2026-04-28	formation13
formation_instance655	2026-05-05	formation13
formation_instance656	2026-05-12	formation13
formation_instance657	2026-05-19	formation13
formation_instance658	2026-05-26	formation13
formation_instance659	2026-06-02	formation13
formation_instance660	2026-06-09	formation13
formation_instance661	2026-06-16	formation13
formation_instance662	2026-06-23	formation13
formation_instance663	2026-06-30	formation13
formation_instance664	2026-07-07	formation13
formation_instance665	2026-07-14	formation13
formation_instance666	2026-07-21	formation13
formation_instance667	2026-07-28	formation13
formation_instance668	2026-08-04	formation13
formation_instance669	2026-08-11	formation13
formation_instance670	2026-08-18	formation13
formation_instance671	2026-08-25	formation13
formation_instance672	2026-09-01	formation13
formation_instance673	2026-09-08	formation13
formation_instance674	2026-09-15	formation13
formation_instance675	2026-09-22	formation13
formation_instance676	2026-09-29	formation13
formation_instance677	2026-10-06	formation13
formation_instance678	2026-10-13	formation13
formation_instance679	2026-10-20	formation13
formation_instance680	2026-10-27	formation13
formation_instance681	2026-11-03	formation13
formation_instance682	2025-11-05	formation14
formation_instance683	2025-11-12	formation14
formation_instance684	2025-11-19	formation14
formation_instance685	2025-11-26	formation14
formation_instance686	2025-12-03	formation14
formation_instance687	2025-12-10	formation14
formation_instance688	2025-12-17	formation14
formation_instance689	2025-12-24	formation14
formation_instance690	2025-12-31	formation14
formation_instance691	2026-01-07	formation14

formation_instance692	2026-01-14	formation14
formation_instance693	2026-01-21	formation14
formation_instance694	2026-01-28	formation14
formation_instance695	2026-02-04	formation14
formation_instance696	2026-02-11	formation14
formation_instance697	2026-02-18	formation14
formation_instance698	2026-02-25	formation14
formation_instance699	2026-03-04	formation14
formation_instance700	2026-03-11	formation14
formation_instance701	2026-03-18	formation14
formation_instance702	2026-03-25	formation14
formation_instance703	2026-04-01	formation14
formation_instance704	2026-04-08	formation14
formation_instance705	2026-04-15	formation14
formation_instance706	2026-04-22	formation14
formation_instance707	2026-04-29	formation14
formation_instance708	2026-05-06	formation14
formation_instance709	2026-05-13	formation14
formation_instance710	2026-05-20	formation14
formation_instance711	2026-05-27	formation14
formation_instance712	2026-06-03	formation14
formation_instance713	2026-06-10	formation14
formation_instance714	2026-06-17	formation14
formation_instance715	2026-06-24	formation14
formation_instance716	2026-07-01	formation14
formation_instance717	2026-07-08	formation14
formation_instance718	2026-07-15	formation14
formation_instance719	2026-07-22	formation14
formation_instance720	2026-07-29	formation14
formation_instance721	2026-08-05	formation14
formation_instance722	2026-08-12	formation14
formation_instance723	2026-08-19	formation14
formation_instance724	2026-08-26	formation14
formation_instance725	2026-09-02	formation14
formation_instance726	2026-09-09	formation14
formation_instance727	2026-09-16	formation14
formation_instance728	2026-09-23	formation14
formation_instance729	2026-09-30	formation14
formation_instance730	2026-10-07	formation14
formation_instance731	2026-10-14	formation14

formation_instance732	2026-10-21	formation14
formation_instance733	2026-10-28	formation14
formation_instance734	2025-11-09	formation15
formation_instance735	2025-11-16	formation15
formation_instance736	2025-11-23	formation15
formation_instance737	2025-11-30	formation15
formation_instance738	2025-12-07	formation15
formation_instance739	2025-12-14	formation15
formation_instance740	2025-12-21	formation15
formation_instance741	2025-12-28	formation15
formation_instance742	2026-01-04	formation15
formation_instance743	2026-01-11	formation15
formation_instance744	2026-01-18	formation15
formation_instance745	2026-01-25	formation15
formation_instance746	2026-02-01	formation15
formation_instance747	2026-02-08	formation15
formation_instance748	2026-02-15	formation15
formation_instance749	2026-02-22	formation15
formation_instance750	2026-03-01	formation15
formation_instance751	2026-03-08	formation15
formation_instance752	2026-03-15	formation15
formation_instance753	2026-03-22	formation15
formation_instance754	2026-03-29	formation15
formation_instance755	2026-04-05	formation15
formation_instance756	2026-04-12	formation15
formation_instance757	2026-04-19	formation15
formation_instance758	2026-04-26	formation15
formation_instance759	2026-05-03	formation15
formation_instance760	2026-05-10	formation15
formation_instance761	2026-05-17	formation15
formation_instance762	2026-05-24	formation15
formation_instance763	2026-05-31	formation15
formation_instance764	2026-06-07	formation15
formation_instance765	2026-06-14	formation15
formation_instance766	2026-06-21	formation15
formation_instance767	2026-06-28	formation15
formation_instance768	2026-07-05	formation15
formation_instance769	2026-07-12	formation15
formation_instance770	2026-07-19	formation15
formation_instance771	2026-07-26	formation15

formation_instance772	2026-08-02	formation15
formation_instance773	2026-08-09	formation15
formation_instance774	2026-08-16	formation15
formation_instance775	2026-08-23	formation15
formation_instance776	2026-08-30	formation15
formation_instance777	2026-09-06	formation15
formation_instance778	2026-09-13	formation15
formation_instance779	2026-09-20	formation15
formation_instance780	2026-09-27	formation15
formation_instance781	2026-10-04	formation15
formation_instance782	2026-10-11	formation15
formation_instance783	2026-10-18	formation15
formation_instance784	2026-10-25	formation15
formation_instance785	2026-11-01	formation15

\\.

--

-- Data for Name: reservation; Type: TABLE DATA; Schema: public;
Owner: postgres

--

COPY public.reservation (id_reservation, prenom, courriel,
telephone, nom) FROM stdin;

\\.

--

-- Data for Name: table_reservation; Type: TABLE DATA; Schema:
public; Owner: postgres

--

COPY public.table_reservation (id_reservation,
id_formation_instance) FROM stdin;

\\.

--

-- Name: formation Formation_pkey; Type: CONSTRAINT; Schema:
public; Owner: postgres

--

```
ALTER TABLE ONLY public.formation
  ADD CONSTRAINT "Formation_pkey" PRIMARY KEY
(id_formation);
```

--

```
-- Name: reservation Reservation_pkey; Type: CONSTRAINT;
Schema: public; Owner: postgres
```

--

```
ALTER TABLE ONLY public.reservation
  ADD CONSTRAINT "Reservation_pkey" PRIMARY KEY
(id_reservation);
```

--

```
-- Name: formation_instance check_formation_instance; Type:
CHECK CONSTRAINT; Schema: public; Owner: postgres
```

--

```
ALTER TABLE public.formation_instance
  ADD CONSTRAINT check_formation_instance CHECK
((id_formation_instance ~ '^formation_instance[1-9][0-9]*$'::text))
NOT VALID;
```

--

```
-- Name: formation check_periode; Type: CHECK CONSTRAINT;
Schema: public; Owner: postgres
```

--

```
ALTER TABLE public.formation
  ADD CONSTRAINT check_periode CHECK ((heure_debut <
heure_fin)) NOT VALID;
```

--

```
-- Name: formation_instance formation_instance_pkey; Type:
```

CONSTRAINT; Schema: public; Owner: postgres

--

ALTER TABLE ONLY public.formation_instance
ADD CONSTRAINT formation_instance_pkey PRIMARY KEY
(id_formation_instance);

--

-- Name: table_reservation table_reservation_pkey; Type:
CONSTRAINT; Schema: public; Owner: postgres

--

ALTER TABLE ONLY public.table_reservation
ADD CONSTRAINT table_reservation_pkey PRIMARY KEY
(id_reservation);

--

-- Name: formation trg_generate_formation_id; Type: TRIGGER;
Schema: public; Owner: postgres

--

CREATE TRIGGER trg_generate_formation_id BEFORE INSERT ON
public.formation FOR EACH ROW WHEN ((new.id_formation IS
NULL)) EXECUTE FUNCTION public.generate_formation_id();

--

-- Name: formation_instance trg_generate_formation_instance_id;
Type: TRIGGER; Schema: public; Owner: postgres

--

CREATE TRIGGER trg_generate_formation_instance_id BEFORE
INSERT ON public.formation_instance FOR EACH ROW WHEN
((new.id_formation_instance IS NULL)) EXECUTE FUNCTION
public.generate_formation_instance_id();

--

```
-- Name: reservation trg_generate_reservation_id; Type: TRIGGER;  
Schema: public; Owner: postgres
```

```
--
```

```
CREATE TRIGGER trg_generate_reservation_id BEFORE INSERT ON  
public.reservation FOR EACH ROW WHEN ((new.id_reservation IS  
NULL)) EXECUTE FUNCTION public.generate_reservation_id();
```

```
--
```

```
-- Name: formation trg_set_formation_id; Type: TRIGGER; Schema:  
public; Owner: postgres
```

```
--
```

```
CREATE TRIGGER trg_set_formation_id BEFORE INSERT ON  
public.formation FOR EACH ROW EXECUTE FUNCTION  
public.set_formation_id();
```

```
--
```

```
-- Name: formation_instance trg_set_formation_instance_id; Type:  
TRIGGER; Schema: public; Owner: postgres
```

```
--
```

```
CREATE TRIGGER trg_set_formation_instance_id BEFORE INSERT ON  
public.formation_instance FOR EACH ROW EXECUTE FUNCTION  
public.set_formation_instance_id();
```

```
--
```

```
-- Name: reservation trg_set_reservation_id; Type: TRIGGER;  
Schema: public; Owner: postgres
```

```
--
```

```
CREATE TRIGGER trg_set_reservation_id BEFORE INSERT ON  
public.reservation FOR EACH ROW EXECUTE FUNCTION  
public.set_reservation_id();
```

```
--
```

```
-- Name: formation_instance trg_verif_jour_formation_instance;  
Type: TRIGGER; Schema: public; Owner: postgres  
--
```

```
CREATE TRIGGER trg_verif_jour_formation_instance BEFORE INSERT  
OR UPDATE ON public.formation_instance FOR EACH ROW  
EXECUTE FUNCTION public.verif_jour_formation_instance();
```

```
--  
-- Name: table_reservation trigger_verif_max_reservations; Type:  
TRIGGER; Schema: public; Owner: postgres  
--
```

```
CREATE TRIGGER trigger_verif_max_reservations BEFORE INSERT  
OR UPDATE ON public.table_reservation FOR EACH ROW EXECUTE  
FUNCTION public.verif_max_reservations();
```

```
--  
-- Name: table_reservation association_formation_instance; Type:  
FK CONSTRAINT; Schema: public; Owner: postgres  
--
```

```
ALTER TABLE ONLY public.table_reservation  
    ADD CONSTRAINT association_formation_instance FOREIGN KEY  
(id_formation_instance) REFERENCES  
public.formation_instance(id_formation_instance) NOT VALID;
```

```
--  
-- Name: table_reservation association_reservation; Type: FK  
CONSTRAINT; Schema: public; Owner: postgres  
--
```

```
ALTER TABLE ONLY public.table_reservation  
    ADD CONSTRAINT association_reservation FOREIGN KEY  
(id_reservation) REFERENCES public.reservation(id_reservation)  
NOT VALID;
```

```
--  
-- Name: formation_instance reference_formation; Type: FK  
CONSTRAINT; Schema: public; Owner: postgres  
--
```

```
ALTER TABLE ONLY public.formation_instance  
    ADD CONSTRAINT reference_formation FOREIGN KEY  
(id_reference_formation) REFERENCES  
public.formation(id_formation) NOT VALID;
```

```
--  
-- PostgreSQL database dump complete  
--
```

```
\unrestrict  
U3Ud9FPbhgZnXAojh7mLI35RcLuo5fYfod95ggASMIavugcK9ORuC  
HA5p1JWD3
```

cependant lorsque la base de données est créée en lançant la commande `npm run dev:build` la base de données est complètement vide. Comment la remplir selon le fichier SQL?

Le problème vient du fait que votre fichier SQL généré par `pg_dump` contient des commandes spécifiques qui ne s'exécutent pas correctement dans le contexte d'initialisation Docker. Voici les solutions :

1. Problèmes identifiés dans votre fichier SQL

Votre fichier contient :

- `\restrict` et `\unrestrict` (commandes `pg_dump` internes)
- **NOT VALID** sur les contraintes
- **SET** commands qui peuvent interférer

2. Solution rapide : Nettoyer le fichier SQL

Créez un script pour nettoyer le fichier :

cleanup-sql.js :

javascript

```
const fs = require('fs');
const path = require('path');

const inputFile = path.join(__dirname, 'init-db', 'init.sql');
const outputFile = path.join(__dirname, 'init-db', 'init-cleaned.sql');

let content = fs.readFileSync(inputFile, 'utf8');

// Supprimer Les lignes problématiques
content = content
  // Supprimer Les commandes \restrict et \unrestrict
  .replace(/\\restrict .*\n/g, '')
  .replace(/\\unrestrict .*\n/g, '')
  // Supprimer NOT VALID des contraintes
  .replace(/ NOT VALID/g, '')
  // Supprimer Les SET commands au début qui peuvent interférer
  .replace(/SET statement_timeout.*?SET row_security = off;\n\n/s, '')
  // S'assurer que Les COPY utilisent Le bon format
  .replace(/COPY public\./g, 'COPY ');

fs.writeFileSync(outputFile, content);
console.log('Fichier nettoyé créé: init-cleaned.sql');
```

Exécutez-le :

bash

```
node cleanup-sql.js
```

3. Solution recommandée : Régénérer un dump propre

Utilisez ces options pg_dump :

bash

```
docker exec -i softghost-db pg_dump -U postgres softghost \
  --clean --if-exists \
  --no-privileges --no-owner \
  --encoding=UTF8 \
  --format=plain \
  --verbose \
  > "init-db/init.sql"
```

4. Méthode manuelle : Créer un fichier d'initialisation propre

Créez `init-db/init.sql` manuellement :

```
sql

-- Initialisation de la base SoftGhost
-- Version nettoyée pour Docker

-- Supprimer les tables existantes
DROP TABLE IF EXISTS table_reservation CASCADE;
DROP TABLE IF EXISTS reservation CASCADE;
DROP TABLE IF EXISTS formation_instance CASCADE;
DROP TABLE IF EXISTS formation CASCADE;

-- Supprimer les fonctions existantes
DROP FUNCTION IF EXISTS generate_formation_id CASCADE;
DROP FUNCTION IF EXISTS generate_formation_instance_id CASCADE;
DROP FUNCTION IF EXISTS generate_reservation_id CASCADE;
-- ... autres fonctions

-- Recréer les fonctions
CREATE FUNCTION public.generate_formation_id() RETURNS trigger
  LANGUAGE plpgsql
  AS $$
DECLARE
  next_number INT;
BEGIN
  SELECT COALESCE(MAX(CAST(SUBSTRING(id_formation FROM '[0-9]+' ) AS INT)), 0) + 1
  INTO next_number
  FROM formation;
  NEW.id_formation := 'formation' || next_number;
```

```
        RETURN NEW;
END;
$$;

-- ... recréer toutes les autres fonctions

-- Recréer les tables
CREATE TABLE public.formation (
    id_formation text NOT NULL,
    nom text NOT NULL,
    jour_semaine integer NOT NULL,
    heure_debut time without time zone NOT NULL,
    heure_fin time without time zone NOT NULL,
    chemins_images text[],
    description text,
    CONSTRAINT check_jour_semaine CHECK (((jour_semaine <= 6) AND (jour_semaine >=
0))),
    CONSTRAINT check_periode CHECK ((heure_debut < heure_fin))
);

-- ... recréer toutes les autres tables

-- Recréer les contraintes PRIMARY KEY
ALTER TABLE ONLY public.formation ADD CONSTRAINT "Formation_pkey" PRIMARY KEY (id_for
mation);
ALTER TABLE ONLY public.formation_instance ADD CONSTRAINT formation_instance_pkey PRI
MARY KEY (id_formation_instance);
ALTER TABLE ONLY public.reservation ADD CONSTRAINT "Reservation_pkey" PRIMARY KEY (id
_reservation);
ALTER TABLE ONLY public.table_reservation ADD CONSTRAINT table_reservation_pkey PRIMA
RY KEY (id_reservation);

-- Recréer les contraintes FOREIGN KEY
ALTER TABLE ONLY public.formation_instance ADD CONSTRAINT reference_formation FOREIGN
KEY (id_reference_formation) REFERENCES public.formation(id_formation);
ALTER TABLE ONLY public.table_reservation ADD CONSTRAINT association_formation_instan
ce FOREIGN KEY (id_formation_instance) REFERENCES public.formation_instance(id_format
ion_instance);
ALTER TABLE ONLY public.table_reservation ADD CONSTRAINT association_reservation FORE
IGN KEY (id_reservation) REFERENCES public.reservation(id_reservation);

-- Recréer les triggers
CREATE TRIGGER trg_set_formation_id BEFORE INSERT ON public.formation FOR EACH ROW EX
ECUTE FUNCTION public.set_formation_id();
```

```

CREATE TRIGGER trg_set_formation_instance_id BEFORE INSERT ON public.formation_instance
FOR EACH ROW EXECUTE FUNCTION public.set_formation_instance_id();
CREATE TRIGGER trg_set_reservation_id BEFORE INSERT ON public.reservation FOR EACH ROW
EXECUTE FUNCTION public.set_reservation_id();
CREATE TRIGGER trg_verif_jour_formation_instance BEFORE INSERT OR UPDATE ON public.formation_instance
FOR EACH ROW EXECUTE FUNCTION public.verif_jour_formation_instance
();
CREATE TRIGGER trigger_verif_max_reservations BEFORE INSERT OR UPDATE ON public.table_reservation
FOR EACH ROW EXECUTE FUNCTION public.verif_max_reservations();

-- Insérer les données (utiliser INSERT au lieu de COPY)
INSERT INTO public.formation (id_formation, nom, jour_semaine, heure_debut, heure_fin,
chemins_images, description) VALUES
('formation1', 'Formation Blender 3D', 1, '14:00:00', '17:00:00', '{"Blender/blender
1.png","Blender/blender2.jpg","Blender/blender3.jpg","Blender/blender4.png"}', 'Décou
vrez la magie de la création 3D ! Blender est un logiciel gratuit et puissant pour mo
déliser, animer et rendre vos idées en trois dimensions. Apprenez à créer des objets,
personnages et environnements virtuels, à maîtriser l'«éclairage et les textures, et
à produire des animations époustouflantes. Parfait pour les artistes, designers et pa
ssionnés d'animation.'),
-- ... insérer toutes les autres formations
('formation15', 'Formation Ibis Paint - Dessin sur Mobile', 6, '13:00:00', '16:00:00',
 '{"Ibis_paint/ibispaint1.jpg","Ibis_paint/ibispaint2.jpg","Ibis_paint/ibispaint3.
jpg","Ibis_paint/ibispaint4.jpg"}', 'Peignez sur mobile comme un pro ! Ibis Paint est
une application de dessin complète pour smartphones et tablettes. Maîtrisez les outi
ls de dessin digital, les calques, les filtres et créez des œuvres d'art où que vous
soyez.');
```

```

-- Insérer les instances de formation (premier seulement comme exemple)
INSERT INTO public.formation_instance (id_formation_instance, jour, id_reference_formation) VALUES
('formation_instance1', '2025-11-04', 'formation1'),
('formation_instance2', '2025-11-11', 'formation1');
-- ... insérer les autres instances
```

5. Script automatique de nettoyage

clean-dump.sh :

```
bash
```

```
#!/bin/bash
```

```

INPUT_FILE="init-db/init.sql"
OUTPUT_FILE="init-db/init-cleaned.sql"

echo "Nettoyage du fichier SQL..."

# Copier le fichier original
cp "$INPUT_FILE" "$OUTPUT_FILE"

# Nettoyer le fichier
sed -i ' ' '/\\restrict/d' "$OUTPUT_FILE"
sed -i ' ' '/\\unrestrict/d' "$OUTPUT_FILE"
sed -i ' ' 's/ NOT VALID//g' "$OUTPUT_FILE"
sed -i ' ' 's/SET statement_timeout.*//g' "$OUTPUT_FILE"

echo "Fichier nettoyé: $OUTPUT_FILE"

```

6. Vérification du fonctionnement

Testez l'import manuellement :

```

bash

# Tester l'import
docker exec -i softghost-db psql -U postgres -d softghost -f init-db/init-cleaned.sql

# Vérifier les données
docker exec -i softghost-db psql -U postgres -d softghost -c "SELECT COUNT(*) FROM fo
rmation;"
docker exec -i softghost-db psql -U postgres -d softghost -c "SELECT COUNT(*) FROM fo
rmation_instance;"

```

7. Solution Docker Compose modifiée

Modifiez votre **docker-compose.yml** pour utiliser le fichier nettoyé :

```

yaml

services:
  database:
    image: postgres:15
    container_name: softghost-db

```

```

environment:
  POSTGRES_DB: softghost
  POSTGRES_USER: postgres
  POSTGRES_PASSWORD: password
ports:
  - "5432:5432"
volumes:
  - postgres_data:/var/lib/postgresql/data
  - ./init-db/init-cleaned.sql:/docker-entrypoint-initdb.d/init.sql
networks:
  - app-network

```

8. Commande finale recommandée

Pour régénérer un dump propre :

```
bash
```

```

docker exec -i softghost-db pg_dump -U postgres softghost \
  --clean --if-exists \
  --no-privileges --no-owner \
  --no-tablespaces \
  --inserts \
  > "init-db/init.sql"

```

La solution la plus simple : Utilisez la commande ci-dessus pour régénérer votre dump, puis testez avec `npm run dev:build`. Cela devrait résoudre le problème des données manquantes.

C'est beau maintenant mon backend est capable de capter la base de données. En revanche il n'est pas capable de trouver du contenu dans la base de données. La base de données est pleine alors qu'il dit qu'elle est vide :

Erreur lors de la récupération des formations: error: relation "formation" does not exist

at /app/node_modules/pg-pool/index.js:45:11

at process.processTicksAndRejections

(node:internal/process/task_queues:95:5)

at async Object.obtenirToutesFormations
(file:///app/formationController.js:7:20)

at async file:///app/routes/formations.js:15:24 {

length: 108,

severity: 'ERROR',

code: '42P01',

detail: undefined,

hint: undefined,

position: '15',

internalPosition: undefined,

internalQuery: undefined,

where: undefined,

schema: undefined,

table: undefined,

column: undefined,

dataType: undefined,

constraint: undefined,

file: 'parse_relation.c',

line: '1392',

routine: 'parserOpenTable'

```
}
```

Le problème est que votre backend utilise le schéma par défaut (`public`) mais il semble y avoir un problème avec la recherche des tables. Voici les solutions :

1. Vérifier que les tables existent vraiment

D'abord, connectez-vous à la base pour vérifier :

```
bash
```

```
docker exec -it softghost-db psql -U postgres -d softghost -c "\dt"
```

Vous devriez voir :

```
text
```

```

                        List of relations
 Schema |      Name      | Type | Owner
-----+-----+-----+-----
 public | formation       | table | postgres
 public | formation_instance | table | postgres
 public | reservation     | table | postgres
 public | table_reservation | table | postgres

```

2. Problème de schéma dans les requêtes

Modifiez votre `backend/db.js` pour spécifier explicitement le schéma :

```
javascript
```

```

const { Pool } = require('pg');
require('dotenv').config();

const pool = new Pool({
  host: process.env.DB_HOST || 'localhost',
  port: process.env.DB_PORT || 5432,
  database: process.env.DB_NAME || 'softghost',
  user: process.env.DB_USER || 'postgres',
});

```



```
password: process.env.DB_PASSWORD || 'password',  
// Ajouter cette option pour forcer le schéma  
schema: 'public',  
});  
  
// Test de connexion
```