

## En cada linea del body

```
<!DOCTYPE html>

<html>

<body>


<h1 style="color:blue;">This is a Blue Heading</h1>


</body>

</html>
```

## Css Dentro de una página html

```
<!DOCTYPE html>
<html>
<head>
<style>
body { background-color: powderblue;}
h1 {color: blue;}
p {color: red;}
</style>
</head>
<body>

<h1>This is a heading</h1>
<p>This is a paragraph.</p>


</body>
</html>
```

## Css externa

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="styles.css">
</head>
<body>

<h1>This is a heading</h1>
<p>This is a paragraph.</p>


</body>
</html>
```

## Definición de Estilos

### Caso 1

```
<!DOCTYPE html>
<html>
<head>
<style>
#p01 {
    color: blue;
}
</style>
</head>
<body>

<p>This is a paragraph.</p>
<p>This is a paragraph.</p>
<p id="p01">I am different.</p>

</body>
</html>
```

### Caso 2

```
<!DOCTYPE html>
<html>
<head>
<style>
```

```
h1, h2, p {
    text-align: center;
    color: red;
}
</style>
</head>
<body>

<h1>Hello World!</h1>
<h2>Smaller heading!</h2>
<p>This is a paragraph.</p>

</body>
</html>
```

## **Si se define antes ese es el que impera**

```
<!DOCTYPE html>
<html>
<head>
<style>
h1 {
    color: orange;
}
</style>
<link rel="stylesheet" type="text/css" href="mystyle.css">
</head>
<body>

<h1>This is a heading</h1>
```

<p>The style of this document is a combination of an external stylesheet, and internal style</p>

</body>

</html>

## Hojas de estilo externas:

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

<p>Some Font Awesome icons:</p>

<i class="fa fa-cloud"></i>

<i class="fa fa-heart"></i>

<i class="fa fa-car"></i>

<i class="fa fa-file"></i>

<i class="fa fa-bars"></i>

<p>Styled Font Awesome icons (size and color):</p>

<i class="fa fa-cloud" style="font-size:24px;"></i>

<i class="fa fa-cloud" style="font-size:36px;"></i>

<i class="fa fa-cloud" style="font-size:48px;color:red;"></i>

<i class="fa fa-cloud" style="font-size:60px;color:lightblue;"></i>