## Exercices.SQL BDD

```
-- phpMyAdmin SQL Dump
-- version 4.6.6deb5
-- https://www.phpmyadmin.net/
-- Client: localhost:3306
-- Généré le : Lun 20 Janvier 2020 à 08:03
-- Version du serveur : 5.7.28-0ubuntu0.18.04.4
-- Version de PHP: 7.2.24-0ubuntu0.18.04.2
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8 */;
-- Base de données : `exercices_sql`
-- Structure de la table `users`
CREATE TABLE `users` (
 'id' int(10) UNSIGNED NOT NULL,
 `first name` varchar(255) NOT NULL,
 `last name` varchar(255) NOT NULL,
 `email` varchar(255) NOT NULL,
 `gender` enum('Male','Female') NOT NULL,
 `ip_address` varchar(20) NOT NULL,
 `birth date` varchar(20) NOT NULL,
 `zip_code` varchar(20) NOT NULL,
 `avatar url` text NOT NULL,
 `state code` varchar(20) NOT NULL,
 `country_code` varchar(20) NOT NULL
) ENGINE=MyISAM DEFAULT CHARSET=utf8;
-- Contenu de la table `users`
INSERT INTO `users` (`id`, `first_name`, `last_name`, `email`, `gender`, `ip_address`, `birth_date`,
`zip_code`, `avatar_url`, `state_code`, `country_code`) VALUES
(1, 'Eric', 'Perkins', 'eperkins0@cnbc.com', 'Male', '55.42.239.191', '03/02/1997', ",
'http://slideshare.net/felis.jpg', ", 'CN'),
```

.....etc.....