

Onlight Meal

BDD

```
-- phpMyAdmin SQL Dump
-- version 5.1.3
-- https://www.phpmyadmin.net/
--
```

```
-- Hôte : localhost:3306
-- Généré le : jeu. 05 mai 2022 à 13:18
-- Version du serveur : 5.7.33
-- Version de PHP : 7.4.19
```

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";
```

```
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
```

```
--
-- Base de données : `enlight_meal`
--
```

```
-- -----
```

```
--
-- Structure de la table `restaurant`
--
```

```
CREATE TABLE `restaurant` (
  `Id` int(11) NOT NULL,
  `Nom` varchar(50) NOT NULL,
  `Adresse` varchar(300) NOT NULL,
  `Téléphone` varchar(15) NOT NULL,
  `Etoiles` int(11) NOT NULL,
  `Images` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
```

```
--
-- Déchargement des données de la table `restaurant`
--
```

```
INSERT INTO `restaurant` (`Id`, `Nom`, `Adresse`, `Téléphone`, `Etoiles`, `Images`) VALUES
(1, 'Le San Remo', '12 Rue du 14 juillet, 58000 Nevers', '03 86 36 74 55', 4, 'leSanRemo.jpg'),
(2, 'Le Spezia', '12 Rue Mademoiselle Bourgeois, 58000 Nevers', '03 86 59 13 44', 3, 'leSpezia.jpg'),
```

(3, 'Yuriko', '2 Place Mosse, 58000 Nevers', '03 86 61 17 67', 4, 'yuriko.jpg'),
(4, 'Le Grillardin', '1 Rue Henry Bouquillard, 58640 Varennes-Vauzelles', '03 86 23 07 08', 4, 'leGrillardin.jpg'),
(5, 'La Crete', '85 Rue Mouffetard, 75005 Paris', '01 43 31 30 47', 4, 'laCrete.jpg'),
(6, 'La Catrina', '136 Boulevard Vincent Auriol, 75013 Paris', '09 81 80 14 22', 4, 'laCatrina.jpg'),
(7, 'Le P'tit Bougnat', '118 Boulevard de Coucelles, 75017 Paris', '01 47 63 97 11', 3, 'lePtitBougnat.jpg'),
(8, 'Contraste', 'Rue d'Anjou, 75008 Paris', '01 42 65 08 36', 5, 'contraste.jpg'),
(9, 'La Délicatesse', '7 Bd de la Libération, 13001 Marseille', '09 81 81 85 95', 5, 'laDelicatesse.jpg');

--
-- Index pour les tables déchargées

--
-- Index pour la table `restaurant`

--
ALTER TABLE `restaurant`
ADD PRIMARY KEY (`Id`);

--
-- AUTO_INCREMENT pour les tables déchargées

--
-- AUTO_INCREMENT pour la table `restaurant`

--
ALTER TABLE `restaurant`
MODIFY `Id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=10;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;