Geometron

Social media for a post-scarcity world

Lafe Spietz

The Book of Geometron

Lafe Spietz

May 18, 2021

Contents

Contents **iii**

List of Figures **v**

1 Civilizations **1**

2 Organic Media **14**

3 Street Network **33**

4 Servers **50**

5 Scrolls **58**

6 Maps **66**
6.1 Maps 66

7 Feeds **72**
7.1 Feeds 72

8 Symbols **77**
8.1 Geometron 82

9 2d Web Graphics **97**
9.1 2d Web Symbols and Icons 97

10 Shapes and Fonts **119**
10.1 shapes and fonts: examples 119

11 Action Geometry **127**

12 Machine Control **128**
12.1 Machine Control 128

13 Geometron in 3d and Beyond **146**
13.1 Geometron in 3d and Beyond 146

14 Full Stack Geometron **164**

14.1 Full Stack Geometron 164

15 Ontology **170**
15.1 Ontology 170
15.2 On Self-Replicating Sets 173

16 Trash Robot **208**
16.1 Trash Robot 208

List of Figures

9.1 cursoredit 98
9.2 keyboard 98
9.3 move 99
9.4 angles 100
9.5 scaleactions 101
9.6 basicdraw 102
9.7 colors 103
9.8 pathactions 103
9.9 bezieractions 104
9.10 bezierbracket 105
9.11 panzoom 106

9.12 flagactions 106
9.13 vesicapiscis 107
9.14 cursorscale 108
9.15 cursorangle 109
9.16 cursorsquare 110
9.17 cursorroot2 111
9.18 cursorgolden 112
9.19 cursorroot3 113
9.20 cursor3 114
9.21 cursor5 115
9.22 styleeditor 116

10.1 RLC 120
10.2 RCline 121
10.3 treeoflife 122
10.4 treeoflifespelling 123
10.5 estrogendiagram 124
10.6 estrogenspelling 125

12.1 controller 136
12.2 xyzprobe 139
12.3 basicmovements 140
12.4 actions05xx 141
12.5 printerblockdiagram 142
12.6 buildingwallrobot 143
12.7 eblblockdiagram 144

13.1 actions3d 147

13.2 shapebuilding1 149
13.3 shapebuilding2 150
13.4 whimsycastleturret 155
13.5 whimsycastlespelling 156
13.6 whimsycastle 157
13.7 robot0500 160
13.8 trashrobot3d 161
13.9 angles 163

16.1 artboxelements 213
16.2 artboxtriangle 214
16.3 artboxtriangle 215
16.4 artboxtnet 216
16.5 artboxassembly 217
16.6 artboxrainbowskin 218
16.7 artboxhole 219
16.8 artboxtie 220
16.9 artboxcopy 221
16.10trashtie 225
16.11flag 226
16.12flagtrashrobot 227
16.13alphabet 228
16.14alphabet 229

Chapter 1

Civilizations

Dig it up, set it on fire, and bury it. Our civilization is an ever-accelerating destructive flow of material from mine to landfill. This work is based on the idea that we can do better. Much better! We have dug such a vast array of useful minerals up in the last few hundred years and carried out such fantastic transformations on them into useful materials that we now have the opportunity to build a whole new civilization with a completely different structure than the one we presently inhabit.

Our current industrial system is a tripod resting on these three legs: money, mining and property. These ideas make up a philosophical framework for understanding and building our world which is failing at an ever-accelerating rate. In order to build a new civilization, we must study in detail the structure of the existing one.

Money as an idea is so integrated into our world view that it is very hard to even see what it is. At its philosophical core, the idea of money is that there is a property we call "value" which can be denoted by a number. This is considered so obviously true by defenders of the existing economic system that when challenged, they simply re-state repeatedly the basic ideas immediately assuming that any system not based on money is just the same set of ideas re-arranged. That is, people will argue that doing away with money will simply replace selling a things with a certain "value" denote by prices with trading things to which such a value can also be assigned, but just in a much more inconvenient way(barter). Similarly, the defenders of the idea of money will argue that "storing value" is an important task, again assuming that some kind of thing called "value" can be measured with numbers and that doing this all-important value storing will simply have to be done with vaults of metal if we dispense with money.

But this monetary way of thinking does not take into account the possibility that the value of a thing might multiply by replication or that value can be created from nothing. As long as everyone in society is exchanging value along this stream from landfill to mine, we can use the numbers we call "money" to roughly create an equivalent to the main type of value, which is physical material. We can measure how much gold or cobalt or salt we have, and money lets us transform value from one

of these physical things to another, easily trading lithium for silver or oil for aluminum.

Furthermore, of course, there is labor. In the labor theory of value, again, money is used to assign some fixed value to a certain amount of "work" people do to produce a thing. One can superficially dispense with money but as long as we accept that value comes from how many hours an actual worker one does some type of task, we are just shuffling the details around but preserving the structure. But what of automation? And what of other forms of even more drastic increases in efficiency which are possible with information technology? Again, once we allow for full automation and many orders of magnitude increases in efficiency, we find that there is no way to create a value system using numbers which actually describes reality as we experience it in an information economy. Numerous band aids have been proposed, but if we project forward to more and more automation and further increases in efficiency we see that we have to re-evaluate the whole labor theory of "value" along with every other theory of value we hold as a truth today. The problem, again, is that using numbers to denote value simply will never be compatible with the new civilization we must now build in order to survive.

What happens when we create value from something we have an effectively infinite amount of but which we only have a finite need for? What if, for instance, I live near a landfill with a vast store of plastic and electronic

trash, and I want to build a small factory which converts plastic trash into useful furniture for direct use near the material I have. Suppose the electronics trash has all the material I need to build this fully automated factory, and that the material needed to create so much great furniture that no one near me ever has to buy furniture again, that they can get custom high quality furniture which can be repaired indefinitely without even tapping too deeply into the vast store of plastic trash available directly in our community. This act of creation brings a thing of great value into being from nothing but information. In this situation, money fails. As long as we rely on money to denote and store value, everyone creating value from nothing has to either get someone in the money-creating business to create currency specifically for them or to do that themselves as they create.

But the more creative our new industrial processes are, the more catastrophically the money system fails. If I share the information on how to build the thing with the rest of the world, in principle the equivalent of trillions of dollars of value can be created from nothing.

This failure is not hypothetical. Creating value from nothing which can self-replicate freely is precisely what software does. Software produces things of great value with no material input needed at all, and is able to almost instantly replicate to the whole of humanity. If someone can create almost infinite value with no input of labor, energy or materials(after the initial creation pro-

cess), what does that imply for the rest of the people? We are seeing this every day. Every city in the world right now is witnessing a violent takeover by the replicators. Those who can replicate their products infinitely for free include the media industry, marketing, software, finance, and all the numerous information based businesses which make up those business ecosystems. We are finding that at an ever-accelerating rate all the wealth in our society is being transferred from people who produce things that do not replicate, like physical goods or physical labor to the replicators.

The purpose of the work here is to show that there is another way. We can create an information based economy made up of self-replicating information which reproduces things of value which cannot be added up using numbers. This is not some crude replacement for money using barter, but rather a whole new approach to everything: we will have to build a new way of thinking about machines, society, mathematics, and philosophy. Just as the existing system is based at its deepest level on numbers, we propose basing our entire civilization on geometry. Geometron is a universal geometric language which we can use to express the self-replicating information we will need to build this new civilization.

The second leg of our tripod of civilization is property. As with money, the idea of property is very difficult to examine as it is so deeply woven into the fabric of everything we do. The world view we are taught in school

and at home is that just as everything has a price that everything is owned by someone. In some cases that ownership might be the state or even some type of "common property" but all things are in some way property. In the dominant ideology of our time, air and water are property, the land is property, the genes in our DNA patented by the drug companies are property, and even these words I am typing are property.

Again, as with money, we have to examine how this idea is going to fail more and more catastrophically as we evolve into a civilization based on the replication of technology from trash rather than consumption of mined materials using labor. In many ways the purpose of property is to inhibit replication. In the case of intellectual property this is in fact its *only* purpose. But even for physical property like land, the whole idea is that if I "own" land the real purpose of that ownership is to make sure someone else does not own it.

The idea of property makes sense when we are all competing for resources we have to dig up out of the ground. If I dig up 1 ton of silver it means you can't and vice versa. We are all in competition to be the owner of that silver. If you are 1000 pounds of silver richer, I'm 1000 pounds of silver poorer. But we have to see that with an informational economy based on trash as the main input this is no longer the case.

If I consume a ton of trash from a landfill into useful things, we have to recognize that that ton of trash has a

negative value, which changes completely what it means to use it to make things. If I consume 1000 pounds of oil to make a plastic part, that oil has a cost we now measure in money I have to spend to buy the oil. But if I consume that from a landfill, the cost is negative! Regardless of what I make from the plastic, simply having it be something useful at all is of value. In our existing consumer economy we all actually have to spend money to dispose of waste. So an economy built entirely on waste streams breaks the whole idea of property up. If I have a pile of trash on my land and you take it away that has value to me and also to you. We are no longer in competition in this relationship–the more trash you take the more benefit I get but also the more you get.

We must also recognize how an economy based on the replication of technology from trash using free information technology changes the incentives in regards to intellectual property. If I create a new technology now and release it into the world, the only way for me to make money on it is to retain some control, which is now expressed by means of the property system. But if I create a new technology from trash which does something useful, and it's intended to only be used locally, the value proposition changes. I use local materials to make a thing and directly benefit from it. When I share it with you, you also do that, but if you then improve upon it and release it back into the network, I can immediately benefit from the improvement.

If we build feedback loops across a global network we can get exponential speedups of technological development. What this means is that if I am a technology creator and share my creations freely, the thing I create can be instantly transformed into a thing co-created by a global community which is vastly superior to what I would have made alone. If my only goal in building technology is to directly convert the trash in my physical environment into useful things, my choices in regards to how I relate to the rest of the world will be based on trying to do that better and better. If the more I share the more this happens, often with what I make being totally replaced by something much better, my incentives undergo a radical shift. What I now want more than making a good thing and controlling it is making a thing which entices others to improve it. Again, as with money, we find that the idea of property inhibits us from doing what we need to do to build this new civilization.

The third leg of our tripod is mining. This is perhaps the most fundamental. The entire basis of our long strange trip from stone tools to bronze to iron to steel to silicon and so on is based on mining. We need mines to get the materials to make things. In order to make complex things with many materials, we need a global system which maintains physical control over all those mines using the system of property and the governments which uphold that property. We also need a global supply chain again based on stability of governments and

large institutions to maintain the constant global flow of goods. In order for our current system to work, every individual element from oil to lithium to uranium must be transported to everyplace on Earth. Conversely, every piece of land with a resource on it will under the current system be pressured to extract that resource and push it out into the global economy.

Under the mining regime, every single type of mine is a choke point to the whole global system. This regime is inherently conservative: any threat to any part of it will make the whole system fail, harming everyone who relies on it which is presently everyone. In order to keep the system running, therefore, a constant global regime of military force is required. One cannot have a mining based civilization without military empires to control the large scale flow of materials.

And again as with money and property we have to examine how the system of mining affects our relations with our fellow people. As long as value all comes from a mine, we are all in competition at some level for the mines products. Every so-called "developing" nation will be forced by the dominant powers to extract all their resources to benefit someone else since all the nations are in competition to benefit from those resources.

But when we build everything in our civilization from the trash of the old world this situation completely changes. My motivation as a producer of technology is now to turn trash into things of value as much as possible. If you

are thousands of miles away, and we never exchange any physical goods, just information, my incentive is now to have you replicate the trash technology as much as possible. This is for several reasons. First, there is the same reason as stated above in the discussion of property: the network effect. The more people copy my technology the better it will get, and the more comfortable my own life will become. But also, if we build a society which abolishes the mine, as long as other people are mining they will pose a threat to us. As long as anyone in the world bases their civilization on mining, they will need to build empires and dominate large masses of land in order to keep mining. So if I want to not be invaded by a mine-based empire it is in my best interest to help every other place on Earth develop the same technology in order to also prevent the violence of the mine from destroying what we build.

In today's world *every* single useful material we need for advanced technology has been pretty evenly distributed to every corner of the globe. This is totally unprecedented! There is nothing in history even remotely similar to the situation we find ourselves in today. People do not seem to have really grasped how fundamental and irreversible this is. Even if humanity died out tomorrow and were replaced by evolved crows in 100 million years, the distribution of rare minerals around the globe will remain. We will never again have to discover from scratch how to find and extract materials like cobalt or tanta-

lum. We not only have all the materials needed to build an advanced technological civilization from scratch, those materials are already in a very organized form specifically designed to be useful. Aluminum has already been extracted from bauxite, iron has been smelted into steel, silicon purified into wafers of unimaginable perfection and so on.

Examining all three of these legs(money, property and mining) it should now be clear that these ways of thinking fall apart when we build all of our technology from trash instead of mined materials. It is my intent in this work to build a framework for creating this new world. To do this, we will need to build up a whole world of thought and action from scratch. The most fundamental focus of this new world is replication. We study how media replicates, how machines replicate, how software and hardware replicate, how whole systems replicate, and how pure information replicates.

We also take as an axiom that geometric thinking is more fundamental than numerical. This is because geometry is what we use to actually make things. From buildings to microchips to injection molded plastic enclosures, all technology is essentially a geometric construction of one kind or another. So if we are interested in building media the sole purpose of which is to replicate technology effectively, we find that geometry is the most fundamental form of mathematical thinking. As with the existing system of thought we currently live in,

we will need to delve deeply into our most fundamental assumptions of how the world works. But now rather than trying to find some abstract truth, as the mathematicians of the early 20th century did, we build up a system of thought based on outcome: that which freely replicates useful things from trash is the goal, whatever that turns out to be. This will lead to re-evaluating how we think about machines and mathematical philosophy, replacing the theories of "computers" with ideas about geometric machines to print symbols.

One final note to make about this geometric world view. As with all our mathematics in this new civilization, our goal is replication, not finding some higher truth. This means that geometry is all based on its meaning to humans. Even if the meaning is in the angle of a turbine blade which communicates a different level of air movement in an air conditioner, it is this meaning we care about, not some abstract theorem to prove or algorithm to own. We therefore take language and symbols to be the most fundamental elements of which our Universe is constructed. We accept that whatever we may think or do, the "real" universe is separated from our minds by a veil of language we can never fully see clearly through. Reductionist science has made the mistake of ignoring this veil and focusing on a hypothetical "objective reality". Whether or not this is a permanent intellectual dead end is of no interest to us here. We want results, fast. We want a better civilization in our lifetimes. And

to do that we build up a new way of thinking about information where our desire to provide direct value to people and replicating that to as many people as possible is our most fundamental axiom.

We call this geometric system of value, this geometric meta-langauge, Geometron. This is the Book of Geometron, which describes how to replicate the whole system.

To build this world we will first discuss how media needs to change to support this new way of thinking, then how we will physically deploy this media infrastructure to the streets of our world. We then show how the software works, how it replicates, and how you can add to it, improve it and make it your own to share. After that, we step through all the different layers of information that make up this new network. We then talk about our theory of being(ontology), the new underlying mathematical philosophy which we are using to replace the axiomatic set theory that 20th century mathematicians used to describe reality, as well as the theory of machines which replaces the Turing model of computation. Finally we use this idea of how information works to discuss the self-replicating set known as Trash Robot which we will replicate through the network and also use as a vehicle to help stimulate replication.

Chapter 2

Organic Media

In a consumption-based civilization the purpose of all media is to stimulate consumption. This can come in the form of advertising, corporate propaganda, or the legitimization of the imperial power required to keep mines and long distance supply chains operating. In the age of digital media we find that the hardware itself is also a large component of how it facilitates consumption, with planned obsolescence creating a stream from mine to landfill unprecedented in human history. A constant race to build ever more exotic materials and technologies into physical media devices creates a vast suction across the planet, forcing every corner of the globe to exploit anything that can be mined for digital media hardware from cobalt to lithium to be exploited as fast and widely as possible.

This state of affairs creates a powerful opportunity for a new type of media. The fact that the existing system pumps out this constant stream of new objects with all the stuff needed for advanced information technology creates a resource which can be used to build new hybrid technologies designed to incorporate scavenged parts from the discarded tech. The tech industry is now working on turning out *trillions* of "internet of things" devices–objects which have built-in networking capability and could in theory serve as web servers. Based on how these industries are structured we know that these will all be designed to fail on a very short time scale, and what they are selling today will be in a landfill in less than 5 years.

It is worth marveling at the scale of consumption built into the current digital media system before discussing the alternative. People walk around with screens in their pockets, the sole purpose of which is to manipulate them into consuming more. Those screens are built on a technology which uses the most exotic materials known to humanity, extracted at great human cost from every corner of the globe. And then they are forced into obsolescence within months in some cases by a software industry which is based around the idea of planned obsolescence. Having pushed their way into the pockets, homes and workplaces of something like half the humans on Earth, the industry is now pushing to put their devices in things which have no reason to be part of this network, like toasters

and juice makers. The sheer insanity of this is hard to wrap ones head around, but because the entire media is controlled by this industry it is hard to even articulate in public how insane this is. And it is getting worse very quickly. The need to replace this parasitic monster with media which serves the needs of humanity could not be more urgent!

What we want from a media technology to build our new trash-based civilization on is to replace consumption with replication. We are now constantly buying new machines built from mined materials which constantly tell us to consume more things. Consumption-based media forms a consumption information loop. We want to form a replication-based loop, where the media is built from trash and contains the information required to replicate itself. We call this "organic media", because it behaves like a living thing. In fact it effectively *is* a living thing. If we built closed loop systems in which humanity is reusing material again and again forever in order to live in harmony with the world around us, it makes sense to think of us in combination with our media and the ecosystems we live in as a living system.

This idea of "organic" media is in direct contrast to "viral" media which dominates in social media today. In viral media, information replicates, just as viruses replicate themselves inside a living organism, but the this is always happening in a space defined by a fixed media entity. Social media platforms encourage informa-

tion to replicate as fast as possible within their systems, as that costs them nothing and induces more people to keep coming back to their platform to be manipulated by their advertisers. But if someone tries to replicate the media platform itself by for instance trying to start a new platform, they will do anything they can to stop them. Media today can be viewed in biological terms as an apex predator which kills everything in the rest of the ecosystem and is full of viruses.

When we say we want media to be organic what we mean is that we want the media platform itself to replicate. Just as each new tree or squirrel in a forest really is a whole new instance of "tree" or "squirrel", with no central entity controlling them, we want each new instance of our system to be self-contained. We want it to be able to replicate itself right where it stands, with no outside input from some central system of any kind. This is only possible because of the waste of the existing industrial system: all the materials needed for advanced information technology are sitting in trash bins, dumpsters, closets, and landfills within walking distance of wherever you are reading this right now. All you need to build a whole new media ecosystem from scratch is information: the information required to gather the people and materials required to build it. If the system you build tells people how to do this, it can freely replicate across the whole world without any central infrastructure.

It is worth noting that building this is hard. Modern

digital media technology is designed by hostile engineers to be as hard as possible to fix, modify, or use for anything other than consuming advertising for a few months before it goes to the landfill. Those machines are built by vast teams of well funded groups with extremely specialized technical skills. It will take a concerted research effort to fully replace the existing information technology system with a free one built from trash. In a later chapter, I will discuss how we can do this by using a different system architecture in which the purpose of the whole system is displaying of a specific class of documents based on the software presented here. But for the time being, in order to launch our new media system, we will rely on existing off the shelf hardware which is still part of the consumer system but not the main commercial advertising-driven part.

This book is therefore doing two things in regards to launching this system. It is launching a new social media platform based on using the Raspberry Pi as a local web server used over local wifi networks, and it is laying the conceptual framework for building a whole new information technology system from the ground up on new principles. Just as technology people in the existing system refer to a "technology stack" we are building a whole new "stack" in the sense of a collection of technologies which are all related by a chain of increasing or decreasing abstraction or proximity to the user which work together to make our system work. In this work,

we describe the whole stack. We launch fully functioning software and hardware for parts of it, and describe how we will build the other parts that require more work.

The most important part of the current project presented here is that it work for its purpose which will support the rest of the development. This means that the technology has to work to distribute new technology of all kinds built from trash which people need or want, which can be freely replicated. We use this partially consumption driven media system to launch self-replicating media systems which really are built from trash as a demonstration. Our metric of success will be how this self-replicating media technology replicates and evolves. If we can make it replicate by making things people want, and make it evolve by creating a strong incentive for people to improve it, the system will naturally evolve into the one we need, which no longer requires any input from the mine-based system to function anymore.

Just as a relatively small number of people a few hundred years ago sending each other letters built the basis of the current explosion of technology which led to the existing world order, we believe that a small number of people with new ideas today can build a much faster explosion of information which consumes the existing world of consumption and replaces it with locally closed loops of material in a single generation. We also believe that this is of the utmost importance to do as quickly as possible. The existing system is killing us. It is destroying the

natural world, needs constant warfare to function, and is increasingly driving anyone outside the technocratic elite into extreme poverty.

So how do we actually build this "organic media"? We start by looking at living systems, both individual organisms and larger systems like forests. The most fundamental thing life does is replicate. This will probably get tedious for the reader, but replication is the thing this work will come back to with relentless repetition but that relentless repetition of replication is precisely what makes life work. A living system is a system of thing which all also replicate. Living systems replicate over all scales: forests replicate, but so does the RNA and DNA in each cell of each organism in the forest! We will also build our systems this way: many components make up systems from tiny scraps of code or single cutouts of cardboard up through whole vast industrial fabrication systems, and we want *all* of them replicating. Again this is in direct contrast to the existing system in which small parts like shared memes on a platform are supposed to replicate but the company itself is designed around non-replication.

Another property of life is that it is an independently evolving thing. Because organisms have an independent life, they can change in much more unpredictable ways than centrally controlled systems like a large corporation, government or non profit(this includes open source software projects with a central code base that all instances

are copied from).

Finally, all life dies. In order for life to work we need the cycle of death to be natural. Just as fungi in a forest turn logs into soil we need the destruction of all things in our system to be natural. This is again in direct contrast to the existing system in which all media is built out of a company which is designed to grow forever and never die.

In order to build our platform then we want to write down a set of rules which will guide all of our work. These are nine rules:

Everything replicates. This is the most fundamental law. It is what makes life alive. And it is what makes media organic rather than viral or parasitic. This means that all our software contains code to replicate itself without any reference to a central code repository. The code on a server in a coffee shop can directly replicate to the laptop or phone of every person in that coffee shop with no connection to the rest of the Internet at all. All our hardware is built into some kind of media which describes its replication.

Everything evolves. All things can be edited by all users. To be in contact with a thing, be it a file or a physical machine is to have the power to alter that thing totally. There are no "users" or "engineers" in the sense used today. Some people will choose to edit things more than others but everyone *can* edit all things.

Everything dies. All things can be deleted or de-

stroyed by all people. This is particularly important for files. Much of the power structure we are trying to destroy rests on information we are not allowed to destroy, from the intrusive and parasitic industry of buying and selling personal data through the constant advertising we are not allowed to turn off. Also, in order to be able to stop harmful information, we empower every single user with no exception to be able to delete every single piece of information they come into contact with, with no exceptions. This is less destructive than it sounds. Because our network is all physically local, no central bad actor can wipe out the whole network. If all networking is at the level of a wifi network, and they are all constantly being destroyed and rebuilt anyway, the cost of universal destructive power is outweighed by the benefit of people being able to stop bad information without any appeal to authority.

No property. As discussed in the previous chapter, the idea of property is not compatible with a civilization based on self-replication. Since the idea of property fails at scale in a replication society, and since our goal is to scale, we dispense with it immediately and build infrastructure which not only has no intellectual property but where the physical web servers are not owned by anyone. Initially we will have to spend money to buy parts to build them, but as soon as they are built we will release them to whoever we think will get the most use from them, along with instructions for them to do the

same, passing all infrastructure along to wherever it gets the most use. Building network infrastructure without property for the benefit of our communities means that our incentives are now to find whoever has the most need, identifying their needs, and using our technology to serve those needs and fast and directly as possible. If people benefit from the systems, they will naturally be able to replicate, which will further replicate the non-property technology. Initially this means building Raspberry Pi based web servers and giving them away to the people with the greatest need.

No money. This is connected to the rule against property. Initially of course we will need to spend money to buy parts, and will need to have users make money to support their near-term survival. But as we scale up and get more and more basic needs satisfied by technology built from trash, we want to have the elimination of money be the direction we are headed from the start. This is not as far fetched as it sounds. As will be discussed in the next section, barter will be an incredibly powerful tool for scaling. Our network can provide huge benefit to very powerful and wealthy people, and if our people with the most need are dispensing this benefit, we will be able to barter the things we need to scale directly. When our network helps a business with a lot of unused space to make money, they can let us use their space. When a business person makes connections using our network which make them money, letting us scale

our software up on some of their servers will make economic sense to them. We will be able to barter our value as network builders into the things we need for personal survival like places to sleep and food but also the things we need to scale our technology like access to labs and machines.

No mining. Our long term goal is the global elimination of all mining. This includes the whole natural resource extraction industry such as oil and gas as well. This cannot happen overnight, but we don't need it to. Every single mined component we replace with one from a dumpster or landfill takes a little bit of energy and power out of the mining system. if we can remove power from them in a way which self-replicates, our system will simply consume theirs, and mining will be eliminated in a generation.

Everything is physical. This is almost a circular statement. What does it mean for a thing to be "not physical"? This is a statement of belief. We emphbelieve that the idea of information which is not physical is meaningless. All information has a physical manifestation, be it charge on a transistor or bumps on a CD. This law is important as a vocal rejection of any theory of how machines works which states that information or data can exist independently of its physical existence.

Everything is recursive. One of the most notable properties of life is its constant self-referencing. Billions of DNA strands in each individual body of a large organ-

ism all contain a whole copy of the information required to replicate the organism. We see information which points to information which points to information. Life is very self-referential and involves in an abstract sense functions which call themselves constantly. RNA stores instructions to make molecules which replicate RNA, and so on. This law is to remind us as creators of technology to be *constantly* thinking of ways to make things point back to themselves to replicate.

Everything is fractal. This is another property of living systems that we take for granted but which we either ignore or make very crude imitations of presently. Centralized systems of control create technologies which are flat in scale: we build microchips with nanometer precision across millions of nanometers(mm) of scale and so on. In contrast, living systems are fractal in scale such the scale of "error" required to cause catastrophic failure scales with the size of the system. We assume that patterns will repeat again and again at different scales, and expect that our technologies only need to be precise at the correct scale for any given sub-system. This has very specific implications for fabrication which will be explored elsewhere, but as a law we mean that we must simply always have ideas of the fractal nature of living systems in our minds as we create new things in our new trash-based civilization.

With our goals and laws of operation stated, we are now finally ready to delve into more detail into what we

are actually constructing with this work. This is a local network based on a web server loaded on a Raspberry Pi. The Raspberry Pi is a computer on a circuit board about the size of a deck of cards which typically costs about $50. It needs some peripherals including a screen, keyboard, mouse, battery, and memory card, all of which makes it about $200 for a nice, easy-to-use, portable and self-contained system. It only requires a few commands which are easily copy/pasted to install the whole functioning Geometron system on a new Raspberry Pi. It is also modular, and if portability is not needed it can plug into the wall, borrow a keyboard from another system temporarily, and display on a TV, making a non-portable system cost just the value of the board($50).

It is also important to note that this is all modular, easy to buy from many sources, and involves parts many people already have lying around. The Raspberry Pi is widely marketed as a hobby tool and a STEM education tool, but its use case is not always clear. Therefore a large number of people own them but do not use them. They are often sitting in drawers in someones home office or a under-used maker space gathering dust. If we have a use for them and can provide useful services to people it should be possible to directly barter with people who want to support our network who will be willing to donate the Pi boards to our network, where they will become non-property and be distributed to those in need.

The actual software we run on the Pi is what is de-

scribed in the bulk of this book. It is all designed to run in a web browser. Any web browser. So if a Raspberry Pi running the Geometron server software is on a wifi network, all the programs and documents on it can be read, used, edited, replicated and deleted by anyone connecting to that wifi network on any device be it a phone, laptop, tablet, or another Raspberry Pi. Also, the pi itself can serve be used in the same way as any other device on the network.

We must also note an important condition for the pi to be a non-property computer. In order for the pi to be able to freely be shared among the people, it cannot have any personal data on it which causes someone loss if it is read by another person. That means we must never log into private networks like gmail, facebook, or more sensitive things like bank accounts ever on the system. In order for a free and open system without property to function, it must be kept separate from the property based networks. This media platform exists for the sole purpose of free sharing of documents. Any document we do not wish to share we do not put on it.

Also, there are no "users" on this network. This is a network of documents, not users. There are no logins, no passwords, and no databases. User data is not harvested for profit because we simply do not generate the type of information which is considered "user data" in the existing systems.

We take as an axiom in the development of this sys-

tem that documents intended for free sharing are of greater value than private documents, and that the network effect as the universe of non-property documents grows will exponentially increase their value to people until our network out-replicates the existing ones.

Our network is based on sharing several specific types of document which are encoded into the software. We share "scrolls" which are text documents, "maps" which are like presentation slides or memes, "feeds" which are essentially lists of information, self-replicating applications of all kinds(using web based code that runs in a browser, never native code), and generalized Symbols using the Geometron geometric programming language which takes up much of this book. Taken together, these systems of document creation and replication will allow us to describe and replicate any technology of any kind.

This network will be distributed physically, over the Street Network described in the next section. We will initially try to get servers to people who are on the move, living on the streets or in vans and buses, truck drivers, street performers–anyone who finds themselves in nodes of physical networking like dense urban areas or truck stops with many people passing through. The details of how to replicate the server are in the section after next, which delves into the code. Not everyone will need to read this, but everyone should know where to find it, as part of what we will be bartering for as we scale is help from technical experts who can learn the system

and replicate the software as well as add to it to evolve it and decentralize the code base.

The rest of this book describes how to replicate the system, how to use it, how it works, how to develop it into a fully trash-based system, and how we will rebuild mathematics to support this venture.

The Book of Geometron

This book itself is organic media. It is intended to teach its contents to a reader(or rather a small subset of readers) to the level where they can then teach another. This should enable them to re-write future improved versions. In this section I describe how the book was put together, where the files are stored, how to edit them and use the LaTeXdocument preparation system to make the files required to produce a finished book. This means you also need to know what is required to get the physical book printed at an on demand printer, get all the metadata required for publication and distribution, and sell your version in retailers both large and small and online and off. Thus even the book is fully decentralized in principle: if it costs you nothing to set it up to sell, you can sell only a half dozen copies and it will be a net positive, and then if the next person does this it will also be positive and so on.

If the book is decentralized in this way of distribution it has many advantages. If the book turns out to

be disruptive enough that people try to use lawsuits to shut it down or harass an author, but there are 10's of thousands of new authors popping up all the time, it will be impossible to shut down. As some versions turn out to be dangerous or illegal, other versions can immediately be published with omit the offending content. Also, many editions will mean some will get much better than this initial manuscript. Decentralization means that as the manuscript finds its way into communities that speak different languages, the translation can happen without any centralized effort. So for instance if someone translates from the original English into say French, and then it spreads around in areas bilingual with French and some other language like Swahili it can go directly from the French to the Swahili without any involvement of the initial English speaking writers. By avoiding copyright, these improved and translated versions can then get translated back into English and sold yet again under yet anotehr edition. Having editions be unique can create a market for unusual editions, further pumping money into the system and stimulating further development of the book. I would rather see 10,000 people make 100 dollars each selling their own editions of this book to just their friends than see me as the initial author make 1 million dollars on 500,000 copies of one edition.

It is not my intent in the long run to make money on Geometron. It is my intent to create a network which

allows us to live without money by directly bartering what we need to survive(food, a place to sleep and work, medicine, transport) without use of money or any production in the old consumer economy.

All editions are published with a public domain license for everything but the final pdf. The final pdf is published under the minimal copyright required for an author to create the needed publication metadata to get distribution outside of the on demand press used for printing.

Each chapter is a .tex file, using standard LaTeX.

This work must replicate itself completely. We show here how to edit each chapter, publish them to a public Github repository with detailed instructions for further replication, compile the document to a .pdf in book format, and self-publish the fully compiled book on Lulu Press. We then guide the reader to follow the instructions on Lulu to get all the needed copyright metadata for official distribution through normal publication channels. We then describe how to order just a few copies, sell them along with other parts of the system here at a markup, and use the profits to buy more print copies of their own book to place in bookstores and libraries as a fully guerilla activity with no official sanction. This is a little twist on the methodology of Abbie Hoffman's "Steal This Book." In Steel This Book, book sellers had to buy the book, which readers inevitably stole, cutting into book store profits. We use guerilla production meth-

ods to distribute it into bookstores without them spending money. They are faced with a choice: go along with our program and take free money from customers for the book or make trouble for us, throw the book out, and loose what is for them totally free money. If they sell the books for a profit, it benefits our network, because it spreads our ideas but also because it creates a value stream in the existing economy based on what we create, which gives us power in that network. Bookstores want money. But we want network centrality and the ability to control how information flows in a network, and free distribution shifts the power to us. This is why the self-replication of the book is so important. If you want to make your own spin on this book and make it more of a best seller, you do it, but if you leave it open, you hope someone else does it again, and that it keeps getting better as it replicates.

Chapter 3

Street Network

What is the Street Network?

The consumer society we live in today relies on a vast and well-organized collection of networks to function. There are the networks which channel freight from one place to another, like trains, trucks and boats. There are the human transport networks like planes, personal cars and buses. There are the invisible networks of power based on who when to school with whom, family connections, or business connections. And of course there is the global information network centered on the Internet which connects everyone together by information.

What we seek to build is the means of replication of trash-based technology in order to propagate our new civilization built entirely from trash. This new system will

be much more localized than the existing one. Rather than needing a constant high rate of movement of very large quantities of physical goods, we plan to build systems which will ultimately use material directly available in our physical environment rather than from far away. Even in places with limited agricultural capacity, I believe that with the superior technology which we can build using a more organic system that we can build dense food production and water purification everywhere once we put our minds to it, making almost all large scale movement of goods un-needed. We will still move goods and people, but more by choice than necessity for personal reasons. When globalization does not force everyplace to be identical, travel can become an adventure again!

Part of the ideology of the existing Internet-based culture is that place no longer matters. People appear on a teleconference or send an email and no one cares where they are. People arrive for a meeting in a business hotel or conference center and it is identical to every other place in the world. The ideological basis of the Geometron Street Network is that place *does* matter and *should*matter. We reject the idea of "nowhere". Everyone is somewhere. Whether you are in a rural area, a suburb, a big city or a highway rest stop you are always *somewhere*. Furthermore, that place you are has its own local geographical logic. It has its own crossroads, its own nodes of power and connection, whether it is the lo-

cal pub or coffee shop or the exit of a subway station. All these little places on the scale of one human body have real meaning for the people who inhabit that space.

We want an information network based around physical replication of technology from trash. To stimulate the replication of the Network, we need it to create value for people who use it and operate it. This value can be of many kinds: it can directly provide physical goods people need, it can facilitate business in the monetary economy, it can provide mutual aid to a community, it can create local social connections, can build network power for users, and any of these values can be traded for materials and space needed to continue to expand the network.

The Street Network consists of the people going out and spreading all this, the web servers we use to do it, and globally visible web pages which serve as links to connect users to us and our network.

We buy domain names which are linked to a place but not property. We avoid .com and focus on .org, .net or .xyz domains. We avoid specific addresses or names of companies. We choose names that describe shared resources which are public enough that no one is in the position to claim ownership of the name. This can be the name of a neighborhood or street, a body of water, a park, or a mobile shared resource like a mutual aid bus used by people who already do not use property. In the physical location described by the domain we create and share physical media which points to the domain. In its

simplest form this can just be a hand written cardboard sign. However, we can also use Geometron to make various self-replicating physical media which transmit the domain, such as laser cut spray stencils and the self-replicating clay tokens described later in this work. We also can fly a black flag of the place with cut out colored felt sewn on a black square of cloth, which is described in the Scrolls distributed with the system.

Each domain is hosted on some commercial server for the time being, from providers such as Dreamhost or Bluehost. Free web hosting can also be used at 000webhost.com and is recommended if you have no money. The Geometron software can then be installed on each of these servers according to the instructions in the next section(and repeated on each Geoemtron instance in the Scrolls), making it just another identical instance of the software to what exists on all the local Raspberry Pi based servers. The primary purpose of these globally visible domains is to point back to the local server. In its simplest form this is just a description of when and where you might find the server. Photographs of the network Operator and their gear can validate the system to passerby. The Map format described in a later chapter can also be used to precisely identify physical places where infrastructure can be found.

The deceptively simple structure described above is the Street Network. We are adding digital media technology to the oldest network in the world: the physical

paths of movement. We will use this to follow all those paths, from superhighways to ancient footpaths to natural harbors, just as other ideas have traveled throughout human history. If we find the most powerful nodes of geography we can build a network of staggering power with a relatively small number of people initially.

Users

The uses of this network are very different for different people, just as is the case for the existing global networks like the Internet. In this section I will discuss some of the different user groups and how our network can provide value for them.

Operators. We are the start of this. Get a Raspeberry Pi and install the system. Get a domain, install the system and point to your server. Go forth and share! Ultimately those of us who build and share this system will form a very powerful network of mendicants. The mendicant tradition has appeared many times in many places in history. A mendicant is someone who is totally devoted to their faith(they are generally religious orders) who renounces wealth and travels with no possessions asking passerby for donations to support them. This has traditionally created contradictions, as these orders have a way of gaining power and becoming anything but poor as they scale up. As our consumer society has destroyed itself it has driven more and more people into this way

of living against their will. If our network provides vast amounts of value to people we will find that the most marginalized people of today when leveraging the power of this new network can barter for not just survival but to thrive in a new civilization without money, mining or property.

We follow the laws of Geoemtron listed in the previous chapter as a guide for building this new world. We teach everyone we meet how this whole system works, and recruit new people as Operators. Note that the idea of a mendicant order has strong religious overtones, but that this is a completely ecumenical order based on the universal language of geometry. Geometry has a central place in all existing cosmologies, both ones considered religious and ones considered secular. The work here presents a way of interacting with the world based on geometry. In some ways this whole project can be thought of as the start of a free school for teaching a new kind of geometry. This is a distant descendant then of the geometry schools of the ancient world. We teach people the whole system; mathematical philosophy, robotics, code, all kinds of industrial fabrication, crafts, fashion, whatever we build we teach and share freely.

Do not misinterpret this idea of the mendicant as a vow of poverty. We will be more wealthy than anyone currently living in the consumer society once we scale this Network. We are building a new world in which no one is poor. By starting from a baseline of people who

have nothing but building better technology than what is presently available in consumer civilization we start by making sure those who have the least have everything: free clean water, free good food, free high technology medicine, free transport, free shelter, free network technology, free air conditioning and heat etc. If those who have the least have better stuff than the richest people in today's world the world of today will dissolve and be naturally replaced by this new order built from the waste of the old.

Traveling kids, hobos, panhandlers, people asking for money or selling things on the street corner. A physically local free bulletin board shared by passerby in a high traffic area can allow people asking for money who are currently ignored by passerby as just another anonymous face and cardboard sign a chance to really tell their stories and to share all that they have to share. When people share their stories they can become part of the emergent physical community of passerby in a location where the network node is located. When people view others as part of their community they not only are more willing to help, they can have open communication about the best way to help, expanding from just spare change to more comprehensive mutual aid. Because we clone content from the local terminal to web pages on globally visible domains linked to a physical place, which are advertised everywhere in that place, marginalized people whose only ability to get online is the public

library can use the computers there to get the information they need to better survive, and ultimately to thrive and build new communities where they already are. The way a local network can help people is twofold. First, it is direct, by asking for money and other mutual aid. But by being physically on location all the time, already with physical media(cardboard signs), people in a given place can aid the network, creating value for the other people in the community who are more resourced, who then no longer view monetary support as "donation", but rather as an expense which supports their other business activities.

In order to see the power of this second means of network support of marginalized people on the street, we have to look more closely at the network nodes we are building. One of the major types of node is in a business district of a city where there are both homeless people asking for money, on the street all day with physical media, and power brokers who make their living entirely from connections. These people include venture capitalists, entrepreneurs, lobbyists, consultants, and the rest of what might be called the "deal-making class". An example of this confluence is some of the parks along K-Street in Washington DC. K Street and adjacent streets is home to a huge homeless population as well as power brokers whose livelihood depends entirely on connections. If a physical network were built which facilitated direct communication between people along K Street, the people

who spend the most time physically on the street can be brokers of information on a network which can be worth a lot to the people who trade in information. Physically local information networks can leverage the power of physical places with very powerful people walking past all the time who normally never communicate. Connecting these people up can be dangerous. But if we provide them with value, it can be worth both a lot of money to them and also potentially something they can barter for giving us space to live and work nearby. If you facilitate a 10 million dollar deal and the customer knows you can do it again, the least they can do is give you a 100 dollar gift card to the nicest restaurant in the block. There is no real upper limit on what an enterprising Network Operator could in theory make if they learned to really channel information efficiently in the nodes of global power. And of course we must remember that when dealing with power brokers their currency is not money. When the people who currently have the most power in society find themselves dependent on free open networks, those networks themselves will gain power which penetrates that of the existing power structures, potentially creating an existential threat to them. We must take note of this.

The elements of traveler culture which overlap with "van life" are also key to increasing the network effects of the Street Network. This also links to trucker networks. People who live their lives on the road can use this network infrastructure to set up complex networks

and markets in highway rest stops, Walmart parking lots etc. using either wifi networks in these places or their own hotspots from their phones. These networks can be of utility to passerby of all kinds, from tourists to truckers to the workers who keep the places running. Just as existing global social media networks provide value they can charge money for, a physically local network can provide value which people will pay for. An example use case here is a Street Network Operator agreeing to maintain a backup of and keep posting an advertisement for something a local entrepreneur is trying to sell to truckers. In exchange for that, they can get directly compensated in gas, right there in the rest stop, without money changing hands.

Food not bombs, street outreach, harm reduction people, mutual aid workers. See above. The people who are working to help the most marginalized members of any given community can better reach that community if there is a physically local media platform where people can share information about resources. Documents can be posted which explain how to get access to resources, when and where resources will be available, etc. Because the whole system self-replicates, as with Food Not Bombs, anything which is successful in any given place can be immediately cloned to other nodes on the network. Food Not Bombs already has a global network of free and open nodes with no property but a very recognizable brand identity and set of behaviors and

actions. FNB nodes are generally already linked by networks both online and via people who travel from one punk house or FNB house to the next. The whole anarchist network of community houses, FNB's, anarchist infoshops and bookstores, really really free markets, free boxes, etc. can form a basis for a truly free information network carried from house to house and city to city, running on house wifi networks.

Business owners in a shopping center. Every business owner has neighbors who are also business owners. You already have an informal network. But installing free digital media infrastructure can provide huge value by allowing more mutual aid between neighbors of all kinds, both owners and customers. Tech giants ignore you. They demand monetary tribute in order to even have your business listed, and then still refuse to give you an equal footing to the corporate giants which dominate their platforms. By controlling a local platform in *your* shopping center, you can provide value to customers with articles they write and share with one another which brings them in(just as advertising-supported media has interesting content to get people to look at ads). And then this medium can have much more than just the ads you would get from a Big Tech platform. You can post really detailed information about everything you do with no restrictions on length, and share across the shopping center. If you own a karate school next to a dentist, the bored people in the waiting room can read about

the history of karate right next to a detailed schedule of your class offerings. And when parents wait for their kids to get out of karate class they can be reading about clean gums in an article written by the dentist. Big Tech doesn't care about you. If you build your own network, you can center it right where it belongs: on the people actually using it, rather than a few oligarchs in San Francisco.

Coffee shop owners. Building a network in a coffee shop on the wifi network which requires purchase to use and which has a time limit can create a huge amount of added business for any local business owner. It also builds community. So coffee shop owners who find themselves with a full shop of laptop drones with headphones on who work for hours, or get kicked out and do the same thing somewhere else can instead find themselves the brokers in a very powerful information network. Much of the commerce of the world is now code written in coffee shops on laptops. Creating physically local networks around these already existing groups can create huge power for the users which then benefits the people who set up the infrastructure(again, just like existing centralized social media platforms.)

Web developers. We need web developers(people who can write HTML and JavaScript code) to be constantly writing more and better software in order to make Geometron a success. Developers who work all day in coffee shops or any other shared space like a co-working

space or pub can have a social network based on both co-developing applications useful to all and sharing other resources. Developers will use the resource of the Street Network terminal/server on the local network in the same basic way as others: they can share their resumes, links to pages of personal projects. Developers are key to the whole system. We must recruit developers with this book who will rewrite all the code and also the book, replicating the whole system. The faster our network can get developers into the swarm, the faster the code itself will improve. Developers are key!! Developers create servers to share into the network. I now ask the reader to look up "steve balmer developers" on YouTube.

Power brokers. Venture capitalists, financiers, entrepreneurs, deal-makers of all kinds, lobbyists, politicians. Your network is your power. Geography matters. Build a network in the lobby. Post things on street nodes, build your network, build your power, build your literal street cred. Deal flow. Deal flow the likes of which you have never seen. Leverage the power of the physical street!

Crafters, makers, jewelers, artists. An alternative to Etsy, street vending, or being in a shop. Post your stuff to the local networks. This is much more free and long form than existing platforms, you can post images, descriptions, contact info, times and places when you'll be in a place. This can be way easier than other sales channels for arts and crafts. You can say when

and where you'll be at a place, post a link for contact, and then show up in the network node like a coffee shop to make the physical exchange. In many cases, because the network is physical and local, there will be barter opportunities as well as direct sales. A barter economy can develop where people donate materials you use for your crafts as part of how they pay for the finished product. Removing shipping or transport costs by dealing directly in a physical location removes friction from the market, amplifying dramatically the power of the market, especially for crafts which involve physically bulky objects. For instance, people can bring in motors and properly prepared plastic sheets and cardboard, as well as rolls and rolls of duct tape, and we can exchange finished products built from these materials and tools, as well as free food, drinks, and supplies, creating a market economy without money as well as without formal business structures(making it easier for marginalized people to participate).

Any labor pool of gig economy workers focused on a specific geographic location. One of the most obvious of these is the drivers who presently drive for the major rideshare apps who all congregate at the airport to pick passengers up in the same exact place, and yet all of it is currently coordinated via the apps(unless you do the cab line). The rideshares apps have proven that cities will ignore illegal cabs if they're done at scale. It would be straightforward for a small team of Network Opera-

tors to run a server which replicates to a page which is advertised around, something like a domain of yourairportnamerides.xyz, which tells users how to log onto the wifi network created by an Operator's hotspot near the pickup zone and with a link on the page to the local network address of the server. All all this IT is doing is directing customers to a dispatcher who manages the drivers over a simple app shared by the collective. The whole network is run by a team of about 2-4 people. One person might be a developer, who creates the app to manage all the drivers and post messages from dispatch. Another person is all marketing, putting up the relevant information in the right places to get seen by travelers but not stopped by the rideshare apps, airport authorities, or the cab companies. Riders will never have their destination information on the public network, nor will drivers put personal information, but they can work on an open trust model where they are known by dispatch, who has code names for them, and operates a queue app which simply adds drivers as the arrive near the Airport and pushes the most senior driver to the top of the stack, which is passed along to a rider. Another Operator might be the one who runs the trust network for the drivers, verifying everyone and organizing meetings for the whole cooperative. This can be used to unionize existing workforces quickly as well, building ad hoc networks which are very hard to suppress visible to everyone on their mobile devices on a local wifi network.

The same model holds for places where workers congregate looking for short term construction work. Those locations can have a server where an Operator runs a labor marketplace where a much larger and deeper labor pool can now advertise, but without all having to be in the physical location. This means a crowd of a dozen workers looking for work can be replaced by an Operator with a sign pointing to the domain where the copy of the market is hosted. Workers who come by can leave an ad on the local Raspberry Pi Geometron server, and anyone coming by looking for construction labor can just scroll through a now much deeper collection of ads and call whoever they need to hire. A market place like this can suddenly go from a dozen general laborers to a construction labor market which includes specialists like plumbers and electricians as well as much larger general contractors just looking to save on marketing costs. A person holding a cardboard sign on a street corner by a giant box home improvement store can now potentially be the broker of an information network on which millions of dollars of commerce flow.

Trash Robot

The Trash Robot is a self-replicating set of things described later in this work. It consists of an open brand combined with a way to create self-replicating symbols which represent in principle anything one can express

with language. We use the Geometron system and the Street Network as a vehicle to distribute Trash Robot.

Trash Robot icon printers form the basis of a symbolic economy. This means that we construct self-replicating physical media which can have symbols representing anything, and we use these symbols to communicate with each other about how to replicate things. In a numerical economy we exchange money for goods or services based on a numerical evaluation of the "value" of those goods or services. In Trash Robot we use the Geometron language to make constructions of pure geometry which can be used to organize our thoughts and discussions as we share with one another self-replicating technology of all kinds.

Trash robot consists of a collection of methods for building the robots and operating existing machines to make all these icons symbols, as well as the open brand of the fashion and accessories and arts and crafts which symbolize the system. This brand consists of googly eyes, rainbows, black cotton flannel, cut felt and rainbow duct tape over cardboard and bamboo. By being a very recognizable brand identity which is generic enough to be impossible to copyright, we make a vehicle for technology which is not property to freely replicate.

Chapter 4

Servers

Servers are machines that store and share documents in the Geometron system. There are three kinds of servers we work with: the Raspberry Pi servers that form the real backbone of the network, globally visible hosted domains used to point people to local Pi servers, and developer servers for editing and sharing new versions of the Geometron software itself.

To spread the Network, the most fundamental form of replication is replicating the local Raspberry Pi server. To do this, we want to either buy or barter for the parts, install the software, and teach someone how to operate it so that it can be sent out onto the Street for public use. Given the choice, we will always barter for the parts. If we can find people who support our cause and have extra technology hardware like old keyboards, screens,

or even Raspberry Pi boards, it will be easiest to take direct donation of hardware on location by an existing server than to deal with purchasing and shipping new hardware.

The elements of the basic Raspberry Pi server are:

- The Raspberry Pi board itself. This is a circuit board about the size of a deck of cards. All of them should work! Older ones might be slower but they should all work. This has all been tested on the Pi 3 and Pi 4. Boards are generally between 40 and 50 dollars, but again if you can barter them that's ideal, as they are often sitting idle in peoples desk drawers.
- micro SD card and SD card reader to write the card.
- USB keyboard. If possible, find the one without the number pad so that it fits more easily in a backpack, this can make a huge difference in portability.
- USB mouse.
- HDMI Display. Not all work, but all can be made to work. Ideally you want a small screen which can run off the same battery as the Pi. If you are setting up in a fixed location you can use any standard modern TV screen, which good both for needing fewer new resources and for visibility. A large

screen display for a server can be a great way to have shared physical social media, where people can read documents on the big screen without needing any device of their own. For small portable ones we recommend buying ones specifically sold for the Pi, and which say that they don't need any special installation of software to work.

- HDMI or HDMI mini cable. There are some tiny Pi displays which don't need this because they connect to the pins on the board. Note also that you will need the HDMI mini cable for the Pi model 4 but the regular HDMI for all other models.

- Lithium ion polymer battery packs. This is only for portable installations, but it is important to have something modular and portable with a lot of power storage capacity. We recommend the TalentCell batteries as being easy to charge, easy to carry, and having both 12 V and USB output. They also sell solar chargers for those batteries, which are useful to have for long stretches of being away from power.

- Wall power. For the Pi model 3 and below this means a wall supply with the same USB micro and for the model 4 it is USB C. You will want a wall supply that can put out 3 amps at 5 volts. Also, if you are running everything of 12 volts you will

already have a wall supply that came with the battery packs listed above.

- Wifi hotspot. This can just be a phone with the hotspot turned on. But it can also be a mobile hotspot from the phone company which has its own wifi and connects to the network.

When you have all the materials to make a server, you will want to start by setting up the Raspberry Pi in the normal way documented on the Raspberry Pi website. Follow the instructions on there to copy the NOOBS operating system onto the SD card. You can also buy SD cards with NOOBS already installed. The Raspberry Pi home page is www.raspberrypi.org. Buying Raspberry Pi stuff can be done in person at some electronics retailers, some maker spaces, and online from numerous retailers, just search and look around. Sunfounder is a great source of compact portable screens for the Pi as well as other Pi things.

Note that part of setting up the Pi is logging onto some kind of wifi network, which is similar to on any other computer system, you click on the wifi icon in the upper right of the screen, select a network and put in the key. If we are using a hot spot we will want to select a simple name and password like using "geometron" for both, and post as widely as possible to potential users what that is so it's easy for them to remember and log

on. In order for this network to be visible, all users must share a wifi network. It is also possible to point a global domain name to a local Pi visibible to the outside world, but that is beyond the scope of this book.

Once the basic operating system is set up(set it up with no password) you will want to install the web server, the PHP language, and the Geometron server. To do this you can follow the instructions at github.com/lafelabs/thing, which is where all the code for this project lives and from which it will all be copied when you install. This copying process copies all the detailed instructions to copy the system, so if you find any instance of the Geometron system on a global or local server you can follow the instructions on there to replicate.

When the Geometron server is installed on the Pi you can interact with it by opening the web browser on the Pi and pointing it to http://localhost. This should now look like any other server in Geometron. This can be used to create, edit and replicate documents of all the formats in the Geometron system, which are documented in the next several chapters of this book, as well as on each instance of the system.

When you set up a new Pi server, you will want to copy the Pi scroll to the home scroll, and there is a link to do that in the default screen. When the Pi has a correct Home Scroll there will be a link to open a page which makes a QR code for the server. You can then scan the QR code on the screen to log on with any mobile device

which is logged onto the same wifi network as the Pi.

The second type of Geometron server is on remote hosted domains. As discussed in earlier chapters, we will buy domain names based on generic places that are not owned by anyone but have a physicality of some kind. For example streets, parks, rivers, neighborhoods, truck stops, or mobile mutual aid stations. To install the Geometron server on a globally hosted domain, just copy the file replicator.php from any existing Geometron server then point a browser to it. This is documented in the README documents.

Finally the developer server is used for local editing of Geometron on a private computer which can then be pushed to public repositories in a host like Github. This is done using the built in web server of the PHP language. If you are using a Mac, PHP is built in and you can run all this from the command line. If you are on a PC you will need to install the Ubuntu machine under Windows 10, install PHP and use that command line. In either case, start a new Github repository, set up whatever you would normally use for development via Github and put the file replicator.php in there. Run it with php replicator.php at the command line. Then while in that directory, run php -S localhost:80 and point a browser on that machine to http://localhost. Now you can operate Geometron as normal.

To edit all the code on the system, use editor.php, which is linked from the README file. To point the next

replicator to your new instance of Geometron, edit the code in php/replicator.txt to point to the /data/dna.txt file of your new instance, and then convert that to php with text2php.php, which is linked from the code editor.

The details of the system should be documented on the system itself and on other linked media, so it is redundant and tedious to delve too deeply into technical details here. This is just here for completeness so that the system is described in broad strokes and so there are pointers to all the bits you need to learn about if you want to move from just using the system to building your own new systems based on it.

These three types of server are the whole system! There is no company selling server space or running a central code base. Each individual server of any kind has the whole system on it. If every system on the planet were deleted in an instant, you could repopulate the entire world with the one copy on the individual Raspberry Pi you are using, or the Github repository you cloned it from or the web page of the local street that connected you to the Network. Github repositories replicate code, hosted domains point to Pi servers, and Pi servers are the medium on which all documents can be created, replicated, and shared freely across the whole rest of the Network. All this can happen with no company, no organization, no centralized code base, no centralized brand or naming convention, no authority, no property, no cash flow, and no presence in any app store. And all of it is

open, clear, self-documenting, and easy to copy.

Now, go forth and multiply! Let us first make a million of these with the Raspberry Pi, then learn to make them on old hardware which we install stripped down Linux systems on, and then finally on Geometron hardware built entirely from trash using the full stack Geometron system described later in this book. Millions of servers can serve hundreds of millions of people. When we scale to using all reclaimed trash for hardware, we can scale to billions of servers, eliminating the personal layer of networking completely, with ubiquitous open and free media shared in physically public spaces. This technology is clearly already possible to build if we choose to do so, and it can clearly be done for free given the very high rate at which the existing consumption-based system is pumping out electronic trash with all the elements of media(screens, batteries, radio transmitters etc).

Chapter 5

Scrolls

Scrolls are the text documents of Trash Robot. Think of this like the Microsoft Word of the Trash Robot ecosystem(with some drastic differences). Scrolls, along with maps, feeds, and symbols, form the basis of the user-facing system of documents which are shared on Geometron. They are used to document the system, to share ideas, post articles, create ads or lists of ads, or really any type of document one can imagine.

The format of scrolls can take some getting used to for people used to, as it is not WYSIWYG(What You See Is What You Get), but rather uses the Markdown language to create formatting with code. One of the first tasks of some enterprising new Trash Robot participant will be to create the fully WYSIWYG version of the scroll editor, but for now this is what we have. Part of the goal here

is to have no documents ever be in a format other than human readable. Even if Markdown is a little awkward to read, a real live human can always read the text and someone with very very basic understanding of code can immediately turn it into fully a formatted document.

Need to address the choice to use a markup language rather than WYSIWYG: harder to use, but easier to copy. Ease of copying is more important than ease of use. Bifurcation of users and Operators allows this to be smooth in spite of increase in difficulty of use.

Symbol for scroll:

Create a scroll

To create a scroll, go to the scroll editor at scrolleditor.html, and enter the name of the new scroll in the input marked "new scroll name". When you do this a blank document should appear with black background and green text(this is easy to change if you find it annoying). Just type out your document if it's just text, hitting enter twice between paragraphs.

For further information on using the Markdown language, see

- the wikipedia page
- the official web page
- The Markdown Guide

The most annoying thing about markdown is putting images in, which you do as follows:

also show an enumerated list, a bullet list, headings, links, italic and bold, embedding html

Edit a scroll

To edit an existing scroll in the scroll editor, click on it or enter its name in the new scroll name input(no need for the "scrolls" prefix).

copy a scroll from another place online

All things in Trash Robot self-replicate and scrolls are no exception. To create a replicator we use the program copy.php which is on every TR server. To this scroll is called "scrolls" and to replicate it we make a link to "copy.php?from=[some web address of a trash robot server]/scrolls/scrolls&to=scrolls/scrolls". If you run this on a server it will fetch this scroll and place it locally in the scrolls directory. Of course as with any replication this will overwrite the scroll on the local server so be careful, as any new edits on the new server will be lost.

To copy all the scrolls, as well as maps and other data, from another TR server, we use copydata.php. On whatever server you are on, make a link to "copydata.php?from=[the

url of the domain from which you're copying]. Note that for both copy.php and copydata.php the source domain can be the IP address of a TR server on your local network.

Also, the simplest way to copy a scroll is to open a new scroll on a new server in the scroll editor, then open the scroll to be copied in the scroll editor on the old server, and just select all, copy, and paste to the new one. This functionality is part of why having everything be in a human readable format like Markdown is important.

link to a scroll from a scroll

Links from a scroll to a scroll or from a map to a scroll can be realized in Trash Robot by having the target link be either "scrolls/scrollname" or "maps/mapname", and the code in the TR user page will convert those to local links. E.g. link to terminal scroll. Scrolls can also be linked to globally by using "user.php" with a scroll specified. For example to link to the Terminal scroll on trashrobot.org we link to `https://www.trashrobot.org/user.php?scroll=scrolls/terminal`.

mathuser.php

mathuser.html

Delete Scrolls

Everything on every instance of Trash Robot can be deleted quickly and easily and with no backups. When something is deleted it's really gone. Rather than backing things up or saving to "the cloud", in Trash Robot we replicate what we want to keep and whatever doesn't get replicated will probably eventually be deleted. To get this functionality, we have a delete scroll page called `scrolldelete.html`. To delete, click on a red X. But this is for keeps! Deletion really is deletion. If you see some bad stuff on a server, just delete it. If you want to post stuff and not have it deleted, replicate it to a quiet place where no one will see it where it can get replicated back to a live page later if it's deleted.

Some technical details and use of Math

The basis of the scroll software is the JavaScript library Showdown.js, which is great, and it converts from markdown to html. So scrolls are all in raw markdown but display as html. Use of HTML tags still work as well. By default it's commented out but by editing the code using `editor.php` it is possible to turn math on using the MathJax JavaScript library, making it the same LaTeX-like markdown that is used in markdown elements in Jupyter notebooks. This allows for rapid free self replicating math papers to be created and shared on the Net-

work.

Code structure

Showdown.js, scrolls/*, filesaver.php, fileloader.php, MathJax.js, dir.php, deletefile.php,

LaTeX workflow

address stability issues for large documents, alternative editors

mathuser.php

To convert a scroll to a tex document, copy the scroll into a new directory at the *nix command line. Then create a header and footer text file as follows:

header.txt =

and

footer.txt =

in the new project directory using your favorite text editor. Now be sure you have Pandoc installed, as well as pdflatex, and any stuff that needs to be installed for latex to work.

Now convert the scroll to a .tex file using pandoc as follows:

Then concatenate with header and footer using

And finally compile from text to pdf using

and if there are no errors in the tex code you will have a printable pdf document.

add full work flow to create a book with multiple chapters, this book. Articles. Links to more information. More details on installation and use of latex, workflow with latex editors to finish the project.

use cases

The number one application which can make money to keep the system replication is: operate a market, or a tree of connected markets, which people can pay to advertise on and you promise to back up and keep replicating their ads, which are designed to replicate freely and are not property. This is the most important thing. We can run scrolls as markets. An operator need only learn to copy/paste the most basic of formatting in markdown and to operate the scroll editor, then the rest of their job is physical communication: holding up a sign, spraying tags and stencils, putting up stickers, etc. As discussed in the Street Network chapter, this role is all about being someone who can make transactions happen on the street: any transactions. They can be asking for spare change with a cardboard sign, selling stuff, sharing ideas with people, giving out free food, or promoting something, as long as they understand and can navigate the dynamics of street-level marketing communication.

document how to do a thing with a sequence of images and instructions

write an article, news or otherwise

write math papers, CS etc, operate a local technical journal on a street corner

Chapter 6

Maps

6.1 Maps

Replication replication replication replication replication replication replication replication

replication replication replication replication replication replication

maps are designed for maximum replication of themselves, ease of sharing by text and copy paste. Ease of building apps to use and edit. And they are created to maximize the Geometron user's ability to replicate other technology.

figures:

map editor

Maps are a format in Trash Robot/Geometron which

are a generalized meme. They represent an ordered list of objects, each of which has a position in a rectangular area on the screen. Each element in the ordered array has an x and y position and width all normalized to the size of the square area, as well as an angle in degrees. The other properties each element has are a url for an image if they're an image, HTML text for both if they are not an image and for alt text if they are, and a link destination which can be either a url or a map or scroll link inside the geometron system. Maps can link to scrolls as well as other maps. Also, each element has a Boolean variable "maplinkmode" which is false if it is just a normal HTML link and true if it is a map or scroll link. Maps are all stored in the "`maps/`" sub-directory of each Trash Robot/Geometron instance. They are in JSON format.

Scrolls are all stored in the `scrolls/` directory. Links inside the Geometron system are identified as to whether they are scolls or maps by the full name of the file. For instance one would link to this scroll from anywhere in the system using the name "scrolls/maps" as the destination of either a link in a map element which has maplinkmode set to "true" or in a hyperlink in the markdown format of the Scroll.

Maps are defined with the JavaScript library "mapfactory.js" which is in the "jscode" directory at `jscode/mapfactory.js`.

Maps are created in Javascript by for example in a DIV element called "mainmap" with following code:

Maps are edited using the program `mapeditor.html`. Click on all the things at random to figure out how to use that program. Save often. Copy/paste JSON code from the text area to share maps across the Internet or privately with other users. You can email JSON code, store it, copy it etc, and anyone can import it with a paste into their Geometron instance and save it locally on their server. This generalized meme format replaces both meme making software and PowerPoint as well as a large number of HTML frameworks and formats. It allows for a generalized system for encoding information on an image, which can be critical to documenting self-replicating physical technology. The three pillars of all Geometron/Trash Robot software are the Map, the Scroll, and the Symbols which are created with the Geometron language. This "symbol" is generalized to include those made in all physical media, so that includes things like lab-on-chip fluidic circuits, hybrid upcycled electronic circuits, laser cut shapes etc. Once Geometron is used to encode all human language and all symbols and also all technology, it can drive the hardware which displays maps and scrolls. When all of this lives on fully upcycled hardware, the system if fully metabolized and we can build self-replicating technology that does not have any mining, money, or property, the ultimate goal of Trash Magic.

Deletion

Maps are deleted with `mapdelete.html`. Just click "delete" to delete. Be careful, there is no backup. Also on public servers this might break, as do all file creation and editing functions from time to time. It will work instantly on a Raspbery Pi Terminal.

Replication

When you create a new map, run `dnagenerator.php`, and the next time the whole tree is replicated that map will come along for the ride. To replicate a specific map, find the URL of that map and use copy.php. The syntax is

The "from" url can be anywhere on the Open Web or anywhere visible on the local network. For example, pastebin.com or a raw code link on Github

Map editor Icon Meanings

Go through in detail how to use the editor. Describe the specifications to build a better editor, plead with developers reading the book to write a better one.

Examples

Use cases.

annotated screen shot or image of geographic map. Example of location places on a photo of a tourist map with a DC subway exit map. Example of a screen shot from openstreetmaps.org

Location of a physical object in a photograph of a place, with link to file, page, scroll or map

navigation: simple links to other documents on the local Geometron system as well as to Geometron apps like feeds or symbol programs, and also links to other web pages.

Linking from a global page to a local terminal and vice versa, with photographs of the terminal uploaded to the terminal.

memes. Just regular old memes, but with edit capability and the ability to share

graph theory diagrams using geometron symbols combined with text, use of math via MathJax js library.

more generalized replacement for PowerPoint or Keynote, but free and open and readily replicated. Give example of replicating the whole deck of maps from one server to another using the standard code replication workflow, separate from replication of the whole system.

labels on a physical object to document that object. Labels can be links to further documentation of the object, which themselves have further zoomed in detail photographs of the object. Detailed, hyperlinked fractal documentation of physical objects can really help replicate those objects, which is what our whole system is for.

Geometric memes showing how geometric symbols fit over objects in the environment, connecting physical things to geometric abstractions like the pentagon or hexagon.

conclusions

Summary of use: all our media is designed for free replication. This means that it's easy to find a thing, easy to copy it, and easy to share it. Maps help us to locate things in physical space to share by annotating geographic maps as well as photos of places. They help us replicate technology by rapidly and freely creating documents of details of the object, with links to further documentation of finer and finer elements of the thing until all parts are sufficiently documented to enable replication. By replicating the pitch deck functionality of PowerPoint we further facilitate replication by helping people to communicate stories behind what we do, helping to convince people why they should replicate. Finally, the ability to make memes easily which can be edited and remixed we build a more dynamic social media based on memes than is possible with bitmapped graphics. This enables open brands to become virulent, getting more and more people invested in seeing our projects succeed and again furthering replication.

Chapter 7

Feeds

home

7.1 Feeds

A Feed is a sequence of elements. The elements don't have geometric structure like a Map. They can be text, links, symbols, or any other kind of media. They are generally stored in the "data" directory as JSON format files which end with ".txt" so that they can be read by humans in a browser.

The Feed is a general framework for building formats, but in the basic Trash Robot server we implement a few versions.

Global Image Feed

This is an array of image urls. This is a key component of how Icon Tokens are made. We often start by doing an image search on the Web for some symbol, logo, image, or icon. We then right click the image and "copy image location" to the clipboard. Then we drop the url in the input in the global image feed to add it to the feed. Click the red "x" to delete the image. Image feeds can be exported from the text area, copied, and pasted into the same window of any other Trash Robot, imported and used anywhere on the Network. Since this data is just text it can be sent via text message or email so that feeds can be privately shared. The local image feed is stored at `data/imagefeed.txt`

We can make global image links in this Feed by uploading images to www.imgur.com, then right clicking the image to get the url and putting that url in the image feed. This method is used to document much of the Trash Robot system or for general rapid information sharing.

local image feed must also be added, both of these linked to all the different places they are used, with description of how they are used in other apps.

Link Feed

This is a feed of "links" in a general sense which can be images, links, or just text. They are edited using the "operator screen", which should be in the link feed itself, and can be found at `linkfeededitor.html`. Each element has three fields: "href", "src", and "text", which are the url the link points to, the image if there is one, and the text. The data are stored on each Trash Robot at `data/linkfeed.txt`. As with the image feed, the whole feed can be copied, pasted, imported and exported using a text area, but in this case it is on the editor screen not the feed display. The input is used to put in urls of other link feed files. These can be anywhere on the Web. This can be used to make anonymous pastebin links which are link feeds which can display on any local Trash Robot without ever posting to a global server, for private exchange of link feeds. f ## Text Feed

The Text Feed is used for a number of Trash Robot applications. In spite of its name, it is not just a feed of text, but consists of three feeds(arrays): "text", "src" and "href". These really are what they sound like, three feeds in one. Users can add links, add images, add text, or delete any of them, and can copy and paste and share and import feeds. Text feed has a number of functions in the Trash Robot/Geometron system. It is used for the Map Editor as a source of links, images, and text which do not need to be entered in a keyboard. It is also used in

the Poetry Engine and Duality. These are documented with the poetry engine scroll and duality scroll.

Chaos Feed

Chaos Feed is a user friendly text feed. Type in the input to post. Hit red "x" to delete. Nuke the feed with the explode emoji. Reload with the arrow loop emoji. HTML works, so you can manually enter html for links and images, allowing a link out to be added. Chaos Feed can be set to be the top level of a Trash Robot Server for text feed sharing mayhem and fun. Chaos feeds are stored at `data/chaosfeed.txt`.

Icon Feed

This is a critical feed for the overall system work flow, as it is how we share the Token Icons which are printed into clay. See the workflow map for links to the elements of the process by which these are made. Here again is where the copying, pasting, importing and exporting of feeds is very important. Users can create a whole feed of icons locally on a private server, then send that via private message to other users anywhere in the world, who can then edit on their own private servers, without any data ever leaking to the public Internet, while still having no users and no databases on each individual server.

Symbol Feed

This is not really a feed in the strict sense above, but it behaves like a feed in the user interface. Every time a symbol is saved using `symbol.html` an SVG and PNG file are both created, and these are saved in a directory called `symbolfeed/`. These can be saved locally and then used for anything. The pairs of files are also used when programming the Dremel laser cutter to directly create laser cut acrylic geometry shapes. The SVG files alone, with different layers as different colors are used for the cut and etch layers when making laser cut shapes ordered from Ponoko.com. Clicking on an SVG file also loads it up into `symbol.html`, including the structural JSON information which sets styles and positions of the symbol.

Wall

The Wall is a feed of one element. It is just a text document, stored at `data/wall.txt`, which is edited and read by users. Type to edit. Delete to delete. There are no users, no databases and no logins. Just information freely shared.

Chapter 8

Symbols

Generalized symbols...

this is just an overview chapter of what GVM and hypercube and generalized symbols are, why we care, how they work, survey of the applications, separate from the various applications which all get their own chapters.

generalized symbol as a concept: pixels on screen, architecture, microfabrication, circuit fabrication, CNC, agricultural automation, biomedical automation,

GVM as an idea to address this maximally generalized symbol

Hypercube

detailed Hypercube structure, whole thing, possible extensions

Geometron is a geometric meta-langauge. That is it is a language for building geometric languages, which

is itself expressed entirely through geometry. The three main components of Geometron are the "Geometron Virtual Machine", or GVM, the Geometron Hypercube, and the Cursor.

The cursor is like a "turtle" in other geometry languages such as Logo, it is a collection of global geometric variable which can be acted on. These global variables might be the position of a cursor in an xy plane, of a cube in an xyz space, of a physical robot tool, or of any technology with geometry in it. The geometric actions discussed below are on this abstraction, which can also be thought as a "tool", which in some cases it literally is. However "tool" can be misleading since the state of the cursor is not simply a position but can include variables like "step size" which are abstract and not embodied in the physical state of a physical tool.

The GVM is an abstract "machine" of pure thought which carries out geometric actions. The actions of the GVM are arranged geometrically into two cubes(hence "hypercube") each composed of 8x8x8 cells. Each of these 512 cells has an address based on its geometric location. All addresses start with the number "0", and indexes count up from 0 rather than 1. One cube has addresses from 0 through 0777, and the other has addresses from 01000 through 01777. Each cell in the Hypercube represents either a geometric action or a list of addresses in the hypercube which the GVM will execute in order. The GVM is fed a "glyph" which is a sequence of Hyper-

cube addresses, and it executes the actions in the glyph in order. Some actions are therefore themselves glyphs, which in turn can be composed of sub-glyphs and so on. Infinite loops can easily be created this way.

The zero cube from 0 through 0777 is the "Action Cube", which represents actions themselves we wish to use the GVM for. Each action has a corresponding symbol in the symbol cube or 1 cube from 01000 through 01777, which is a glyph designed to communicate the meaning of the action to a human user.

The Action Cube is divided into layers, which organize the types of information into different categories.

0-07: left open for future use.

010-037: "root magic", or actions which act on the Hypercube itself or the document being used to interact with Geometron.

040-0176: Printable ASCII. These are used to either place a ASCII character on the Word Stack(to be printed using the action at 0365) or to identify the action taken when a key is struck on a keyboard connected to a GVM

0177: do nothing

0200-0217: Fixed shapes, glyphs composed of sequences of actions which are left alone for general use, not edited frequently

0220-0277: General shapes. Glyphs used to create geometric languages such as schematic symbols, graph theory arrows, cross stitch patterns, flow charts etc.

0300-0377: Primary two dimensional geometric actions used on computer screens. These are further broken down into the Action Tablet documented below.

0400-0477: Machine actions. These include manipulation of global machine variables such as step size or speed of movement. They will generally be machine specific although we will document the specific values for the Token Printer below. IN actual Arduino code these are generally mapped to ASCII, as is the set below.

0500-0577: Shapes made up of sequences of actions in the 0400-0477 space. These can also include the entire rest of the Hypercube, and allow for a combination of 2d, 3d, and mechanical actions, so that for instance a cutting tool path can be saved as a 2d image in addition to the direct control of the machine using Arduino.

0600-0677: Shapes made up of sequences of actions in the 0700-0777 space. These can be used to build whole complex languages of three dimensional shapes for 3d printing design as well as VR and AR.

0700-0777: 3d actions. These actions are used to construct three dimensional abstract geometry. Specifically in the Trash Robot Geometron system they are used to build .x3d and .stl files which can be used for VR and 3d printing respectively. Learn more from 3d scroll. Or just try out the system on `voxel.html`.

This arrangement then maps to symbols which have meaning to humans pointing to the actions. Note that for the ASCII values this maps to a font of the printable

ASCII, which can be in any human language. Building more complex human languages like the CJK characters or fractal Arabic calligraphy, we can add whole cubes to the Hypercube. The range of characters between 01040 and 01176 are called a "font".

The software presented here allows us to use Geometron to make computer files in either the vector graphics .svg format or the bitmap format .png of all sizes, styles and shapes, save them, edit them, replicate and share them. These can be used as icons, as symbols in Maps, as figures in Scrolls, as art, or as patterns which can be directly transferred to a laser cutter to create all the laser cut acrylic shapes which are used for the arts and crafts projects presented in this work.

In addition, the software presented here uses the same Hypercube and GVM to create, edit, and replicate 3d files which are saved in .stl for 3d printing or x3d for VR and AR or games.

Perhaps most importantly, however, the software presented here allows us to create generalized symbols using Geometron which use physical machines to make physical matter with the symbols we create in Geometron. Extending the system to more cubes in higher address spaces can allow for a totally generalized methodology for creating geometric languages for any kind of fabrication, media, display or design technology.

Symbols are created using `symbol.html`. One edits a glyph which is displayed in a canvas element on the screen

by either hitting keys which correspond to actions or soft keys on the screen. Another canvas element displays the sequence of symbols corresponding to the actions in the glyph. The arrow and delete keys are used for editing by keyboard, and there are equivalent symbols on the soft key menu.

Glyphs are stored in software as strings formed from sequences of numbers separated by commas. As you edit a glyph the string will change in an input. That string can be copied to the clip board and saved, emailed or text messaged to someone who can paste it in their own Geometron software to copy the symbol.

Actions of symbol.html

Learn to operate Geometron with the Hello Geometron Scroll

read a book ish document of an obsolete version of Geometron in the Book of Geometron here

8.1 Geometron

The purpose of science and technology is maximize the ability of the human mind to interact with our physical environment. As our society becomes increasingly technological, we find that our power in that society is based on our ability to control machines. As machines become increasingly complex, the groups of people able to control them become more and more specialized, and most

people lose more and more control with each new more complex generation of machines. In this work we seek to push back against this trend by building a language for the natural control of machines by people. The intent here is to build not just a language but a linguistic framework which can be used in many context on many technologies for *all* people to wield more control over *all* machines. By gearing the operation of the language directly toward industrial automation machines it is our intent to build a pathway for ordinary people across Humanity to have direct control of the means of industrial production at the local level.

Geometron is a language for humans to control machines using the natural structure of both machine operation and the human mind. We consider three structures to be fundamental to how our minds organize thought which are mirrored in machine operation. Those are:

1. Cataloging or listing of things. One of the most basic things we do when we organize information is make lists of things: the periodic table of elements, the alphabet, the organization of the base 10 number system, division of light into discrete colors, the system of organizing mailing addresses etc. This is a structure mirrored in how modern computers are constructed: information is stored based on an addresses. Addresses in a modern computer also often contain other addresses, direction the operation of

the machine from one point in memory to another. While arbitrarily complex and varied types of information can be stored at a memory address, it is useful in both machine architecture and human language to impose a structure which is universal across many specific elements. For instance, the mailing address format can point to a vast estate, a PO box, an individual, a corporation, etc. but it's useful to have all these under the one unified system of addressing. Another example of this is library call numbers, which map all of human knowledge to a simple string of numbers and letters.

2. Naming of things. Perhaps the most fundamental form of abstract human language is using a word to point to a thing. In particular the ability of the human mind to chain the naming process together is fundamental to human thought. For example, we use names to point to people, but also use the word "person" to point to each individual person. That is, words are used to point from any kind of thing to any other kind of thing. The naming process creates complex networks of relations between things which we use to build up our whole view of the world. As with the cataloging process, this function is mirrored in the architecture of our machines. The languages we use to program machines are constantly using pieces of information, called

variables, which represent some meaning separate from the name of that information. For instance, in commonly used web software to have something called a "shopping cart" which is an abstract thing pointing to a list of things a person plans to buy. In addition to information technology we consider the mappings which take place in machines where something like a pull on a steering wheel can map to a whole sequence of things, from a computer to power steering, to the many machines which respond in concert to such actions. This is not exactly naming, but has a similar structure, where things are mapped to other things.

3. Geometry. In this work we assume that certain types of geometry are fundamental to the structure of both human thought and to how all machines we build operate. Most of the structure of the language presented here is based on either considering geometry which feels natural to the human mind like "left" and "right" and geometry natural to the operation of a machine like "distance between plants" in an agricultural robot or distance between pixels in a display.

The Geometron language uses all three of these elements to construct a geometric meta-language: a language for building languages. The language consists of

geometric *actions* organized according to an addressing system called the Geometron Hypercube. Each action is represented by a symbol which is itself drawn using the actions of Geometron.

In order to build a language that is as natural as possible for people to understand we begin with what geometry we all consider natural and work from there to a specific implementation. The most basic geometric action we consider are movement by one unit in the basic directions "forward", "backward", "left" and "right". These words in human language have meanings which depend on context, and that is how they work in Geometron as well. "Go forward" is a universal message which can be expressed in any human language, and yet its precise meaning depends on several unspoken assumptions. There is an implied direction-state of the speaker or listener. There is also an implied angle from which "left" and "right" deviate from "forward", and an implied unit which one might move. For example if giving driving directions in a city on a grid, we might say "drive 10 blocks forward along the street you're on, turn right, and go 5 blocks, then left and one more block". By abstracting this language we can generalize to something like "10 units forward, 5 units right, 1 unit forward" and this can apply to paces walked, pixels on a screen, or trees in an orchard. That is, the idea of a grid of points which we navigate with simple lefts, rights, forwards, and backs, is a *universal* idea, which does not depend on special

technical knowledge, but which we can expect anyone to understand even without written or technical language. All this also implies that there is a position of the listener/speaker who is depicting this sequence of actions.

To summarize the previous paragraph, we pose that there is a geometric "state" which all humans understand how to manipulate. This state consists of position, orientation, a basic unit like "blocks", "feet", "steps", "football fields" etc, and an implied angle by which we turn(usually 90 degrees unless specified otherwise). We can then create symbols to represent the basic operations of movement of this state as follows:

- go forward 1 unit
- go back 1 unit
- go left 1 unit
- go right 1 unit
- rotate left
- rotate right

We construct symbols for these which get as close as possible to using a universal language which all people will recognize, in this case arrows. These symbols are then:

These symbols are intended to be as universal as possible, avoiding both the selection of a language like English to draw from as well as machine-specific or technical mathematical language. Each of these symbols is itself

made up of geometric actions which will be documented below: changing of scales, rotations by various angles, and natural geometric constructions such as circles, arcs, line segments, and paths of joined segments. We immediately see the power of building a language for creating symbols which is written in itself. Just as human languages contain dictionaries consisting entirely of definitions written in the language being documented, we can create a language of geometric actions built entirely of symbols using those actions.

This is the most fundamental power of the Geometron language: to make arbitrary symbols which can then be used to program all sorts of other more general machine operations. Once we have the ability to make arbitrary symbols, we can immediately use those to construct commands for operating any machine. For example, if we have a simple robot that simply consists of a stage that can be moved in two directions with a tool over the top of it, we can label one with a red arrow and one with a green arrow, select some basic movement unit, say 1/100th of the total span of the stage, and start writing programs by using a sequence of these arrow-motion actions. In this language, a program that moves left on the red direction, then out in the green direction and back might look like this:

This simple concept can be very powerful when combined with direct controls of a machine. A user who starts moving labelled levers to control a machine can immedi-

ately enter a sequence of actions based on the experience of operating that machine to automate a process. This is the level at which automation can be truly controlled by the people of the world, and is a necessary condition for people to ever control their own means of automation.

With the goal in mind of being able to build a universal symbolic language for controlling machines, we may now proceed to documenting how that language is constructed. To reference the introduction here, there are three tools we will use: assigning addresses to things, assigning symbols to actions(in essence a naming of things), and the use of universal geometry of Nature. When we speak of "actions" in Geometron it is useful to have some sort of object which is carrying out those actions. That object is called the "Geometron Virtual Machine", or GVM. Depending on context, the GVM might draw on a computer screen, control a robot, create 3d structures, control the function of buttons and keys, encode writing in human languages and edit the structure of Geoemtron itself. In all cases, each action has a symbol, which is itself just a sequence of actions. Each action has an address which is made up of three numbers, each of which can range from 0 to 7. Types of action are organized by the first of the three numbers(e.g. machine movements vs. 2d geometry vs. 3d actions etc.). This system divides actions up into tablets which have an 8x8 array of "boxes" each of which maps to some kind of geometric action. The 8x8 array is an aesthetically pleasing way to

organize information which pushes the bounds of what is comprehensible to look at for a person while also fitting the convenience of using powers of two for interaction with computers.

Each action address is matched by a symbol address which adds a "1" to the left of the address. All addresses start with a "0" to indicate the format as a Geometron address, and to indicate for computer code that this is a base 8 system. Thus for example if the action for "draw a circle" is at address 0341, the address 01341 will contain the sequence of actions which draws the symbol representing the drawing of a circle. This ability of Geometron to pivot meaning radically based on context mirrors the power of human language in contrast to most computer languages.

The structure of addresses has its own geometry. A stack of 8 tablets, each represented as an 8x8 array makes an 8x8x8 cube. We have two of these cubes, the "action cube" and the "symbol cube". Again while this might seem cumbersome and one can get lost in the details of the exact functions of addresses, this is intended to create large scale structures which anyone can understand: every action is a location in one of two cubes of 8x8x8 cells. Ever action in the symbol cube consists of a sequence of actions which create the symbol representing the matching action in the action cube. That is, each cell in the 8x8x8 symbol cube contains a sequence of addresses in the action cube.

The action cube is divided into different types of function. At this point the need to give the language enough specificity to actually function requires that we dive in in some depth to the exact functions used. The address ranges in the Action Cube are as follows:

- 00-037: Actions on the functioning of Geometron itself, such as moving a cursor, deleting a symbol, or clearing a symbol. Taken together these types of action are called "root magic".
- 040-0176: ASCII. These numbers correspond to the printable characters standard on computers in the English speaking world. ASCII stands for "American Standard Code for Information Interchange" and is a universally recognized way to encode English characters on computers. The contents of these addresses are used to map key functions on a keyboard to anything in the Geometron Hypercube. For instance the address representing the letter lowercase 'a' is 0141, and in the default configuration that contains the address for "move forward by one unit", which is 0330. So when a user strikes the 'a' key, that adds the action "move forward one unit" to the sequence being edited. The symbols corresponding to these locations in the Action Cube are then symbols of the printable characters, which represent a font. That is, for example, the address in the Symbol Cube corresponding to the

lowercase letter ‘a’ is 01141. In the address 01141 in the Symbol cube we will find a sequence of actions describing how to draw a lowercase letter ‘a’. This creates an immediate way to handle all human languages and keyboard mappings, as we can simply edit the contents of the Geometron Hypercube to both change key functions and change all the printable characters in a set of 95 from space bar to tilde.

- 0177: do nothing
- 0200-0277: Shapes. Each of these addresses contains a sequence of actions. That is, rather than computer code directly doing something, when one of these actions is triggered, it maps to a sequence of actions stored at that address. This can lead to infinite recursive loops, and it is useful to add functions that break infinite loops or avoid them. Formally, the sequences in this range can reference any address in the whole hypercube but by *convention* they are taken to generally be two dimensional constructions out of which symbols are constructed.

- 0300-0377: Symbol action geometry. This is the heart of what makes the whole system work. These are the actions which are used to create symbols in the various two dimensional computer formats: canvas, svg, png and base 64 encoded bitmap. In the implementation presented here each of these

addresses represents a function in JavaScript which can both edit a canvas element in HTML and edit a string which can be saved as an SVG file. This tablet will be documented in detail below.

- 0400-0477: Machine Actions. These can be used to control any machine, and generally consist of direct physical actions like "move robotic stage left one unit", or "turn on motor for one unit of time". In the implementation here they are either functions in Python which control the GPIO pins of a Raspberry Pi or are instructions to a GVM implemented in Arduino.

- 0500-0577: Shapes made up of machine actions. These are simply sequences of addresses anywhere in the Hypercube but by convention are all either machine actions in the 04xx range or other elements of this range itself.
- 600-0666: Shapes made up of 3d geometric actions. These are again just sequences of actions, by convention being in the range from 0700 to 0777 which are 3d constructions.
- 0700-0777: 3d geometric actions. These are used to edit 3d files or do 3d geometric actions. In the implementation presented here, what is edited are x3d files(formerly VRML) which are used for virtual reality and augmented reality, as well as constructions with the THREE.js library which can

export to .stl files for 3d printers.

As stated above, the heart of the system is the symbol constructions in the 03xx tablet. We now start with showing the whole tablet as follows:

These are broken up by category. The fourth row, the range from 0330 to 0337, are motions: move forward, back, left, and right, rotate left, rotate right, shrink and grow by the scale factor. The second row sets the scales: the factor by which a unit is grown or shrunk. By default this scale factor is two: grow actions double the unit, shrinks halve it. Other scales are 3, 5, the square root of two, the square root of three, and the Golden Ratio. Rotations to the left and right are by an amount set by the symmetries: fourfold symmetry is 90 degrees, five fold symmetry is 72 degrees, and six fold is 60 degrees.

These are all related! The diagonal of a square is the square root of two bigger than the side of the square, the diagonal of a hexagon used to make a six pointed star in it, is the square root of three bigger than each side of the hexagon. The diagonal of a pentagon which is used to make a five pointed star is the Golden Ratio bigger than the side of the pentagon. These relationships between simple symmetries and these ratios are fundamental to the structure of the Universe as we perceive it. Every culture in the world uses these fundamental symmetries for art and communication. By using these scales and movements we can move our virtual "cursor" to any di-

rection, with any angle, in any location at any scale. The third row sets styles. There are 8 styles, each of which has a fill color, line color and line width. By default these are black, thick black, then the rainbow colors in order: red, orange, yellow, green, blue, and purple. However, they can be set to any values. Final actions in relation to symmetries is halving angles, doubling them, trisecting angles and tripling angles. Between these and the angle 36 degrees it is possible to get any number of degrees down to the single degree.

With all this, we can proceed to the constructions. The most basic constructions are circles, dots, line segments, and arcs.

Also, bezier paths.

0365 word, vs. font with 01xxx, paths closed an open,

02xx: cursors, arrows, special scales, square,

products: laser cut shapes, icons, 3d assets for vr and ar, 3d print objects, clay fabrication with nail, generic 2.5 d printing, agricultural robots, electron beam lithography, quantum processor programming, specific fonts: laser cut, clay pixels

how robot code works with all this, examples

root magic: how to edit, how it works, very brief

hello geometron, very brief with link

how the system works with actual implementation, but very brief

examples: circuit diagrams, quantum gates

what this can do and why you should care These are broken up by category. The fourth row, the range from 0330 to 0337, are motions: move forward, back, left, and right, rotate left, rotate right, shrink and grow by the scale factor. The second row sets the scales: the factor by which a unit is grown or shrunk. By default this scale factor is two: grow actions double the unit, shrinks halve it. Other scales are 3, 5, the square root of two, the square root of three, and the Golden Ratio. Rotations to the left and right are by an amount set by the symmetries: fourfold symmetry is 90 degrees, five fold symmetry is 72 degrees, an

Chapter 9

2d Web Graphics

9.1 2d Web Symbols and Icons

Style

Each instance of the Geometron Virtual Machine has a style object, which defines 8 layers, numbered from 0 to 7. Each style has a line color, line width, and fill color. The properties of the style object are stored in the JSON file data/currentjson.txt which is used by the app symbol.html to edit graphics which are used by the rest of the Geometron system.

While the style app edits the data file currentjson.txt which applies to the whole Geometron object used for symbol editing, the importing and exporting of data for sharing with other users only includes style information,

Figure 9.1: cursor edits.

Figure 9.2: keyboard.

Figure 9.3: Movements. Arrows move along directions of the lines in the cursor. Rotation is by the unit indicated by the cursor wing angles. Scale actions are by the current scale value as shown by the dot positions on the cursor. Letters shown indicate the keys which map to these actions on a QWERTY keyboard with the default settings.

without the rest of the JSON data. This allows styles to be separated from the rest of the information for the purposes as usual of building a robust remix culture where Geometron users can constantly be sharing each piece of the system. The EXPORT button will always post the current style JSON in the window in the lower left of the screen. IMPORT will import the data, and RESET returns it to a default state. Try creating your own new style with unusual line widths and colors, then exporting

Figure 9.4: Angles described by symmetry glyphs. This also shows the actions to bisect, double, trisect and triple angles, and what keys are used to activate each geometric action.

it and saving it offline, sharing it with other users, etc.

Colors are in the format of HTML/CSS/JavaScript, and can be either names of colors like “red” or RGB color values like “#00ff00”. This last format is a number in base 16 which has three 2 digit numbers in it(numbers between 0 and 0xFF), where the three numbers are values of red, green, and then blue. So black is #000000 and white is #FFFFFF. Any value where all three numbers are the same, like #808080 will be a shade of grey. Colors can be partially transparent by adding a fourth hexidecimal number which represents opacity. So fully opaque red is #FF0000FF, and red with half transparency is FF000080(80 because 8 is half of 16, this is actually 128

Figure 9.5: Scales, along with keys used to map to them in default configuration. There is no relation between the numbers on the keys and the mathematics of the scales. The scales shown are, from left to right, the square root of 2, the Golden Ratio, the square root of 3, 2, 3, and 5.

in decimal).

Graphics Setup

The next section of the JSON we want to know how to edit in order to be able to make useful graphics is the setup, edited in the app setup.html. Setup edits five numbers, all of which are in units of pixels: x0, y0, unit, width and height. Width and height are the width and height of the graphics file currently being edited or created. When a Geometron glyph is drawn with a given GVM, it starts with x and y equal to x0 and y0. Set-

Figure 9.6: Basic drawing actions, along with keys used in default configuration to activate them. From left to right the actions are: draw dot, draw circle of unit radius, draw line segment of unit length, draw arc between cursor wings, draw a square, draw a filled square, draw a filled circle, and draw a line segment while moving forward one unit.

ting these two values is therefore effectively setting the horizontal and vertical offset of the field of view of the symbol. When we activate a pan function within the symbol.html app what we are really doing is modifying the values of x0 and y0 in the JSON file. These are done manually in this app. Finally, unit describes the initial unit value of the GVM. This is essentially the scale factor. So again when we activate the zoom functions in any other symbol editor what we are really doing is making changes to the variable unit in the global JSON file.

Figure 9.7: Layers. Each layer has a line color, line width, and fill color, all of which are set with the Style object using the Style editor app.

Figure 9.8: Path actions, with keys used to activate them in default state. From left to right, actions are: start path, draw line segment in path, close a filled path, close an unfilled path, and terminate a path without closing it.

Figure 9.9: Start a Bezier Path and terminate it with the y and u keys.

The app setup.html has five fields in which to enter the numbers for the five values. There is also a reset button to restore default, with a 600 by 600 pixel square and 80 pixel unit centered in the center.

The Shape Stack

The final section of the global JSON file which defines the settings of the symbol app is the shape stack. This is a subset of the hypercube, and is stored both in the JSON file data/hypercube.txt and also data/currentjson.txt. When vector graphics files are saved, this shape stack is stored inside them so that they can be reloaded with the whole stack.

Figure 9.10: Demonstrating the power of Geometron to make useful symbols with Bezier paths quickly and easily: a twiddle bracket.

Figure 9.11: Pan and zoom the field of view.

Figure 9.12: Drop a flag, return to flag.

Figure 9.13: The "hello world" of geometric programming, the Vesica Piscis.

Figure 9.14: Cursor scale.

Figure 9.15: Cursor angle.

Figure 9.16: Cursor square.

Figure 9.17: Cursor root2.

Figure 9.18: Cursor golden ratio.

Figure 9.19: Cursor root 3.

Figure 9.20: Cursor 3.

Figure 9.21: Cursor 5.

Figure 9.22: Screen shot of the style editor app at styleeditor.html. The display on the right hand side of the screen shows an unfilled circle and filled circle of each layer's style. The text area in the bottom left of the screen is used to import and export style data, which can be saved offline and shared with other users via text message, email, etc. The RESET button resets the style to a standard setting, which will erase any changes made to the existing style. Enter new values into any field to immediately change it.

Exchange of shape stacks. Manual retrieval from .svg files. uploaded svg files and click to load the whole json.

control panel

hypercube editor for manual direct control

font editor, font.html editing data/hypercube.txt

keyboard editor

symbol trace, saves to symbol feed, which can get loaded, links to globalimagefeed, localimagefeed

work flow with glyph strings, copy paste from all the inputs to all the inputs

laser cut designs

- hello world vesica piscis
- symbols, how they work with hypercube,
- editing, cursor, keyboards, control panels, modes
- symmetries and scales, different methods of geometron(AG)
- cursor,movements, basic constructions(segment, circle, arc, dot)
- layers, colors, lines, style json, working with styles, transparency in hex colors, finding colors
- bezier curves
- paths
- character stack
- fonts
- flags
- tracing symbols from images

- editing the hypercube and shape table, sharing them, import and export of hypercube, sharing of bytecode
- canvas,svg/png/base64 workflow, laser cut shapes production, practical graphics for manuscripts and web, iconsymbols, usage in jupyter notebooks, how the JSON embeds in the SVG, how the symbol feed works, how the setup of JSON works,
- control panels, softkey interfaces, writing geometron apps, how to replicate in other systems from scratch
- examples of using the GVM in JS, documentation of geometron.js, how to use just as a js library to build whatever you want, a list of things someone needs to build to make all this a lot better, how to do that

Chapter 10

Shapes and Fonts

10.1 shapes and fonts: examples

describe in detail in this section the work flow for shape stack and fonts, with sharing of fonts, import and export, use of tracer app to trace in fonts and symbols. Link to scrolls which have code to copy/paste of various fonts.

This section documents font.html, hypercube.html, shapestack.html, shapestacksymbols.html. How to use each one, workflow with each. Examples of each.

As with Trash Robot, this chapter does NOT need to document each thing, show each font, etc. This chapter describes the workflow, how to learn, how things work, but then points to a scroll included with each instance of the System which actually has the various examples

Figure 10.1: RLC circuit.

Figure 10.2: RC line circuit.

Figure 10.3: The Tree of Life from Jewish mysticism.

Figure 10.4: Symbol glyph spelling of Tree of Life. What makes things like this easy to make is building up building blocks like the cross pieces of all different scales, and the use of universal symmetries and scales(6 fold, 12 fold, and the square root of 3 and 2).

Figure 10.5: Molecular symbol for the steroid hormone estrogen. Note the characteristic hexagon-pentagon combination which is repeated throughout self-replicating chemical systems(life) as well as throughout the Geometron system/language.

linked. This scroll still needs to be written. All the numerous examples will go in the scroll! Scroll can have links to pastebins, so that it is minimal in size.

this chapter is only examples. the whole workflow and structure is in the previous chapter, including how to make a font, edit, share, examples of very elementary symbolic languages. This is just a gallery of examples

Figure 10.6: Symbolic spelling of the chemical symbol in the previous figure. This spelling is only possible because of constructing a symbolic language specific to drawing organic chemistry symbols.

with links to the actual files for users to copy/paste and use.

- editing shape stack, workflow, how to share, upload, download, send and store, same with fonts, connect to hypercube
- basic shapes built into 0200 thru 0217, how it's all connected to 01xxx

- pixel fonts
- laser cut fonts
- signal flag font
- general circuits
- quantum circuits
- organic chemistry diagrams
- graph theory, with digression into how to operate Maps with mathjax formatting for fully tex compatible graph theory figure creation
- quantum logic gates
- classical logic gates
- standardized icon design for geometron system
- katakana
- hebrew
- laser cut shape set shape stack
- laser cut ruler
- laser cut protractor
- tree of life from western occult practice
- penrose tiles, fun with golden ratio, fivefold symmetry
- cross stitch design

Chapter 11

Action Geometry

Action Geometry
- the idea
- the geometry, relation to geometron
- shapes and rulers, protractors, laser cutting
- methods of construction
- materials
- skeletron
- artbox
- pyramid

Chapter 12

Machine Control

12.1 Machine Control

democratization of machines

We should have as much control as possible of every machine we interact with and every machine which affects our lives and the lives of our communities. We currently live in a time where our ability to control our own machines is decreasing very rapidly, and it is the intent of this work to build technology which reverses this trend. For the last few hundred years, as machines have become more powerful and complex there has been a constant conflict between machines' ability to reduce labor and their ability to also increase the power and control of whoever controls the machines. In the early days of the

Industrial Revolution we started to see battle lines being drawn around the forces of mechanization which rage as hot today as they did then.

The basic conflict of the Industrial Revolution was between laborers who saw machines as replacing their role in society and those who saw the machines as having an overall benefit to society at large by producing more products faster and more efficiently. This conflict stemmed from the way we have structured labor and work during the time and place that these technologies came to power, namely the wage labor system. Under wage labor, the more "labor" someone does, the more money they get to survive. This creates an incentive for automation for the capitalist class, and create the opposite incentive in the laboring classes. Marxists took this structure for granted and argued that the laboring classes could liberate themselves through political control, but took the basic premise of "work" or "labor" for granted as ideas.

The time we find ourselves in today differs so vastly from that of the industrial revolution that we must pause and re-evaluate some assumptions. The most fundamental assumption of the time of the Industrial Revolution which we must dispose of is the need for a constant stream of mined materials and materials extracted from far away places. This element of industrial production is often hidden from the consumer but is far more fundamental than people often recognize. Every early industrialization process, involved some type of empire-

building over large land masses in order to build stable supply chains to maintain a flow of materials from mine to factory to consumer. The more deeply one studies industrialization the more clear this becomes. Some countries industrialized without building their own empires, but they did so by leveraging powerful trade relationships with existing empires. In all cases, the power of the physical network of raw materials was what made or broke the process.

But today the world we live in it materially different in this fundamental way: all the materials of a mechanized civilization are now readily available everywhere in the world, without exception. The global consumer industrial capitalist system has consumed the mineral wealth of the last 300 years of imperialism and industrialization remarkably evenly through the world by pushing the same consumer products everywhere, all of which form localized waste streams of highly processed materials.

Just take aluminum as one example. Aluminum is one of the most powerful tools we have ever discovered to create technology, with a very wide range of uses. However, before we can even shape it we have to reduce the bauxite ore, which is a very energy intensive process. I strongly recommend that the reader spend some time choosing random elements like aluminum or phosphate and learning where they come from. All the minerals we use take vast amounts of energy and complex mechani-

cal processes. And yet, all of them are now free! If we want to use aluminum in a technology today not only do we not have to reduce the ore to pure metal, we don't even have to machine it. We can find fully processed and coated aluminum shaped into already-useful shapes from beer cans to light poles. If we build our civilization on this waste stream, all the assumptions of politics and economics from the last 300 years of Western thought must be abandoned.

Today, we can build machines directly from the materials we find in our environment, without the need for a global supply chain we control. Even if the existing supply chains collapse, the existing cache of waste we find in our immediate environment should be sufficient to live technologically advanced lives. Therefore, under these new material conditions, machine control is direct, physical, and built into the design of the machine, rather than based on "power" in relation to large organizations like nation-states and corporations.

[all the above paragraphs should move to chapter 1, then just get referenced here as we dive into the following list of principles]

If our goal is to have the most control possible over our own lives in a technological society, we now aim to design that control directly into the machines. Democratization of this control(avoiding building a power elite of technology experts) then becomes a task of user interface design. If we look at the last few hundred years of build-

ing labor-saving machines, we find some good things and some bad things. In this work, I aim to create a framework for making those choices and for building technology which follows the principle that the more direct control the individual has over their technology the better, and will now delineate those principles.

Direct control before automation. This means every operation of a machine has a physical control which a user can use to directly control that operation. If a tool can be moved up, down, left, right, forward, and back, we will always have a controller which enables them to directly carry out that action without any further automation. This controller should be as physical as possible(rather than through software and touch screens). Unlike the automation discussed below, it will generally be as continuous as possible, allowing a user to directly move small or large distances with feedback being directly trough observation of the machine outside of any control technology.

Controllers are sized for humans. We want controllers which are as closely matched to how humans think, feel, and act as possible. This means things will be much bigger and more redundant than they need to be by the absolute minimal requirements of control. Buttons and levers will be as large as they have to to allow the absolute maximum range of human users to operate it without difficulty. We will not have defaults be small buttons and have a special case with large buttons, but

will always have buttons sized for people with limited sight or dexterity.

Controls should use geometry to be obvious. A lever next to a hoist should have pulling it up move the hoist up, and down be down. A pair of buttons should have the top one move up and bottom one move down. We also shape the controls to have geometric meaning as much as possible, for instance shaping a button as a physical arrow pointing in the direction of the motion it causes.

All actions should be convertible to automation. This means if we can use a controller to move a tool along some path, we can build a program which repeats that action with a single button press. Thus a controller will have, in addition to the direct controls, a "go" button which will initiate the automation program. The previous two principles dictate that this button be large, green, and round.

All automation actions can be stopped at any time. The big red "stop" button must also be universal. Pushing this button immediately stops the automating action. This is different from the "EPO" or Emergency Power Off button which can also be a good idea, which shuts down a machine completely. A stop button simply stops whatever action was initiated by the go button.

Discrete geometric actions of Geometron, using geometric symbols enable programming with no specialized technical knowledge. This is the heart

of where Geometron enables democratization of machine control. The idea of "move one unit to the right" is something humans can understand without any special training. The idea of making a symbol for that action which consists of an arrow or equivalent is also universal enough to require to special training and also eliminates the language barrier one gets from using word-based human language. These discrete motions sound limiting, but as with the earlier chapters of this work, if we allow for operations which change the unit of movement, we can make arbitrarily complex and precise motions built up from combinations of different units of movement.

Symbol hierarchy. Symbols are used describe action sequences which are built up to make more complex actions. So an action like "move right, lower drill press, raise drill press" can be condensed into "drill a hole", which has its own symbol, and then "drill a row of holes" has its own symbol, which is made up of a simple sequence of the "drill a hole" symbols. Those rows can be terminated with a "move back to start" action by chaining "move left" actions, along with a "move towards" action. When these are put together into a bigger sequence we can build up to a symbol which means "drill an array of holes", symbolized by just an array of dots in the standard Geometron convention of a square with symbols in it along with movement to the position of the next symbol.

Upcycled hardware. This is the principle used

throughout this work, but must be re-emphasized here because it is so important and because it is so easy for controllers. All we need is buttons and mechanical structure. The main body of controllers can be made from cardboard trash, as can all the surfaces touched by the user. Using simple geometry for all these parts allows them to be replicated effectively using social media without sending any files from user to user, just copying a geometric construction using simple shapes and symmetries. Buttons themselves can be found in any of numerous consumer waste products, often in fairly large number. An old stereo or printer can have dozens of buttons sometimes, and since the basic controllers we will build generally have about 8 buttons, this means one scavenged electronic junk item can yield multiple controllers in some cases. Ribbon cables and connectors can also be scavenged, but they are so cheap and easy to buy that for the time being buying them from consumer off the shelf sources can be more efficient.

Structure

The control of machines using Geometron follows the pattern of the rest of Geometron as documented in earlier parts of this manuscript. We assign addresses in the Action Cube in the Geometron Hypercube to geometric actions. These actions all have symbols in the Symbol Cube of the Geometron Hypercube. The Geometron Hyper-

Figure 12.1: An example controller showing all of the above design principles. Buttons are 1.5 inches on a side and raised up above the surface of the controller enough to be easy to feel. Their shape indicates their function, being triangles pointing in the directions of the actions. The go button is big and green, and the stop button is big and red. The whole thing is built from cardboard and duct tape, avoiding any use of circuit boards which require custom fabrication in a factory. The shapes of all components, from button cutouts to the top and bottom layers of large cardboard slabs are all designed using very simple geometric constructions using the laser cut acrylic shapes described elsewhere in this work. This geometric construction makes the whole artifact easy to replicate accurately without any contact with the physical thing to copy or any skill or knowledge in the relevant craft.

cube, as described earlier, is a pair of cubes, each with 8x8x8 = 512 cells. One cube represents actions, and one cube represents symbols. Each cell in each cube contains a sequence of addresses which describe either a geometric action or a symbol of an action. Layers of the action cube are divided up by what kind of action they represent.

Actions which represent direct control of machines are assigned to the addresses in layer 4 of the Action Cube. All addresses in the Geometron Hypercube begin with a zero to indicate that they are in a range from 0 to 7(base 8). The addresses representing machine actions are of the form 04xy, where xy are numbers from 0 to 7. Most of this set of actions is empty in the version of Geometron presented here, leaving a large space open for future development, potentially adding vast complexity if that is useful. The way actions in the 04xy block are performed varies by the specifics of what hardware is used. Design of symbols and programs can be carried out entirely in a Web browser using the main system of Geometron. No hardware control is needed at all to design these systems. It can be totally self-contained in the browser, building up custom languages of symbols in the Symbol Cube of the Hypercube in the address space defined by 014xy, where x and y are the same coordinates between 0 and 7 as in the Action Cube. Again, sequences of addresses form glyphs which are just text which can be copied and pasted and shared instantly throughout the global network by private text message or public text file sharing

and replication as described in the code chapter.

Actions representing combinations of basic actions, like the "drill an array of holes" action mentioned above are put in the

2 and a half d printing and the Trash Robot icon token printer

The wall robot

Microfabrication and Nanofabrication

While we can use Geometron and Trash Robot control of electron beam lithography for all sorts of technology, as with the rest of the system our initial goal is simply to be able to print symbols and make self-replicating media. One simple way to do that is to just program a "write pixel" action which is un-blanking the beam for a fixed amount of time, putting that in the pixel-write actions in the Hypercube at 0500 through 0503, along with xy control and printing identical symbols of pixels to the rest of the Trash Robot system. To make this self-replicating we want to not just print a symbol on a substrate, but to make stamps which can be used to *replicate* symbols from prints from the lithography system. Ideally, as with the clay tokens documented in the last chapter of this work, an initial print can be used to make many stamps which in turn are used to make many of the final print.

Figure 12.2: A probe move over a sample in either the x or z direction, and the sample moves along the y axis. Repeated poking of the sample prints dots a simple but very versatile tool.

Figure 12.3: Basic geometric actions of machine control for an arbitrary machine that moves along three perpendicular axes.

Figure 12.4: Dot actions from which symbols are constructed.

While a fully demonstration of this technology is beyond the scope of the present manuscript, I believe this can be done relatively easily using spot size of about 1 micron, etching in polished brass wafers, using a negative resist. Blasting the resist with extremely high doses of beam should be sufficient to reverse the effect of standard PMMA from a positive to a negative resist, making an etch process possible with just a single coat of

Figure 12.5: Block diagram of Trash Robot printer. The motion stages are salvaged from DVD or CD ROM drives. The motor drivers are off the shelf from Pololu Robotics. The Arduino is the Arduino UNO, and the whole system including the motors gets power from the USB connected to a computer. The computer can be used to interact with a Geoemtron server over the local network or on the global Internet to create programs which are copy/pasted into the Arduino IDE as described in the Trash Robot chapter.

Figure 12.6: A hoist run along a rail going across the edge of a roof of a building can make a simple robot which can move to anywhere along the wall.

Figure 12.7: Block diagram of electron beam lithography Geometron robot. The Arduino here drives three analog to digital converters. Again the user can design a program for the beam path in a web browser using any computer, which can then also control and power the Arduino and its accessories. In this case the controller only needs one huge green go button and one huge red stop button.

thick PMMA spun on polished brass. Printing in brassh should enable replication by imprinting patterns in soft materials in the brass. Also, it should be possible to cast materials into the brass which can then act as stamps after they cure in other soft materials.

With pixel size of 1 micron, a typical symbol could be smaller than 100 microns. Or a 1 cm area could have 100x100 = 10,000 symbols printed! There is plenty of room to store quite a lot of information on a 1 cm chip this way, including simple human readable text, QR codes to links, images, symbols, and Geometron byte-code. In raw data density, 1 micron pixels on a 1 cm square amounts to 10,000 pixels on a side or 100,000,000 pixels, theoretically 100 megabytes. With a lot of empty space and error correction, this should easily be 1 megabyte, and if it's in high relief brass, it should be possible to replicate that information many times without any further use of advanced technology. If the brass wafer makes many stamps which themselves make many copies, we can hope that in theory a *very* large number of copies are made for each original.

Chapter 13

Geometron in 3d and Beyond

13.1 Geometron in 3d and Beyond

Structure, Definitions and Formats

As discussed in the section on Geometron structure, there is a layer of the Geometron Hypercube devoted to 3d geometric actions in software(as opposed to machine control). These actions are assigned the addresses between 0700 and 0777(base 8). For each action, there is a two-dimensional Geometron symbol with addresses equal to the actions, but with a 1 before them, ranging from 01700

Figure 13.1: Actions. This is a minimalistic action set. More complex actions are added based on specialized applications.

through 01777(base 8). As with the rest of Geometron, a user can edit a glyph which is made up of a sequence of geometric actions using an interface based on manipulating the symbols which represent those actions in a Web browser.

While it is possible to use the full grid of all 64 actions to create extremely complex three dimensional constructions, for the purpose of this work we restrict ourselves to a few basic actions. As with all other parts of Geometron we use the fact that discrete motions along the available geometric directions combined with halving and doubling of the unit of movement is sufficient to move a cursor to any place in space. We therefore have as our basic actions 6 discrete movements along three axes, the halving and doubling of the unit of motion, and the construction of a sphere and a cube, along with actions to select colors.

The addresses in the Hypercube from 0600 through 0677 represent "shapes" in three dimensional Geometron, which also have two dimensional Geometron symbols in the range from 01600 to 01677. These can be used to build up arbitrarily complex objects with layers of structural hierarchy. As an example of how useful this is, we will show how we can build up a universal rectangular base on which to print symbols.

In Geometron we are always concerned with making useful files which can lead to either physical production or have some function in operating the overall system.

Figure 13.2: shapebuilding1.

Figure 13.3: shapebuilding2.

We also want to be able to replicate symbols created in other parts of the system in the three dimensional spaces we create using the software. To see what is useful for this, we have to discuss some of the formats and tools available for three dimensional graphics in Web browsers and in everyday use.

The most basic way to render three dimensional graphics, and the oldest is to use the current updated version of what used to be called VRML, or Virtual Reality Markup Language. This was the original format back in the 1990's when people were first talking about a new way to exist on the Internet with ubiquitous virtual reality. This new web never materialized. Also, VRML was replaced by a newer more widely used format, called x3d, which is a subset of XML, just like HTML.

The most general three dimensional Geometron app is called voxel.html. A "voxel" is the three dimensional extension of the idea of a "pixel", and this software can be used to quickly draw three dimensional objects in the browser using either softkeys or a special keyboard mapping specifically for 3d. The way voxel.html works, much like most Geometron apps is that it edits in real time the value of a file stored in the Geometron server at data/glyph3d.txt. This glyph is a string consisting of a sequence of base 8 numbers separated by commas as usual in Geometron. Also, as usual, as we edit a glyph the text input with the glyph code is updated live. We can always copy and paste any glyph from any instance of

Geometron to any other. So if you are making a glyph in your local private server and send a private text message to another user with the text in the glyph input copied, they can paste that into the private server on their network and instantly replicate your glyph in their system. The way the app voxel.html works is that it has a local function in the HTML code which acts on the Geometron Hypercube by manipulating global geometric variables x, y and z, and constructing shapes in an x3d object. The specification of x3d contains basic geometry primitives such as cube and sphere, as well as transformations like translation and scale operations.

All of this work is carried out using the x3dom JavaScript library x3dom.js. This is documented at www.x3dom.org. This library allows for creation of x3d objects in an HTML file using DOM(Document Object Model) JavaScript commands. As the JavaScript code alters the x3d object, however, it creates actual human readable code which can be copied into a separate x3d file. This is done with the "save" button which copies the x3d code into another html file wrapped in a header and footer to make it render in a browser, called three.html. Every time a user hits the "save" button the old version of three.html is destroyed and replaced with a new version with whatever the current status of the 3d object is in voxel.html. The source code of three.html can be copy/pasted as a x3d object which can be embedded in any type of VR system which uses that format. This can be used to create games and

virtual reality or augmented reality applications based on Geometron.

Another method for creating 3d graphics in the Web is the use of WebGL, a cross-browser graphics framework, via the JavaScript library Three.js. This fantastically powerful and well-documented library is another free open source library with publicly available CDNs for easy use. For more details see the home page of the project at threejs.org. The Geometron app threejs.html opens the same glyph file edited by voxel.html and renders it using three.js. This passive program serves two purposes. First of all, it implements the whole basic Geometron Hypercube using the three.js library, which can form a jumping off point for developers reading this to create more interesting applications such as games or other dynamic user interfaces. But its more immediate utility is the three.js library's ability to export to the .stl format. This format turns 3d surfaces into meshes of triangles, and is the universal language used by 3d printer software. Thus the ability to export from a Geometron glyph to .stl allows us to 3d print objects we create in Geometron. This adds yet another physical layer to the types of media which we can exchange using Geometron code. When a user loads the page threejs.html it automatically saves another file called data/three.stl, which a user can download by right clicking on the link, and can then share that .stl file with anyone with a 3d printer to print it out. That .stl file can also be opened with a lot

of 3d editing software and integrated into other projects, allowing the Geometron user to make icons which other people can integrate into other physical designs for 3d printers or even CNC and/or injection molding. Note that the .stl files can get very large, and above a certain size the Geometron software will fail to save, as there is a limit to the size we can pass via the POST command in PHP. We leave this limit in place to keep the system working with modest sized files. This limit often makes spheres problematic and we replace them with cubes when we want to 3d print.

The app shapes3d.html allows users to edit Geometron glyphs stored in addresses from 0600 through 0607 in the Geometron Hypercube using the same editor style as in voxel.html. Up and down arrows cycle through the addresses. As a user edits the glyphs in each address, the global value of the hypercube stored at data/hypercube.txt is edited in real time. Each action sequence glyph in the range 0600 through 0607 has a corresponding symbol glyph made of 2d Geometron actions in the address range from 01600 through 01607. These are edited in a similar manner to other Geometron Hypercube stacks using the app shapes3dsymbols.html, which is linked from shapes3d.html.

As an example of using this method of building up actions to make shapes which are built up into more complex shapes, we will create a simple castle object. This starts with constructing a single tower made up of cubes

Figure 13.4: Turret construction.

of decreasing size(see figure). We can then repeat this turret and move repeatedly to build up a square wall to make a sort of castle, the Castle of Whimsy(see figures).

Tool trajectories can be turned into 3d files.

Icons and Trash Robot

We will now explore how the system described above is combined with the overall power of Trash Robot and Geometron to build symbols which link to the rest of the system here. The whole system of creating symbols for sharing in Trash Robot is based on pixel movements

Figure 13.5: whimsycastlespelling.

Figure 13.6: castle 3d.

stored in addresses 0500, 0501, 0502, and 0503. These elements as previously documented both draw pixels on a screen in a canvas element(or SVG) and also control the motors in any of a number of robotic systems which prints in any of various materials. We now add yet another sequence of actions to these: movement with the drawing of a cube as a pixel(also known as a "voxel"). As with the robot control, We further add 3d geometry actions to the movement commands 0504 through 0507, so that we have the ability to move the 3d cursor around either with or without drawing a voxel. If we combine this with creating a base tablet in the form of a large array of cubes in a plane, we can create either 3d web assets

for VR, AR and other 3d web graphics and also can create 3d printable objects to share, all from the same robot code used in the rest of the Trash Robot system. Just as we have an app for choosing an icon from the Trash Robot icon feed to print in the Trash Robot two and a half D printer, we have an app called icon3d.html which has a listing of all the Trash Robot icons, and when one is selected it loads up a 3d object with the icon printed in cubic voxels on the surface of a 8x8x1 rectangular solid. As in voxel.html, clicking on the "save" button will save the file to three.html, and loading the page threejs.html will resave the value of three.stl, overwriting the old version, for download and 3d printing. This system means that we can freely share feeds of icon glyphs which can be physically shared by 3d printing in addition to all the other methods of sharing.

3d printed parts can be used to stamp the symbol into soft objects, or used to make molds used to cast pourable objects with the icon in them. Simple modification of the values of the hypercube to reverse the sign of the x direction can create a mirror image in the 3d object, which can be useful if we wish to create a stamp which when imprinted into soft objects directly prints the icon without having to create another negative. Thus we can use 3d printing and basic Geometron operations to create copies of freely shared icons in any of a vast potential universe of materials both hard and soft. We can store feeds of icons in Geometron Trash Robot code in globally

accessible text files, and link to those text files on pages on Geometron server domains which we link to in URLS printed directly on 3d printed parts. This makes the whole system self-replicating. A user can pass you a 3d printed part which has an icon on it which directs the user to a domain name which hosts a site which links to a feed which has a list of icons all of which can be replicated in another 3d printer just by clicking on them. This represents a decentralized network of free sharing of physical objects imprinted with icons which represent arbitrary things(see the ontology chapter for details on the implications of this).

Rotations and Higher Dimensions

As with every part of Geoemetron, we are only scratching the surface in this work of what can be done with these methods as we add actions to the Geometron Hypercube. Of the available 64 actions in the Hypercube reserved for 3d geometric actions we have so far only used 18. Any type of discrete geometric action can be added. In particular, rotations of rigid bodies is a deep field of mathematics which we have so far ignored. So far we have only moved our geometric axes around along the x, y and z axes or scaled them all together. We can add non-uniform scaling to make a much wider range of objects, and discrete rotations to create different orientations of objects. We can also add a larger range of

Figure 13.7: robot0500.

Figure 13.8: trashrobot3d.png

geometric primitives, such as cylinders, cones, and other custom, manually-constructed polyhedra.

Discrete rotations can be a huge enabler of applications for Geometron. By constructing spheres, moving along a radius vector, rotating, and moving, we can build up three dimensional models of molecules. These molecules can then be simulated by recasting problems of how they fold in terms of angular rotations of the Geometron glyph used to construct them. Sequences of chained discrete rotations can also be used to describe state vectors in the Hilbert space spanned by the qubits in a quantum processor. An alternative way to think

about quantum computing can therefore be constructed in which instead of programming bit states, we use Geometron to express states in terms entirely of rotation angles, and all gate control pulses can then be thought of as further discrete rotation operations. If we map both states and dynamic operations in a quantum computer to Geometron glyphs, and also map problems of quantum chemistry(e.g. protein folding) into the same language, is seems at least plausible that such mapping could yield useful results in attempting to solve protein folding problems using the so-called NISQ(Noisy Intermediate Scale Quantum) systems which are presently available. Also direct mapping between geometric operations in graphics displayed in a web browser and states or operations on a quantum processor admits the possibility of a very simple and powerful real time user interface for development of quantum algorithms, again on existing NISQ devices. Such software could be easily created on top of the software frameworks currently under development by several parties.

Figure 13.9: angles.

Chapter 14

Full Stack Geometron

14.1 Full Stack Geometron

- end goals
- hybrid fabrication technology
- clockless operation, hardware GVM
- image stack, hardware map processing
- roctal, storage hardware, scaling, read/write/operate
- large projections in Skeletron booths, Geometron station, fully immersive VR/AR at 2 meter scale

Goals

Our end goal is an information technology which has zero mined materials. Every material input in the creation of any technology in our system should come from either a

waste stream or from the living world in a closed loop(e.g. naturally harvested sticks and tree sap, goose guano).

Our initial goal has been to rely on the most open and lowest cost off the shelf hardware possible, which right now is the Raspberry Pi. As the system expands we will want more and more ways to fully wipe hard drives and sim cards and replace them with Raspberry-Pi-like systems running some form of Linux, with web servers installed with PHP running the same sofwtware. That will be the next step after the Pi phase. But after that we will try to break up the system into modular parts which can be scavenged from more and more destroyed electronics.

We see this as a continuous transition where in the beginning we are just running an app on an existing phone, then we wipe the phones and run our own OS, and then we start taking screens, batteries, and other components out and mixing and matching them. It is in this mixing and matching where the next phase of development will happen.

As this mix-and-match upcycled Linux system evolves, the Trash Robot will in parallel evolve more elaborate ways to fabricate electrical connections at the millimeter scale. This will eventually lead to more and more complex circuits being built up from scratch, connecting various upcycled components at the individual level(a single resistor, capacitor or MOSFET for instance). When these circuits can be fully integrated in three dimensions

into collections of upcycled components, and when we have some degree of automation in this process, we can start to say we have a fully upcycled system, but it will still be the same software stack, with Geometron running on PHP, Apache, and Linux.

This hybrid interconnect technology can be based on immersion of circuits in an electrolyte solution with a robotic probe which applies current to deposit metal, as well as techniques where the robot probe is modifying clay, and a series of clay fabrication steps are carried out in layers just as conventional micro-lithography adds layers.

In parallel to all of this we need to be developing battery technology using aluminum from beverage cans with carbon from charcoal made from organic material like burned dung. We also need energy production based on ultra small scale generation using found materials. So our goal will be to find a reliable waste stream like fans from broken computers, turn that into a generator of electricity which can run on very small scale water or wind at the level of from 100's of watts down to single digits of watts. Using the aluminum air cycle with organic waste and beer cans from the trash it should be possible to have a zero-mine closed loop energy production and storage system at the level of IT platforms. Building IT infrastructure as a shared resource in some local public place which stays fixed in a location removes the severe demands currently placed on battery technology for net-

worked devices which have to fit in a pocket. If servers also serve as the information terminal, with a giant screen for all passerby to see, a battery could be a 6 foot high stack and it would have no real impact on usability. This relaxed restriction combined with using waste aluminum cans and locally sourced burned dung should make aluminum air cycle batteries practical in a way they have not been traditionally.

Another technology which has to be developed as part of the Trash Robot road map is printing in permanent materials at the micron or sub micron scale for long term information storage. This has to be developed in parallel with readout technology which uses upcycled camera chips from trashed smart phones as sensors in our hybrid fabrication technology which can read the information back out.

Developing our own information storage system is also a part of a much more radical shift in information technology, where we abandon the whole operating system and build hardware for direct Geometron-based document processing. To do this, we re-adjust what a machine does. The only goal of our machine is to freely share documents over a network. When a machine is not operating something mechanical like the Trash Robot, all it does is display pixels on the screen. Those pixels only change if a user engages with the system. We therefore totally replace the model of a Turing machine doing arithmetic on ones and zeros with a model which

just uses the Geometron Virtual Machine to draw vector graphics in the screen pixels(this can include all text in all human languages, which can all be drawn using Geometron fonts) and a system for displaying bitmaps in geometric positions as described in the Geometron Map format. To do this, we will need an image stack, a memory system which records an array of bitmaps of images, and a Geometron Virtual Machine. We will also need a network of switches, where user interaction with keyboards, pointers, buttons etc. can trigger behavior like scrolling or editing a scroll, zooming on a map, drawing a symbol, or clicking on a link which goes to some other file.

All this does not need a constantly running clock. This is one of the biggest differences between traditional computers and a full stack Geometron machine. When there is no user interaction it simply does nothing. It doesn't just have minimal operating system services running in the background, it doesn't even have a clock. No aspect of the system changes state in any way. It is just a collection of pixels getting enough power to stay in whatever state they are in, until the user engages, and then it only changes state in direct response to each user interaction.

The data we store in the system can be either short term or long term. Short term data can be stored in a modularized memory unit based on easily found memory chips from trashed phones, but with standardized

interconnects added by the Trash Robot fab technology so that they can be easily plugged in and replaced after they are upcycled into our system. Long term memory is designed to be *very* long term. We can use scaled down versions of the Trash Robot clay printer presented here to print in clay at a much smaller scale. As with the larger clay symbol tokens, this can also be self-replicating, as the depressions in the clay can again be used to stamp out inverse images which can be used to make more. So with no automation or IT at all someone with no tools or even electricity should be able to clone data storage media.

The format for long term storage is in arrays of squares or dots which are either in a 1 or zero state, filled in or empty. If possible, the data all have redundancy, with Arabic numerals written along with each Geometron bytecode byte, as well as in some cases an actual print of the symbol being represented, and alignment marks for that individual byte. This redundancy and alignment mark system should make the data maximally robust against decay and future technological limitations, as if it were absolutely necessary, the

Chapter 15

Ontology

15.1 Ontology

1. the branch of metaphysics dealing with the nature of being.
2. a set of concepts and categories in a subject area or domain that shows their properties and the relations between them.

The purpose of our whole structure of knowledge is to create a civilization in which technology freely replicates. We will choose terminology and methodology entirely based on this criterion. The breaking down of things into sets composed of elements which are themselves things is based on this. We always choose that which maximizes the probability of replication and the

freeness of the thing being replicated. To this end, how do we define a "thing"? Topology of replication, meaning the connection in space and time between people, actions, places, materials, energy, information and other things which are required to replicate the thing. Set structure of replication, meaning the way we break the thing down into elements and those elements into sets with more elements to maximize the ability of the human mind to understand how to replicate the thing. And geometry, the specific geometric constructions that make up the physical replication of the thing. To create a Geometron Thing is to build whatever media we need to create and document the topology, set structure, and geometry required for replication.

We consider things in the most abstract sense. From things we create sets, which are also things. This section is a more formal mathematical treatment of the material in the "magic" chapter. It is more technical than that chapter, and does not reference magic, but does reference our specific implementation.

This is where the Theory of Self replicating sets is described. We point to the failures of the project of set theory in the 20th century, how it was a dead end, and how we can navigate out of the dead end by placing the mathematicians ourselves in the sets we describe. The whole failure of the old models of self replicating machines(perhaps this gets moved back to organic media chapter).

set notation, departure from ZF-C paradigm. New way of dealing with foundations of mathematics: the mathematician is part of the sets considered. And we continue this through the whole construction of math.

Foundational math in the paradigm of the 20th century was from ZF-C set theory to arthmetic, to algebra, to geometry, etc. . . but the whole edifice is based on sets which follow axioms, but those sets do not contain their makers. We create a foundation of mathematics in which the creators of the math are always in their own calculations, starting at the primitive level of what an "object" is and what a set of objects is. We consider not only ourselves to be elements of the sets in our universe, but every aspect of ourselves, our communities, our minds, and our ecosystems. For example, looping back to SRS, the desire to replicate a set is part of the set. A set might be

{ - powerpoint slide about self replicating sets - the desire to tell people about self replicating sets - the persuasiveness to induce others to desire to tell people about SRS - the means to replicate the powerpoint to the next user(e.g. posted on slideshare) }

From these sets we construct geometry which is used to make generalized symbols, which are used to make all the things in our technological complete set, which is again a part of our new approach to interacting with abstract sets.

Random notes:

unlike normal set theory, sets can be elements of each other(we call it "element", not "subset", to erase the distintion between set and some hypothetical non-set thing)

The structure of sets, the elements we choose to describe a set, are completely determined by what will be the most useful for replicating the set, for a human operator.

example Things:
The Terminal
The Geometron Terminal
The Pyramids
Audion
ArtBox
Trash Robot Icon Printer
Skeletron
laser cut shape set
laser cut ruler
custom laser cut shapes and stencils

15.2 On Self-Replicating Sets

1. Computer Science and the Theory of Self-Replication

Throughout the history of modern computing machines, people have contemplated the idea self-replicating machines. At the dawn of the information age, John Von

Neumann in particular devoted thought to the subject, creating a blueprint that people continue to use both for understanding hypothetical self replicating machines and for understanding the architecture of existing computing machines. At the same time, Alan Turing developed a similar toy model for how generalized computing machines work, which is taught in basic computer science classes to this day. We will not delve very deeply into these models, but will instead present a very crude sketch of them in order to discuss the assumptions made by computer scientists in the models they build to understand their world.

The Turing model of a computer consists of an infinite tape of 1's and 0's along with a machine to both read and change the state of the numbers in the tape. The string of numbers describes instructions for the machine, which follows those instructions by moving the tape back and forth and changing numbers from one state to another. Turing was able to show that this toy model of an abstract computing machine could be proven mathematically to be equivalent to any other abstract toy model of any other kind of computer, including the complex machines built today(hence the continued use of this model in teaching and scholarship). This is considered to be one of the most important results in theoretical computer science.

Before discussing this model's limitations we must say a word about the nature of scientific models. When we

investigate a thing using the scientific method we have in principle the entirety of science knowledge to call on, built up from a vast number of models in different fields and sub-fields. For example, if we are presented with a rock to analyze, a physicist might ignore everything but the crystal structure of some prominent material in the rock and bring the modern understanding of crystals to bear on it. The micro-biologist will only be interested in the aspects of the rock that interact with the organisms on the surface, while the ecologist will be interested in that but primarily how the rock regulates the flow of water through the ecosystem of which it is a part. As scientists we may agree that models of surface chemistry for microbes, models of how atoms arrange in crystals, and how water flows through rocky soil are all "good science", but in any given context the model we choose to focus on depends on that context.

It is our assertion that while the model of Turing and his contemporaries is not wrong, that it is deeply misleading because in most cases it does not describe the most relevant aspects of the machines we call "computers". Computers do, of course, compute. That computation is described by the mathematics of computation. They also create heat, described by thermodynamics, and are we therefore to call them heaters? They keep time with extremely fast clocks, do we simply call them clocks? No. But what actually are they? What is the model for a modern computer which is most useful when trying to

understand them? In this era, in the year 2020, the most useful model for a computer is the one that describes how they have totally changed all aspects of global society in a relatively short time. For this we must expand the models available, and in particular we must focus on a specific shortcoming not just of mid-20th century computer scientists, but of most scientists in the "modern" era, namely our refusal to put ourselves and the societies of which we are a part into the systems which we study. In some abstract sense, one can argue that we put ourselves into the models with the role of the observer in quantum mechanics for instance. But we do not put the role of something like university politics into the models, even though these forces clearly influence the science we use and hence the conclusions we draw. It is the assertion of this paper that this blindness has become so critical in the understanding of computers as to be wrong in a way that has real world consequences.

So what is the problem with a Turing machine? If we look at it naively as a physical thing, not as a mathematical toy, we see a number of things that are not realistic, such as the infinite tape and the lack of any meaningful human readable input or output. But these are typical of useful scientific models: while the tape is understood to never be really infinite, the results you can get from the machine with "such a large memory that it doesn't matter" and infinite mostly don't matter, so our toy model still works. But the critical flaw of the machine which

gives us an incorrect understanding of how computers function in society is that it has no origin, no purpose, and no destiny. Who built this machine? Why? How long can it run before it breaks? What happens when it breaks? When it ceases to function, what replaces it and why?

We now live in a world where a large fraction of the computing machines that exist live on a trajectory from a mine to a landfill of less than 2 years. During this brief journey from mine to landfill, they are mostly used for communication, and much of that communication is marketing information the primary purpose of which is to lead to further consumption of similar machines. That is, *in their current state* the *primary* action of these machines is rapid replication.

This is the reason we must shift the *primary* scientific model of computing machines from the Turing model to a more biological understanding. If we seek to study a new species of life that is taking over an ecosystem rapidly, we will always try to focus on the models that allow us to understand that phenomenon because it is what affects outcome. If a farmer asked us to evaluate a new crop blight and we came back with a deep study of how carbon chemistry works because all life contains carbon they would be very disappointed in the results even if they are technically correct. Likewise if we are to deal with the explosive changes to our physical world caused by computing machines we must focus on the means of

replication. We will give an analysis of these means in the next section. However before doing that we must turn to the history of self-replication as an idea in mainstream computer science.

There are two main intellectual threads in this story: cellular automata and self-replicating robots. Interestingly, it is the former of these that actually have a vast experimental component and the latter which is entirely theoretical. Cellular automata are in some sense a generalization of the Turing model: they are sets of rules for multidimensional(usually 2 dimensional) grids of numbers, generally 1's and 0's, which follow some set of rules. These systems are simulated on real computers, and as time advances in a program we can see fascinating patterns of what appear to be naturally oscillating structures moving around in a visual display of dots on a two dimensional canvas. If the rules are created correctly, these structures can be made to replicate themselves. The literature on cellular automata is vast and complex and continues to be a very active field. Nonetheless, it suffers the same flaw as the Turing model: it exists in a vacuum, with an assumed infinite time, and no reason to exist(at least this reason is not part of the theoretical framework used to describe them), no origin and no ultimate destiny when it breaks. There is beautiful pure math to be found in these systems, but no illumination of how computers function as machines that copy themselves.

The second thread of self-replicating machines is the

study of theoretical "robots that build robots". This has attracted some truly wild speculation. What is generally imagined is a totally automated system without human intervention in which a computer controls robots that mine minerals which are used to build both more computers and more robots. This is then imagined to be so self-contained that it can be used to expand out into the universe outside of Earth, eventually consuming all things into this vast, automated, technical ecosystem which does not need any living thing to grow. Technologists have imagined these systems, then promised that they can be a fantastical utopia of free things, but also warned that they can destroy the world by consuming everything in site. For decades, theorists have written very detailed descriptions of such systems, delving into metallurgy, synthetic chemistry and the like to try to prove that such a thing can be built. Most recently, the work of K. Eric Drexler and Ralph Merkle in the 1990s pointed to a system like this built from precise positioning of atoms in matter–essentially treating physical matter as just another Turing machine. These theorists constructed very detailed imaginary worlds where atomically precise machines manipulate atoms to both compute and create, replicating themselves on a global scale. Perhaps their day will come at some future time and such machines will be built, but right now these models are of no help in understanding technology as we find it today. The rest of this paper is devoted to developing both a theory

of self replication in modern technological society and in actually *using* this theory, just as the pioneers of modern computer science used Turing's model early on, to build new things based on the new model.

2. Self-Replication in Human society

First, a word on self-replication in biological systems that exist outside of human society. "Natural" biological organisms never replicate themselves in a vacuum. On Earth as we find it today, all living systems replicate as part of larger ecosystems, and the parameters of those ecosystems are *fundamental* to the overall replication. No animal can live long enough to reproduce without a constant flow of oxygen from plants needed for respiration. Conversely plants need the carbon dioxide we produce in order to live long enough to replicate. No one would dispute that a tree is a self-replicating thing, and yet trees only replicate in collaboration with a large number of other organisms, generally other plants, fungi, animals, all working in concert to make the overall forest system replicate itself, of which the trees are only a part. What we find in spite of this, however, is that scientists outside of biology put much more restrictive rules on self-replication, saying a thing does not "really" replicate itself if it replicates as part of a larger system. Hence the flaw in computer models: if humans replicate machines, those machines are not called "self-replicating" because

for the overly restrictive definition of the "self" of the machine they do not spontaneously replicate. But this type of isolated spontaneous replication does not exists in nature even for purely biological systems, so applying it to systems outside of biology will give results that are at odds with how the biological world works. Again, we must distinguish between models that are "right" and models that describe the primary characteristic of a system under study.

In the pre-industrial societies, *all* technology is self-replicating. Historically, people make technology using the materials found in their environment, generally from other organisms like trees(wood) and animals(bone) or found objects of which there is a plentiful supply. People then reproduce and teach the system of constructing such technology to the next generation, along with enough understanding of that technology that the young can in turn pass along the information when they age and are passing it along to yet another generation. This type of self-replicating technological system can exist in stable dynamic equilibrium with existing ecosystems. Trees can grow, be converted to boats to hunt in, which lead to cooking technology to cook the animals killed in the hunt, and trees and game animals can then re-grow as future generations replicate their technology.

If we take this broader view of self-replication we don't even need to restrict ourselves to humans to see self-replicating technology. The beaver dam self-replicates

quite easily and indeed before the rise of modern society one can imagine the dam itself as a self-replicating entity which uses the beaver as a vector, but which transforms the landscape vastly in excess of what one might imagine possible for a single small animal. To make sense of a landscape transformed by beavers it does not make sense to either study just beavers or just dams, we much consider the self-replicating set of dam-and-beaver as a single system. The same is true with human technology.

Moving into the very early reaches of our history as we learn it today based on written records, the next self-replicating systems are religions and empires. A religious text is perhaps one of the best prototypes for self-replicating technology which can shed light on the current state of affairs. Religious texts such as the Torah or the Koran describe both a world view which gives people a "why" to what they do which includes the replication of that text. They also include the description of "how" to replicate the text, building up complex structures of education which teach the next generation of humans what they need to know to keep replicating the next down through the generations. The other main replicating structure is that of the military bureaucratic empire. An empire replicates by expanding to incorporate more and more people into the actions of further replication. This is generally done by force, which can keep growing by taking more land for more mining resources and also more people to continue to gain power to continue to ex-

pand, consuming other systems and turning them all into that one central imperial system.

The entirety of human written history can be looked at through the lens of these self-replicating systems, where the means of replication is the primary descriptor of the systems. The history of what used to be called "Christiandom" can be seen entirely through this light. The Torah was replicated by Jews for thousands of years, and was limited in its replication by Jews' only replicating it to other Jews, so the growth was limited by the biological reproduction of the people who did the replication. Then, when Christianity appeared, the same text was suddenly being replicated by the people of one of the vastest military empires every built, Rome. Ultimately this replication consumed Rome and became the Holy Roman Empire which among other things was a vast replication machine for the scripture. Then, due to technological advancements, it became possible to replicate that scripture mechanically in bulk with the printing press, and we see another explosion of change in that world where the press and how it replicated religious scripture caused some very radical change. As Western capitalism developed, the King James version of the Bible, printed in bulk on mechanical presses defined the beliefs of the military empires that then went on to conquer the globe(singling out the British Empire, followed by the American as the most powerful of the lot). Nothing in our world today makes any sense without this story of evolving self-replication.

So now this brings us at last to the discussion at hand: self-replication in regards to modern computer technology. How do computers replicate? Just as an analysis of beaver dam replication requires understanding the trees from which sticks are harvested and the rivers which feed the beaver ponds, this analysis must include externalities that are ignored by theorists, such as investors and marketing. Modern computers exist as creations of a combination of mass market consumerism, venture capital investment, and government research and development mostly focused on the military. Every company that makes computer hardware and software today is the creation of a very specific process whereby an entrepreneur pitches a company to investors, who in turn pitch their fund to larger institutional funds like pensions. After they get funding, they grow using a very specific type of worker, the modern tech worker fully indoctrinated in a certain culture. That growth is made possible by a system of mass media that transmits the information to consume the products to the masses outside of "tech". Those masses of people both put money into the products of this creation process and also put investment capital into the financial system that funds the venture capital that creates all this. Nominally all this is enabled by the "money" system which used to be based entirely on mining of minerals, but is now based on some complex system of faith more loosely based on mining. The computer systems which out-evolve their competi-

tors are the ones that replicate the fastest. They are the ones that convince people to consume more and faster, and put more money and time into the system. The venture capitalist David Horowitz has explicitly said that in the future they are building everyone will either be forced to obey the media on these systems or will become one of the people building them. And indeed this is the logic of the self-replicating machine. People like David Horowitz have to exist in order for the machines to out-replicate other machines.

This picture presented here is of course a vast oversimplification and the product of a fairly brief and superficial analysis. It is not the purpose of this paper to create a full model of replication of modern "tech", but rather to convince the reader that *such a model is needed*, in the hopes that people will develop more accurate models that we can use to try to gain some control over this system and ultimately over our lives.

In summary, the simplest model for computers that I think we should consider now is not that of the Turing machine but of the advertising machine which exists for the sole purpose of convincing people to consume more advertising machines. This might take the form of presenting PowerPoint to investors, using computers to train the workforce to build the technology, or spreading an article in the tech press about some new technology, but in most cases it is just direct advertising to the consumer. But in all cases the primary characteristic which

determines form is replication. This is why evolution of machines has favored more and more of the machine being screen, with the highest possible pixel density and color contrast, rather than maximal computation power. Pixels are what sell pixels.

We must also distinguish between viral replication and independent replication, although the line is blurry. Viral replication assumes a fixed system in which the information replicates. For instance, information can replicate itself within a commercial social media platform like Facebook or Twitter just as influenza can replicate in a host human, but this does not replicate the *system*. The means of replication of a system such as Facebook is in fact not replication of content, but the whole system including venture capital, technical labor, media to sell it, the legal framework to enforce the power of the company, etc. It is this full system replication that we are concerned with here, not the replication of information within such systems, known colloquially as "memes".

3. The *Potential* Power of the Open Web for Self-Replication

What is the Web? The Web is not the Internet. The Internet is a network that connects almost all computers in the world, both physically and with some software protocols. This network traces its origins to the network

of military and academic(but military-funded) computers that emerged from ARPA back before the modern commercial Internet, going back to the end of the 1960s. The Internet can in principle be used to exchange any information and treats information in the same abstract sense as in the models of theoretical computer science discussed above.

The World Wide Web was initially the creation of one person: Tim Berners Lee. It was initially created as a directory for the large science institution Lee worked for(CERN). The Web works beautifully on the Internet and the Internet is what made it huge, but it is not the same thing. The Web is a system for encoding information for and by humans to communicate with other humans. It includes human readable code designed to create universal documents which link to each other and can contain images of all kinds and text in all languages, creating a sort of universal document in a universal language in which all of humanity can communicate. While the modern Web is commercialized and increasingly not open to all users by default, this is a choice we have made that can be un-made. In principle any computer *can* be both a web server and a web browser. If we call the "open web" the collection of all web files which are openly viewable to anyone connected to the Network, the open web can in theory physically grow to include every computer in existence using the existing physical telecommunications network.

Let us now estimate the size of this potential Open Web network. We suppose that given the multiple billions of smart phones, laptops, servers in server farms, embedded systems, supercomputers, etc., that the total number of potential web servers is of order 100 per person. We then round human world population up to 10 billion, and estimate that there are 1 trillion total potential servers on the Open Web. Given that even a modest cell phone has a few gigabytes, but many servers and deep storage computers have terabytes, we can round up a little and say the average server can host 10 gigabytes of data. If a file like this one(this paper, the one you are reading rightnow) is 100 kilobytes to 1 megabyte, let's round to 1 meg and say there are 10,000 documents like this one(they could in theory all be math papers) for each server. So the total number of documents per person is 1,000,000. But we as a society *share* these documents, so in some sense what we all have is not 1 million but 1 million times 10 billion or 10 quadrillion documents(10,000,000,000,000,000). The informational universe in which we construct this new mathematics consists of this network of 10 quadrillion linked documents.

This universe of information exists on web servers which can in general be made to run code that edits and replicates the documents. Thus *every* document in this universe of information can self-replicate and be edited in situ. If this is all on the Open Web with code that can be edited by anyone on the Web, all users can constantly

edit all documents, so potentially we have 10 billion people all simultaneously editing 10 quadrillion files all of which are able to instantly self-replicate from any node on the Network to any other Node. This vast network effect can create power in the same what that billions of brain cells with massive interconnection, creating a document of greater power than any that has ever been possible before. The power of such an open system will be so vast that it will make no sense to have any private data. Without any property on the Open Web, things can replicate freely, and the increased value will be so great that it will consume private property online. This evolution will be physical as the value to the physical caretaker of a physical web server becomes greater to participate in the Open Web than to keep it in the commercial web. Note that if we try to simply write down the number of ways that these documents can point to each other to self-replicate, since each document can replicate from *any* other document in the collection of documents(and any number can replicate from any one other document), the number of ways they can be structured is the number of documents to the power of itself. This is 10 to the 16 to the power of 10 to the 16. 10 to the power of a few hundred is already exceeding the number of estimated protons in the known universe. So one can make similar arguments about this system as people make in regards to quantum computation systems: we can even for a very small network build something that is totally impossible

to simulate on a classical computer.

The power of a fully self-replicating and evolving Open Web on this scale is that documents can describe the replication of *physical* things, and the replication of the documents can include replication of the things. If things we use in our lives are replicated rather than purchased or mined, it changes the basic assumptions about what value is. Note that like "set", "thing" is used in a maximally general sense to include things like "a feeling of awe at the largeness of a tree" or "the tendency of cats with white fur to cause a change in the appearance of black clothing". The word "thing" is used here as a placeholder for *anything* which human language can be made to describe or point to.

In order to build these documents we must first define the idea of what exactly a self-replicating document is, and how it fits into more general concepts of self-replication. To that end we will take an excursion into the math known as set theory, which is the next section of this paper.

4. Self Replicating Sets/Documents

Motivation and definitions

Set theory, is the mathematical study of sets. Sets are simply "collections of objects". The idea of a set as a collection of "objects" considers the idea of the "ob-

ject" at a level of generality perhaps shocking to non-mathematicians. "Object" here can mean *anything*. Mathematicians generally mean by "any object" any object which a mathematician might talk about. However in principle it can be anything that anyone might talk about(as we seek to generalize these ideas beyond mathematics). For the purpose of this work we well define a generalized object to be anything which human language can possibly describe. Any word, symbol, or collection of words or symbols which point to something–that something is an "object". And a "set" is just a collection of such general objects.

The notion of a generalized object is familiar to modern computer programmers who use the idea of "object oriented programming" to create generalized objects which are used to build linguistic handles in human language on computer programs. Thus a modern programmer might define something abstract like "shopping-cart" for an e-commerce website, and then that object will have properties like "list of objects" and "total price". We choose to take the path taken by foundational mathematics and have our basic concept from which all other concepts will be built be the collection of objects(which are themselves objects) be the fundamental idea.

In order to understand the motivation of this work it is necessary to trace very briefly the history of set theory. Through the end of the 19th and beginning of the 20th century there was a vast effort by some of the

most brilliant mathematicians in the world to construct a universal mathematical theory base on the theory of sets and symbolic logic. Axioms were proposed, used to prove things, argued about, and re-written. The goal was to base *all of mathematics* on the axioms of set theory, and to go from there to a universal system of truth in which statements may all be proven to be true or false.

People like Bertrand Russel pointed out that such systems can create paradoxes that make it impossible to create a self-consistent system of logic/truth/math. This paradox can be summarized by considering the "list of lists that do not list themselves". The list defined here is a list of lists. Is this list on itself? If it is, it cannot be by the definition of itself. If it is not, it must be by the same reason. In spite of having publicly stated this paradox, Russel and his co-author Alfred North Whitehead wrote what is now considered a seminal work in mathematics *Principia Mathematica*(not to be confused with a book by Isaac Newton of almost the same name), which attempted to create such a universal basis of mathematics. While the achievements of 20th century set theory, logic and analysis are fantastic and useful, they ultimately failed in their goals, and this was proven mathematically by Kurt Goedel in 1931.

In the post-Goedel world we should take for granted that no universal logical construction can be built which defines truth and falsehood without contradiction. Goedel's proof presented a fork in the road intellectually. We could

have used this as the sign to go back through mathematics, accept contradiction as part of life, and build a math based on desired outcomes. In some sense this is what society did by mostly ignoring the work of most post-war mathematics(with some very narrow exceptions like number theory for cryptography). While professional mathematicians took the opposite fork, building increasingly complex systems based on each other, where a vast tower of ideas linked by formal logic built up from the axiomatic set theory of the early 1900s to create a bridge to nowhere. The sole purpose of most mathematical concepts and theory today are to advance the career of working mathematicians. We forget, both outside and inside mathematics, that people used to believe ideas in math actually *mattered*. We also forget that mathematics has for thousands of years been one of the most powerful tools the human mind has for understanding and interacting with our world, and indeed mathematicians have traditionally played a central role in the largest power structures throughout history.

Having proved that a universal truth machine cannot exist, we may now abandon the project of early 20th century mathematicians such as Russel and Whitehead and proceed to reconstruct axioms of set theory based on a *desired outcome*. This system will not be judged on its ability to prove theorems, eliminate logical contradictions, or get tenure for math professors. It will be judged *only* on its ability to improve the human condition. It

is time, finally, after almost a full century, to inherit the true legacy of Goedel.

Right now all of humanity is locked into one giant self-replicating set which has as elements all of industrial society. The purpose of this work is to create a set theory which enables people to construct sets which create the maximum amount of human freedom. To that end, we seek to make sets have elements that are defined as generally as possible and also which always have the *desires* of the creator of the set as an element. When we move forward replicating these sets in the new society we build, each act of replication involves also replicating this desire. We therefore only replicate that which transmits a desire that we consent to and agree with for some reason.

Let us make some statements here about the sets we want to define. We define self-replicating sets as sets which contain as elements the means to replicate themselves. We also state that since our goal is to create the objects of our desire with our mathematics that whatever that desire or intent will always also be an element of the set. We maintain the tradition of both formal set theory and object notation on computer science and define sets in writing by listing elements separated by commas and contained in "curly braces" "{" and "}".

We also state that in general the sets we will construct will have a primary element, the replication of which is the purpose of the set. There might be many other elements and subsets which are needed for replication, but

the *primary element* is defined as the element the replication of which represents the *primary intent of the creator of the set*. We thus make the human will, desire, or intent a fundamental element of our entire set theory. To distinguish our set theory from that of mathematics as it exists today we coin the term "set magic" to be the theory of sets which contain both the desires of the creator of the set and the means to replicate the entire set. This is loosely based off of the quasi-secular use of the word "magic" from both chaos magic and Thelema magick to indicate the attempt to impose the human will on the world we find around us.

Thus a way to express the most general possible self-replicating set from our newly defined set magic is:

```
set = {
    desire,
    object of desire,
    means to replicate this entire set
 }
```

Note also that in order for the whole set to replicate, the desire of the creator must also replicate. This is what in our existing system is called "marketing" and "sales". Without first convincing another mind to share our desire for replication, it will not happen. The power of the open web is thus not just about replicating documents but replicating the desire to replicate documents–in mod-

ern parlance, just marketing. The commercial web has proven excellent at this, and the open web has the potential to vastly improve on that.

We further state from the outset that all self-replicating sets have externalities. These will be elements or subsets of elements which draw on the resources outside any given "closed" system in order to replicate. Thus rather than attempting to build a conceptually closed system and then finding that it is not closed as did earlier set theorists, we accept that we are building a less formal construction that will always have an externality and that we must describe what this is in order to properly define a set. The number of degrees of freedom of this externality is what limits the overall degrees of freedom of a system. For example, if an element of a set is "text reading system" that can be on any of many different technologies. Whereas if something has an externality "lithium ion polymer batteries", the entire system is reliant on that one technology and any threats to large scale extraction of lithium from the Earth are threats to the whole system. We thus seek to constantly struggle to improve on the externalities, with the ultimate goal for them to be in equilibrium with the living Earth.

A self-replicating document is an example of a self-replicating set(a "document" is just a collection of symbols, hence a set whose elements are symbols). This document is created as itself a self-replicating document according to the prototype we propose for the whole sys-

tem. We now set forth to define the set which is this paper in theoretical terms, then to describe all the subsets which together make for a self-replicating set which can be evolved into other self-replicating sets. We now proceed to formally define the set which is this document.

This Set

The prototype self-replicating set we define in this paper is itself this paper, and is formally defined as follows:

```
On Self Replicating Sets[This Paper] = {
    The desire of the author to describe self-replicating set
    A description of self-replicating sets,
    The means to replicate this set
}
```

The first of these will always be a part of the system of sets we are constructing here: desire. All sets are defined with an element which maintains the desire of the author/creator/artist, and this is maintained as sets replicate to ensure that sets only replicate with the intent/consent of someone. Furthermore, we separate the thing being replicated from the means to replicate it. Elements are generally themselves sets which are broken down into more finely defined elements. This paper is part of the "description", but what formally is "this paper"? We seek to define it as a set, or a collection of ele-

ments contained in “description of self-replicating sets”. This includes the following elements:

```
Description = {
    narrative structure,
    definitions,
    digital text document,
    pdf document
}
```

Now again we break off the replication methods from the thing being replicated. Replication is to happen on the Open Web. That is, it must have self-contained and self-replicating code that can copy itself from any web server to any other, and be edited after being copied, then copied again from the new instance so that the information is totally decentralized and evolves naturally as it’s copied and edited. We also need this document to include instructions in human language(English in this particular instance) on how to replicate the whole system, by either buying a domain and setting up paid web hosting or building a physically local web server to server the files. This document will contain that information. Furthermore, the replicator set must include the other media that are used to replicate the whole set, including content on commercial social media.

```
Replication = {
```

```
    code replication,
    server replication,
    pdf replication,
    in-person pitches and classes and discussions,
    media: email, post cards, posters, signs, commercial soci
}
```

Code and replication of code

The elements of the self-replicating code that can propagate this document across the Open web are as follows:

- replicator.php
- dna.txt
- filesaver.php
- fileloader.php
- `README.md`
- editor.php
- `index.html`
- `pageeditor.html`
- dnagenerator.php
- text2php.php

All of this code can be edited using the program `editor.php` which runs on any server that has php installed(most web servers). The file dna.txt represents this list of files, which replicator.php uses to fetch them and copy them to a new server(see below). README is

the text of this document itself, and the name of that file is set by the standards used on Github so that by default any self-replicating document that's put up on Github has its content readable immediately. The format of the README file is by default Markdown. The save and load scripts are required to edit files on the server, and pageeditor is the page that uses these files to edit the main manuscript README.md. All php files are stored as .txt files so that they can be readable and easily accessed from the open web. The program text2php.php copies all the files in the php directory to the main web directory and changes the file extension from .txt to .php so that they can run. The file editor.php edits the copies in the /php directory, and then running text2php makes those programs executable.

Server replication

In order for replication to take place from server to server we need the ability to "colonize" new web servers with this code. This is done in any of several ways. Right now the main way is to buy a domain(usually about 10 dollars for the first year), pay for web hosting(5-20 dollars per month), then put the replicator program on the new server and run it. The second method used is to put a web server on a Raspberry Pi, a computer that can be bought for as little as 35 dollars and fit in a pocket which is excellent for serving web files over a local network.

This allows for a grey area open web that is open to anyone on a local wifi network, and can see the rest of the Open Web but cannot be accessed by users outside that wifi network. In either case, the replication of the server consists of placing the file "replicator.php" in the main web directory of the new server, then pointing a web browser to [your new servers web address]/replicator.php. This will then cause the program to run, copying the rest of the system and linking to the main page which will display the newly replicated document.

The technical details of this process must be described briefly here in order for this document to truly self-replicate. We recommend buying a domain and getting shared hosting on dreamhost because they have proven to work with this code and are affordable and not a scam. One can also use any of several free web hosting options, including 000webhost. In both cases you will find a file editor screen(this can be a little frustrating to find but always exists) which will allow you to create new files and edit them. Use this to create the file replicator.php and copy the code from here into it, save it and close it. On the Raspberry Pi, replication starts by making a new flash card with the operating system on it. One must then install the web server and php language using this set of instructions. After that one can move to the main web directory, copy all the files, change permissions, delete the existing page, and run the replicator:

```
cd /var/www/html
sudo rm index.html
sudo curl -o replicator.php https://raw.githubuserconten
php replicator.php
sudo chmod -R 0777 *
hostname -I
```

Once the whole thing has been copied, to have the *next* copy be a copy of this copy and not its predecessor, use the code editor to edit the file replicator.php so that it points to the global url for the dna on your new page, not the previous one. This is done manually for now. So if you do not do it, the next copy will be not of the new document but of its predecessor. Note also that once this system is installed anyone can run any code on your server, so no private or personal data of any kind should ever share a server with this system. This system assumes that no private data exists unless it's on a physically isolated wifi network, and it must remain separate from the private Internet(especially anything with e-commerce, as stealing financial data would be trivial if that is ever done).

Another good practice as one works with files on the open web is that since we must assume all files might be deleted at any time, but we want the current copy to remain readable not just by us but by all users on the Network, we constantly back up text to free and open but non-editable paste sites like pastebin.com. To

fork the whole code, one can edit on a live Open Web server, back up to a pastebin, and copy. But one can also create a github repository, copy the code locally to your hard drive, edit it on there, run dnagenerator.php to make a new dna file, then point your replicator to your github repository so that many copies can be made without the original being corrupted(using a hybrid between the password-protected space of Github and the Open Web which copies files from there). Note that while one can use any code editor for editing the local copy, we can keep a consistent system with the Open Web servers by running php -S localhost:8000 at the command line(I assume people who fork the code in this way know what this means) and connecting a browser to http://localhost:8000 to edit *in situ*.

Pdf document

As useful as the Open Web is, it is also useful to have documents in a traditional format which is compatible with physical paper printers to make copies we can carry outside of digital readers. To do this we have several options. We can print from the browser(which will look bad), we can convert to Microsoft Word which will corrupt the file and also look bad, or we can use the LaTeX system which will look great but take more work. For this initial instance we focus on the LaTeX version. As this document replicates and evolves hopefully more

skilled users than the initial author will make smoother systems for conversion but right now a combination of the Haskell library "pandoc" and manual editing of the output file are the easiest way to convert from markdown to LaTeX. A document produced in this way is included in the replicator of this set.

```
pandoc -o paper.tex README.md
pdflatex paper.tex
```

5. Generalization and Social Implications

All ideas which we desire to propagate on the Open Web need all the typical means of use of media to try to convince others to replicate the document. In some cases we seek to explain the whole thing in a tiny capsule of information, as with the "elevator pitch". In other cases we seek to show by example the power of these ideas. The media we expect will be used in the spread of this system include *all* media in the most general sense, including physical things like machines which carry various writing on them. Any physical thing can have a domain name on them which points to a document which describes how to replicate the physical thing. This extremely generalized definition of self-replicating document(as a type of self-replicating set) means any physical object can be thought of as a self-replicating document. Combined with the

"Open Web" defined above, this can create an entire universe of useful things we can use to make up the fabric of our lives, building sets to live in which are independent of the existing industrial order.

Ultimately if we can build sets that we have the capability to evolve based on our desires, we can push that evolution toward what we call a "technological complete set". That is a set which describes a full self-replicating system that we can live in, which can exist in equilibrium with its environment just as pre-industrial societies did before the whole world was consumed by one very destructive set. In a complete set, the people who live in that set(we place ourselves conceptually into the set) have everything they need for a good life such as medicine, abundant food, clean water, the ability to live in a comfortable temperature etc. In addition, a set is not complete if it is out of equilibrium: if a set requires constantly destroying things and not replacing them to exist it is not complete. As we look to the future this is possible in a way that is totally different from what was possible before the rise of industrial society. A future complete set based society has no reason to mine, since the quantity of material that has been extracted from the Earth and processed into very ordered structures is more than enough for a large human population to live on indefinitely.

This Technological Complete Set does not need to be designed and built by any one person or group. All that

is needed to achieve such a set is to build sets which people have the capacity to evolve based on desire, and to impart into a group of people the desire to achieve this set(given the assumption that such a set is physically attainable). This document is meant to describe such a set, but also to serve as a seed which the author hopes will evolve in such a direction. By itself it is probably insufficient to build a large complex system, but it provides a prototype for a number of other self-replicating sets which we will construct and replicate over the Open Web. It is the nature of such sets that as they are created and released into the wild, they will all build on each other with network effects and that a small amount of exponential growth early on can create very large effects as the system evolves.

What is next in this program? The self-replicating sets which are currently being created and released are largely about replicating symbols. Symbols and logos play a very powerful role in how our minds process the world around us. The ability to create a self-replicating symbol which has some intention imposed on it is one of the most powerful forces in our world today. This is the power corporations wield with their brands, logos, and marketing messages. By building systems for very rapidly creating symbols, giving them meaning, and replicating them, we empower the masses with this same power. The media for the symbols includes artistic tools for physical media creation(stationary, wall art, post-

cards, signs) and digital media creation(vector graphics of simple geometric logos). From this power, we hope to build a fire that consumes the media landscape and transforms the nature of human existence on this planet.

Chapter 16

Trash Robot

16.1 Trash Robot

What is Trash Robot?

Trash Robot is a self-replicating set.

The set contains all the media required to replicate it. It also contains an Operator, described here, who is the actual human who learns the system and teaches other people to replicate it. The set is described here, but some of the most minute details of replication will be left out for brevity because they are all described in technical detail in the media transmitted with each instance of any part of Geometron. That is, any domain on the Street Network, running the Organic Web and Geometron will have scrolls and maps with guide a user

through the whole process of replication of this entire set as well as how to use all parts of it. In this book it is sufficient to simply tell the reader how to find these scrolls and an Operator who can teach them, and they will have the information required to *get* the information to fully replicate the system and become an Operator.

This chapter describes the structure of the SRS called Trash Robot. It does not explicitly have all the instructions, but it *describes* all the elements, how they are used, and what they are for. Extreme detail is reserved for the Scrolls.

Everything here refers back to Ontology. We build this thing, show how to replicate it, show how replication can benefit the replicator, which stimulates further replication. Build things and sell them. Build things and use them. Build things and share them for mutual aid and benefit.

Metabusiness. SRS. Thing. Organic Media. Geometron vehicle. Maker swarm. Methodology. Trash Magic(self replicating media from trash, seed of full complete set).

Some roles in Trash Robot:

Printer Operator. You carry a printer with you, and print coins on demand.

Symbol Artist. Build sets of things, assign them symbols, find those symbols in image form, trace into robot code, save as sharable data, share with people, participate in symbol markets with other people around the

world.

Token replicator. Carry bags of tokens, stamps, prints, use them to print replications of themselves as well as the tools to further replicate them and sell them or exchange them with other people, again as a global network of self-replicating media.

the terminal, the EXACT terminal, carried by Trash Robots is an element of Trash Robot.

The Operator is an element of Trash Robot.

The Street Network can be used to sell a huge range of goods and services. Trash Robot is a specific collection of self-replicating technologies which can also be sold directly via the Street Network. It includes a list of things which will be described here, which readers are encouraged to copy and sell. But more importantly it provides a prototype for a new type of product which can be built at scale using the decentralized craft mode of production. As soon as this book is released and we build a swarm to start living Geometron and selling the elements of Trash Robot and bartering for the services provided by the Network we will also start building totally new products using this method. We will work to build products which have not exact equivalent on the market in the consumer economy and which would be very difficult to replicate in that space for various logistical reasons of how technology scales. IN particular we need to explore in this chapter the economics of enclosures and how cardboard and duct tape and geometron built by crafters and im-

mediately sold at a profit on a one-at-a-time basis differs from injection molding of enclosures at scale.

The Operator

We are the Operators. We share the elements of Trash Robot with everyone we interact with. We do whatever we can to help people as much as we can using our tools from Trash Robot, Geometron, the Street Network, and the Organic Web. We wear the Trash Robot brand, and carry all the tools of Trash Robot.

The Open Brand

rainbow and googly eyes. Soft black textiles. Felt. Geometric constructions from Geometron. Use of geometry in cardboard fabrication, HDPE sheets. Modularity. Things carried in cloth bags. Blocky geometric font. duct tape and cardboard and sticks. Things built from trash. Images of the things: box, flag, shirt, pants, bags with robots. The fashion brand.

The ArtBox

As with everything in Trash Robot the ArtBox is a self-replicating set. The elements are the Trash Ties, the Tape Snake, a purse which is the box itself, and a collection of standard art supplies which sit in the box and

are used to make another box. Trash Ties are 6 foot long sections of cotton clothesline, with the ends duct taped. We buy a whole package of 100 feet of clothesline, and cut into 6 foot sections, duct taping where the cut will be before cutting so each section has both ends taped. We then buy a collection of colored duct tapes which includes black, red, orange, yellow, green, blue, purple, and pink, or one more if it is available. We thread the Trash Tie through all of them twice, and join it to itself with a square knot. This is the Tape Snake. We carry this around with us to anyplace where we are working on replication.

The contents of the box are box cutters, sharpie markers, a laser cut acrylic shape set as documented elsewhere in this chapter, and a bag of googly eyes(which can be purchased in bulk online for very little money), scissors, and a ruler, also documented elsewhere here.

This is a nice purse! If you make one and have the supplies you can go make one with a friend and they can make more and so on. And as you all make them and grow the swarm you can use them to carry around art supplies for other art projects as a super stylish art supplies purse until people notice and want to buy it, then a market will exist and we will sell them to whoever wants them. These are so striking and nice to use and cost so little to make and are so easy to copy that they can be a big part of what replicates the whole Trash Robot system which in turn helps replicate all of Geometron

Figure 16.1: Elements of the ArtBox and a Tape Snake.

Figure 16.2: Cut out a 6 inch equilateral triangle from thick corrugated cardboard.

and the Street Network.

We will make millions of these to give away, share, or sell. The can be freely shared in our Network with-

Figure 16.3: Copy so that you have a total of 10 triangles.

Figure 16.4: Stitch together the net pattern as shown.

Figure 16.5: Assemble into octahedron with three top triangles meeting in a tetrahedron top the octahedron.

Figure 16.6: Use all colors of duct tape to create rainbow skin effect as shown. This is the prototypical Trash Robot rainbow open brand after we add the mouth and googly eyes.

Figure 16.7: Stab holes as shown in each of the top three triangles at the upper tips.

Figure 16.8: Thread a Trash Tie, as described above, through the the holes as shown and tie a square knot.

Figure 16.9: Complete the box design with a black duct tape piece for the mouth and crookedly placed asymmetric googly eyes. Multiple faces can all have the face design repeated. Now we replicate all the contents, finding another sharpie, another box cutter, etc. and put a whole kit required to make another box in our box to use to make more boxes. We also replicate the Tape Snake so that the new box has a Snake for replication, and pass some extra Trash Ties along for the next replication as well.

out money or even barter and just used as needed for other Geometron constructions, but can always be sold to people not in the Network.

Laser Cut Acrylic

The Geometron workflow for creating .svg and .png files is designed among other things to make it as easy as possible to create files to use in commercial laser cutters. These have been used both in the kind of laser cutter available in maker spaces and from the professional service at Ponoko.com(these require slightly different files).

Laser neon green acrylic shapes in the basic Shape Set and the 6 inch Geometron ruler are key elements of our system, and replicate along with the rest of the ArtBox. Making custom or specialized geometry tools like this is a very good metabusiness for Trash Robot. We can sell the standard Shape Set, sell the Golden Triangle, the 6 inch Ruler, the Geometron Protractor, Penrose Tiles, custom spray stencils using the laser cut stencil font, and just custom arbitrary laser cut shapes for design clients.

A good design target for custom spray stencils is the domain name which points to the local Geometron Raspberry Pi Server on the Street Network.

Show each design. Link to global files. How to use Dremel laser cutter, how to use Ponoko.

skeletron

poles, geometry, tetrahedron, octahedron, icosahedron, tripods, flag poles, S Hooks, photos of constructions

textiles

Textile products are an important part of Trash Robot. We make clothes with the Trash Robot open brand, as well as bags for the various parts of the Trash Robot system and Flags which are used to point to domains on the Street Network, advertise the Trash Robot, and form a surface on which to place Trash Robot elements.

The basic aesthetic of all textile elements of Trash Robot is black cotton flannel with bright rainbow colored felt sewn on. Everything in this system is designed to be tied using Trash Ties. These are either 6 foot long clothesline sections terminated in duct tape or 18 inch sections of black nylon parachute cord with ends burned. Letters printed on the Flags are in the special Trash Robot felt font, which is made from square cutouts of each color of the rainbow in order. Letters are formed by cutting minimal, simple, geometric pieces out from full squares of felt. Black sweatpants are sewn with the letters, in all caps spelling out "TRASH ROBOT", with one word going down each leg of the pants. The black cotton t-shirt has the Trash Robot brand logo of the rainbow rectangle with googly eyes and a black rectangle for

a mouth.

Bags are used to carry the Raspberry Pi Geometron Terminal as described in the Street Network, to carry the clay icon tablet printer described in this section, and to carry the three types of clay tablet: prints, stamps, and finished tokens. Prints are printed directly by the printer robot, and are in small black flannel bags with a symbol for the alchemy element "earth"

the font. flags. Bags. Clothes. Methodology. Fashion business on the street. all the layouts of the designs. Waving the flag with the pole. Power of the flag to direct traffic to pages in the Network over the cardboard sign, legitimacy via the open brand.

The exact dimensions of the various bags are given in the Scrolls that replicate with all instances of Trash Robot, as well as on physical Replicator cards distributed with the physical set Trash Robot.

The icon token printer robot

The exact description of how to replicate the printer is given in the Scrolls distributed with Geometron/Trash Robot. These scrolls should be readable on any local Raspberry Pi server running the latest version, as well as any Street domain like www.us29.xyz or global domains like www.trashrobot.org. The exact means of operation of the printer is also documented in the Scrolls. In this manuscript we discuss how this all fits together, and rely

Figure 16.10: Trash Tie. A universal building block of the Trash Robot system is the Trash Tie, which is either a 6 foot long segment of clothesline with duct taped ends or an 18 inch long black nylon parachute cord with burned ends.

Figure 16.11: Domain Flag. Flags are squares approximately 36 inches on a side with a 1 inch hem(cut a 38 inch square out).

Figure 16.12: Trash Robot Flag. This flag says "TRASH ROBOT" just like the Trash Robot sweatpants.

Figure 16.13: Trash Robot Flag font. All letters shown. Copy this font to create domain names for the domain name flag. Note that web addresses are always case insensitive, so that for example, www.us29.xyz is WWW.US29.XYZ.

Figure 16.14: Trash Robot Flag font. All letters shown. Copy this font to create domain names for the domain name flag. Note that web addresses are always case insensitive, so that for example, www.us29.xyz is WWW.US29.XYZ.

on the instances of the software to transmit the details of replication.

Build the brain.

Build the controller.

Build the mechanicals.

Workflow: image feeds, align, trace, share, print, bake, stamp, replicate, paint and sand, build into sets, share and sell, make pendants, stitch into clothing and accessories, make jewelry. Make more robots. Donate, share, and sell robots.

The symbolic currency, creating sets, the sigil boards, sets as fashion, sets as symbolic currency which can mean *anything*. This symbolic currency goes back to the previous chapter, where we discuss the general idea of self-replicating sets. For any given set of generalized "things" in the sense of the previous chapter, each thing can be assigned a symbol. That symbol can be traced into the robot code which drives the printer. All those symbols can be stored as a token feed which is saved and shared with other users, who can then print them all out. So an abstract set can always be represented by a collection of Geometron icon symbols shared over a network and also a collection of clay painted icon tokens, carried in a bag as described in the Textiles section of this chapter, and replicated using more clay without use of a robot. So we can represent any self-replicating set with a set of symbols shared over both a local and global network and *also* a collection of physical tokens in a bag which are like coins

in a coin purse. Attractive and convenient coin purses which contain symbols representing a self-replicating set which themselves are self-replicating media can form the basis of a very powerful symbolic economy based on sets, networks, and symbols rather than numbers.

The creation of a self-replicating symbolic currency which has both physical and digital versions is a fundamentally different type of currency than money. Because it all self-replicates, the idea of property simply does not make sense, because the value of replication is reversed. If I own a plot of land or a car, its value is based on how hard it is to replicate. If it were possible to freely replicate a billion acres of the best land imaginable with warp drive to get to the best location, your million dollar plot of land will be worthless. If someone builds a free car that grows naturally in a forest and runs on the sun, your 40,000 dollar gas car will be worthless. But if you build a robot from trash to fabricate useful things, the more people copy the robot the more value there is in the whole network. If a billion people copy my robot, I can get a million of the cleverest makers in the world all improving the design, and what I end up using a few years from now light years beyond anything I could have even dreamed of. So the more people replicate a free thing the *more* that thing is worth to me, even as the creator of the thing. This makes the way value works the opposite of property. Value goes up with abundance rather than scarcity. If we make the choice to value abundance,

meaning the freeness of things, then that is what will end up with value. But this replication also means that any numerical unit of value will very quickly break as the supply of value exceeds the total currency available again and again(essentially deflation).

Some notes on the pi version, how this can be a pi driven robot.

Arduino Generic Shield

This is a stub. It expands into many technologies but we document just the board and most basic of codes. Future technologies will reference this.

```
Trash Robot = {
    ArtBox,
    Trash Tie,
    Tape Snake,
    Token Printer,
    Terminal,
    Brand,
    Textile,
    Shop,
    skeletron,
    constructions,
    Operator
}
```

```
constructions = {
    duct tape,
    cardboard,
    trash ties,
    HDPE sheets
}

shop = {
    ArtBox purse,
    Trash Robot branded clothes,
    laser cut acrylic,
    token printer kits,
    tokens,
    pendants,
    printed bottle caps,
    terminal install
}

laser cut acrylic = {
    golden triangles,
    penrose tiles,
    full set,
    ruler,
    protractor,
    custom shape,
    spray stencils
}

printer = {
```

```
    brain,
    controller,
    mechanicals,
    workflow
}
```

Construct the brain, controller and mechanicals according to the Scrolls.

```
    printer workflow = {
        build, share, sell, use printers, following insti
        use Geometron server to follow the rest of this w
        image feeds,
        aligner,
        trace,
        share feed with other users, save, copy, paste, s
        load code into Arduino, print in clay tablet, bal
        use print to create stamp, sell or give away or u
        use stamp to create both coin-like tokens and per
    }
```