TE C Assignment No - 09

May 19, 2023

[2]:
```
import seaborn as sns
titanic = sns.load_dataset("titanic")
```

[3]:
```
titanic
```

[3]:
```
     survived  pclass     sex   age  sibsp  parch     fare embarked   class  \
0           0       3    male  22.0      1      0   7.2500        S   Third
1           1       1  female  38.0      1      0  71.2833        C   First
2           1       3  female  26.0      0      0   7.9250        S   Third
3           1       1  female  35.0      1      0  53.1000        S   First
4           0       3    male  35.0      0      0   8.0500        S   Third
..        ...     ...     ...   ...    ...    ...      ...      ...     ...
886         0       2    male  27.0      0      0  13.0000        S  Second
887         1       1  female  19.0      0      0  30.0000        S   First
888         0       3  female   NaN      1      2  23.4500        S   Third
889         1       1    male  26.0      0      0  30.0000        C   First
890         0       3    male  32.0      0      0   7.7500        Q   Third

       who  adult_male deck  embark_town alive  alone
0      man        True  NaN  Southampton    no  False
1    woman       False    C    Cherbourg   yes  False
2    woman       False  NaN  Southampton   yes   True
3    woman       False    C  Southampton   yes  False
4      man        True  NaN  Southampton    no   True
..     ...         ...  ...          ...   ...    ...
886    man        True  NaN  Southampton    no   True
887  woman       False    B  Southampton   yes   True
888  woman       False  NaN  Southampton    no  False
889    man        True    C    Cherbourg   yes   True
890    man        True  NaN   Queenstown    no   True

[891 rows x 15 columns]
```

[4]:
```
titanic.head()
```

[4]:
```
   survived  pclass     sex   age  sibsp  parch     fare embarked  class  \
0         0       3    male  22.0      1      0   7.2500        S  Third
```

```
1         1       1  female  38.0      1      0  71.2833        C  First
2         1       3  female  26.0      0      0   7.9250        S  Third
3         1       1  female  35.0      1      0  53.1000        S  First
4         0       3    male  35.0      0      0   8.0500        S  Third

     who  adult_male deck  embark_town alive  alone
0    man        True  NaN  Southampton    no  False
1  woman       False    C    Cherbourg   yes  False
2  woman       False  NaN  Southampton   yes   True
3  woman       False    C  Southampton   yes  False
4    man        True  NaN  Southampton    no   True
```

[5]:
```
titanic.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 15 columns):
 #   Column       Non-Null Count  Dtype
---  ------       --------------  -----
 0   survived     891 non-null    int64
 1   pclass       891 non-null    int64
 2   sex          891 non-null    object
 3   age          714 non-null    float64
 4   sibsp        891 non-null    int64
 5   parch        891 non-null    int64
 6   fare         891 non-null    float64
 7   embarked     889 non-null    object
 8   class        891 non-null    category
 9   who          891 non-null    object
 10  adult_male   891 non-null    bool
 11  deck         203 non-null    category
 12  embark_town  889 non-null    object
 13  alive        891 non-null    object
 14  alone        891 non-null    bool
dtypes: bool(2), category(2), float64(2), int64(4), object(5)
memory usage: 80.7+ KB
```

[6]:
```
titanic.describe()
```

[6]:

	survived	pclass	age	sibsp	parch	fare
count	891.000000	891.000000	714.000000	891.000000	891.000000	891.000000
mean	0.383838	2.308642	29.699118	0.523008	0.381594	32.204208
std	0.486592	0.836071	14.526497	1.102743	0.806057	49.693429
min	0.000000	1.000000	0.420000	0.000000	0.000000	0.000000
25%	0.000000	2.000000	20.125000	0.000000	0.000000	7.910400
50%	0.000000	3.000000	28.000000	0.000000	0.000000	14.454200
75%	1.000000	3.000000	38.000000	1.000000	0.000000	31.000000

```
max       1.000000    3.000000   80.000000    8.000000    6.000000  512.329200
```

[7]:
```
#Custom Columns with all rows
titanic.loc[:,["survived","alive"]]
```

[7]:
```
     survived alive
0           0    no
1           1   yes
2           1   yes
3           1   yes
4           0    no
..        …   …
886         0    no
887         1   yes
888         0    no
889         1   yes
890         0    no

[891 rows x 2 columns]
```

[8]:
```
#Now Plot boxplot
sns.boxplot(x="sex",y="age",data=titanic)
```

[8]:
```
<Axes: xlabel='sex', ylabel='age'>
```



[9]:
```
sns.boxplot(x="sex",y="age",data=titanic,hue="survived")
```

[9]:
```
<Axes: xlabel='sex', ylabel='age'>
```


survived
0
1
80
70
60
50
40
30
20
10
0
age
male
female
sex