

The SoulScope Canon v1.3

Foundational Edition — Final for Adoption

Date: August 14, 2026

Supersedes upon adoption: SoulScope Canon v1.2

Status: Final governing text pending founder adoption

NORTH STAR

Organize measurable voice patterns into bounded, traceable reflection while preserving uncertainty, context, privacy, and personal agency.

FOUNDATIONAL PRINCIPLE

The instrument provides evidence. The individual provides meaning.

I. PURPOSE OF THE CANON

The SoulScope Canon defines what the product is permitted to measure, infer, render, communicate, and claim.

It exists to ensure that:

- scientific meaning cannot be invented by individual features;
- visualization cannot invent interpretation;
- narrative cannot rescore evidence;
- missing information cannot become false certainty;
- historical results cannot silently change;
- product polish cannot override scientific boundaries;
- user agency cannot be sacrificed for measurement completion.

The Canon governs every production implementation of SoulScope.

II. AUTHORITY

When rules conflict, the following order applies:

1. **Scientific safety, personal agency, privacy, and the immutable Evidence → Decision → Result contract**

2. **Current SoulScope Canon and Canonical Authority Ledger**
3. **Current volume-specific scientific, rendering, design, developer, privacy, and validation specifications**
4. **Acoustic Parameter Registry and other current machine-readable registries**
5. **Interface System**
6. **Route-specific UX Flow Specifications**
7. **Executable implementation**

No lower layer may override a higher layer.

Historical specifications may be retained for provenance but may not be used as current authority.

III. CURRENT PRODUCT BOUNDARY

Voice is the first and only production observation modality.

SoulScope may measure acoustic and speech-production properties of a person's recorded voice under the active protocol.

SoulScope does **not** claim to directly measure:

- the soul;
- spirituality;
- divine activity;
- identity;
- personality essence;
- hidden thoughts;
- hidden motives;
- honesty or deception;
- diagnosis;
- disease;
- organ state;
- trauma history;
- causal psychological mechanisms;
- objective emotional truth.

Future modalities remain research directions until separately validated and adopted.

IV. SCIENTIFIC CLAIM TIERS

Tier A — Measurement

Direct or derived acoustic quantities.

Examples:

- fundamental frequency;
- loudness;
- pause duration;
- voiced ratio;
- CPP;
- HNR;
- jitter;
- shimmer;
- spectral measures.

Tier B — Functional Evidence

Bounded descriptive observations supported by qualified measurements.

Examples:

- increased pause load;
- expanded prosodic range;
- reduced temporal continuity;
- cross-context acoustic reconfiguration.

Tier C — Reflective Hypothesis

A possible lived interpretation presented conditionally, contextually, and with alternatives.

Tier C language must preserve personal agency.

Tier D — Prohibited Inference

SoulScope may not produce unsupported:

- diagnosis;
 - deception determination;
 - identity determination;
 - spiritual measurement;
 - personality certainty;
 - causal attribution;
 - hidden-truth claims;
 - unsupported biological/organ conclusions;
 - certainty about subjective emotional experience.
-

V. THE PRODUCTION SCAN

The production Resonance Scan consists of three spontaneous-speech conditions of approximately 30 seconds each.

Prompt 1 — Open Reference

Speak about yourself, your day, or whatever comes to mind.

Canonical ID:

P1_OPEN_REFERENCE

Scientific role:

open spontaneous within-session reference

It is not assumed to be emotionally neutral.

Prompt 2 — Troubling Context

Speak about something troubling you.

Canonical ID:

P2_TROUBLING_CONTEXT

Scientific role:

personally salient troubling-material condition

The system does not assume that the person experiences a particular emotion, stress level, or psychological state merely because this prompt was administered.

Prompt 3 — Future Context

Speak about your hopes or goals for the future.

Canonical ID:

P3_FUTURE_CONTEXT

Scientific role:

personally salient future-oriented condition

The system does not assume positive affect, optimism, motivation, recovery, or confidence merely because this prompt was administered.

VI. ACQUISITION INTEGRITY

A complete production result requires the set of valid measurements required by the active protocol.

SoulScope SHALL:

- evaluate recording quality;
- evaluate sufficient valid speech;
- preserve task and prompt identity;
- permit retry where scientifically appropriate;
- provide a clear way to leave the scan;
- explain when incomplete acquisition prevents a full result;
- honor consent and retention choices.

SoulScope SHALL NOT:

- manufacture a full result from an incomplete required protocol;
- convert failed acquisition into a normal result;
- coerce speech or continued participation;
- make a required measurement appear optional when completion is scientifically necessary.

Personal agency remains higher authority than acquisition completion.

VII. TWO AUTHORITATIVE OUTPUT PATHS

A SoulScope scan produces two complementary outputs from a shared measurement foundation.

A. Semantic reasoning

Qualified Acoustic Measurements → Evidence → Functional Parameters → Constellation Reasoning → Reflection

This path produces the semantic information used to explain the result to the user.

B. Resonance Signature rendering

Qualified Acoustic Measurements(t) → Time-Resolved Rendering Contract → Resonance Signature

This path produces the visual acoustic expression of the scan through time.

HARD SEPARATION

The Constellations do not determine the geometry of the Resonance Signature.

The Resonance Signature does not determine the semantic interpretation.

Both remain traceable to the same scan and measurement provenance.

VIII. THE MEASUREMENT FOUNDATION

The canonical measurement architecture is:

Raw Audio → Versioned Extraction → Quality Qualification → Immutable Measurement Record.

Every production measurement preserves:

- feature identity;
- unit;
- time;
- prompt;
- extractor;
- extractor version;
- configuration;
- signal quality;
- validity;
- confounds;
- provenance.

The active Acoustic Parameter Registry defines which measurements are permitted in production.

No unregistered feature may silently influence a result.

IX. TIME

Time is a first-class scientific variable.

For compatible acoustic parameter f :

$$x_f(t)$$

is preserved before prompt-level aggregation.

SoulScope may derive:

- level;
- range;
- variability;
- trajectory;
- slope;
- drift;
- transitions;
- qualified change points.

A prompt-level average does not replace the authoritative temporal record where that record is required.

X. REFERENCE SYSTEM

SoulScope recognizes several fundamentally different reference scopes.

1. Within-prompt reference

Local change within the current response.

2. Within-session reference

Comparison among the three active prompts.

3. Provisional personal reference

An early personal reference with limited trust.

4. Established personal reference

A version-compatible personal distribution meeting the active baseline requirements.

5. Population reference

A compatible validated external reference distribution.

6. Missing reference

No legitimate reference is available.

HARD RULE

A missing personal baseline does not become a population baseline.

Population, personal, and within-session comparisons may coexist, but their identities must remain explicit.

XI. PROMPT CONTRASTS

Where scientifically compatible, the engine may compare:

$$\Delta_{21,f} = P2_f - P1_f$$

$$\Delta_{31,f} = P3_f - P1_f$$

$$\Delta_{32,f} = P3_f - P2_f.$$

These represent **observed contextual changes**.

They do not by themselves mean:

- emotional worsening;
- emotional improvement;
- stress response;
- resilience;
- recovery;
- optimism;
- avoidance.

Meaning is downstream and evidence-bounded.

XII. THE EVIDENCE-FIRST CONTRACT

Nothing bypasses the Evidence Ledger.

The semantic reasoning sequence is:

Raw Acoustic Features → Qualification → Evidence Engine → Evidence Ledger → Dimension Engine → Continuation

No direct acoustic-feature-to-emotion rule is canonical.

XIII. EVIDENCE MARKERS

The Evidence Engine converts qualified measurements into descriptive observations.

Examples include:

- prosodic expansion;
- prosodic compression;
- energy shift;
- increased pause load;
- decreased pause load;
- temporal fragmentation;
- output continuity;
- rate acceleration;
- rate deceleration;
- phonatory shift;
- phonatory stability;
- spectral shift;
- modulation breadth;
- within-prompt drift;
- contextual reconfiguration;
- contextual consistency.

Evidence Markers remain descriptive.

They are not emotions.

They are not personality traits.

They are not diagnoses.

XIV. THE EVIDENCE LEDGER

For every Evidence Marker, the Evidence Ledger SHALL preserve:

```
evidence_id
evidence_type
source_measurement_ids[]
prompt_scope
reference_scope

direction
magnitude
```

```
uncertainty

support
contradiction
missingness

quality
baseline_trust
confounds[]

rule_id
rule_version
extractor_versions[]

status
```

The Evidence Ledger answers:

What did SoulScope observe, from what measurements, and how trustworthy was the observation?

It must be sufficient to reconstruct the evidentiary basis of every semantic conclusion.

XV. THE FOUR CONSTELLATIONS

The Constellations are four views of current vocal functioning during the active scan.

They are not four emotions.

COG — Cognitive Form

Question: How is speech-production organization being formed and sustained during the scan?

Points:

1. **Organization**
 2. **Exploration**
 3. **Focus Continuity**
 4. **Processing Demand**
-

REG — Regulatory Motion

Question: How does the observed vocal pattern respond, stabilize, and reconfigure across the scan?

Points:

1. **Activation**
 2. **Stability**
 3. **Flexibility**
 4. **Recovery**
-

CAP — Available Capacity

Question: What functional output appears available during the scan, and what measurable cost accompanies it?

Points:

1. **Mobilization**
 2. **Reserve**
 3. **Effort Cost**
 4. **Sustainability**
-

EXP — Expressive Interface

Question: How is acoustic expressive variation deployed across the observed contexts?

Points:

1. **Range**
 2. **Openness**
 3. **Restraint**
 4. **Relational Availability**
-

XVI. OPERATIONAL BOUNDARIES OF THE 16 POINTS

COG-P1 — Organization

Allowed meaning:

Organization and coherence of observable speech-production timing and modulation.

Not allowed:

organization of the person's thoughts, intelligence, executive-function diagnosis, or mental-order judgment.

COG-P2 — Exploration

Allowed meaning:

Breadth of non-random acoustic modulation expressed during open-ended and context-changing spontaneous speech.

Not allowed:

curiosity, creativity, openness to experience, imagination, cognitive flexibility, or intellectual exploration.

Status: provisional until specifically validated.

COG-P3 — Focus Continuity

Allowed meaning:

Observed maintenance of continuous speech production versus fragmentation and interruption.

Not allowed:

attention-span diagnosis, ADHD inference, concentration capacity, or cognitive impairment.

COG-P4 — Processing Demand

Allowed meaning:

Convergent acoustic and temporal evidence consistent with increased cost of generating or maintaining speech during the administered task.

Not allowed:

brain workload measurement, intelligence, confusion, mental illness, or cognitive deficit.

REG-P1 — Activation

Allowed meaning:

Degree of acoustic mobilization evident during the scan relative to compatible reference conditions.

Not allowed:

specific emotion, anxiety, stress diagnosis, sympathetic activation measurement, or arousal certainty.

REG-P2 — Stability

Allowed meaning:

Within-condition consistency or volatility in qualified vocal organization.

Not allowed:

emotional stability, psychological stability, resilience, or mental health.

REG-P3 — Flexibility

Allowed meaning:

Degree and organization of vocal reconfiguration as task context changes across P1, P2, and P3.

Not allowed:

psychological adaptability, coping capacity, emotional intelligence, or resilience.

This is a protocol-compatible cross-context parameter.

REG-P4 — Recovery

Allowed meaning:

Return toward a compatible reference after an explicitly defined challenge and recovery interval.

Current protocol status

UNRESOLVED BY DEFAULT

P3 is a future-oriented context, not a scientifically defined recovery condition.

NO_RECOVERY_COMPATIBLE_CONDITION

shall be a valid resolution reason.

CAP-P1 — Mobilization

Allowed meaning:

Observed change in vocal output or organization when context becomes personally salient.

Not allowed:

willpower, motivation, biological energy, emotional effort, or performance potential.

CAP-P2 — Reserve

Allowed meaning:

Remaining observable performance capacity following a defined demand condition.

Current protocol status

UNRESOLVED BY DEFAULT

The present three-prompt protocol does not provide a sufficient controlled load/reload structure to estimate general reserve.

CAP-P3 — Effort Cost

Allowed meaning:

Convergent acoustic or temporal cost accompanying maintained speech production during the active scan.

Not allowed:

subjective effort certainty, fatigue diagnosis, stress level, or physiological energy expenditure.

CAP-P4 — Sustainability

Allowed meaning:

Maintenance of observable vocal organization over the limited duration actually observed.

Required qualification:

Any conclusion applies only to the scan interval.

Not allowed:

general endurance, chronic energy level, burnout, health status, or long-term functional capacity.

EXP-P1 — Range

Allowed meaning:

Breadth of qualified prosodic, energy, temporal, spectral, and phonatory modulation.

This is one of the most directly observable Constellation points.

EXP-P2 — Openness

Allowed meaning:

Degree to which available vocal modulation is deployed across observed contexts.

Not allowed:

emotional openness, honesty, vulnerability, personality openness, willingness to disclose, or receptivity.

EXP-P3 — Restraint

Allowed meaning:

Persistent relative compression or containment of available vocal modulation under compatible contexts.

Not allowed:

repression, withholding, defensiveness, secrecy, dishonesty, inhibition diagnosis, or avoidance.

EXP-P4 — Relational Availability

Allowed meaning:

Observable acoustic responsiveness or adaptation to another speaker or validated interactive stimulus.

Current protocol status

UNRESOLVED BY DEFAULT

The active three-prompt protocol contains monologue speech and therefore does not provide relational interaction evidence.

NO_RELATIONAL_OBSERVATION

shall be a valid resolution reason.

XVII. DIMENSION REPRESENTATION

Every Constellation point is a posterior object rather than a naked score.

For dimension D_j :

$$D_j = \{\mu, L, U, C, E, B, K, H, M, R\}$$

where:

- μ = posterior tendency;
- L, U = lower and upper uncertainty bounds;
- C = calibrated confidence;
- E = evidence coverage;
- B = baseline/reference trust;
- K = contradiction burden;
- H = coherence among independent Evidence families;
- M = temporal momentum/change;
- R = resolution status.

HARD RULE

$$\boxed{\text{Uncertainty} / } = 0.5$$

Low confidence or missing evidence does not become balanced, neutral, average, or low.

It becomes unresolved.

XVIII. PROVISIONAL DISPLAY BANDS

Until calibration replaces them, the following may be used as engineering display priors:

Band	Provisional range
Low	0.00–0.29
Mid-low	0.30–0.44
Balanced zone	0.45–0.55
Mid-high	0.56–0.70
High	0.71–1.00

These boundaries are not permanent scientific truths.

They SHALL be versioned and recalibrated from SoulScope data.

The balanced zone does not mean ideal, healthy, correct, or emotionally neutral.

XIX. CONTINUOUS GEOMETRY IS PRIMARY

The most important design decision of the Constellation system is that SoulScope SHALL NOT attempt to manually name every possible region of every four-point geometry.

The four-point shape remains the primary representation.

State names remain secondary.

This prevents:

- combinatorial explosion;
 - overlapping categories;
 - brittle boundaries;
 - artificial precision;
 - semantic overreach;
 - unmaintainable pattern libraries.
-

XX. COMPACT CANONICAL STATE GRAMMAR

SoulScope uses four semantic layers:

1. Continuous geometry

Each Constellation remains a live four-point representation with:

- posterior estimates;
- intervals;
- confidence;
- coverage;
- contradiction;
- baseline trust;
- temporal movement.

2. Canonical states

A limited collection of stable and useful reference configurations.

States are **reference regions**, not exhaustive boxes.

3. Boundary blends

When neighboring valid state regions both plausibly fit, the overlap is preserved.

The engine SHALL NOT force a winner merely to simplify presentation.

4. Unresolved

When evidence is inadequate, contradictory, incompatible, uncalibrated, or too ambiguous, the correct result is unresolved.

XXI. UNKNOWN REMAINS UNKNOWN

Unknown evidence SHALL NOT be converted into:

- zero;
- low;
- midpoint;
- neutral;
- balanced;
- normal;
- aesthetically completed geometry.

Missingness is information.

XXII. CROSS-CONSTELLATION INTERACTIONS

Once Constellations are independently reasoned, the Interaction Engine may describe typed relationships.

Canonical interaction verbs include:

- **Reinforces**
- **Buffers**
- **Amplifies**
- **Masks**
- **Compensates**
- **Constrains**
- **Protects**
- **Redirects**
- **Destabilizes**

- **Integrates**
- **Reveals**
- **Shifts**

An interaction must have explicit operational evidence.

It is not a literary device.

For example:

Processing Demand $\uparrow$ + Effort Cost $\uparrow$

may be distinguishable from:

Processing Demand $\uparrow$ + Effort Cost $\downarrow$.

The richer meaning arises compositionally from independently resolved parameters rather than from inventing a unique label for every combination.

XXIII. PATTERN ENGINE

The Pattern Engine operates only after:

1. Evidence resolution;
2. dimension inference;
3. Constellation geometry;
4. state/blend/unresolved decisions;
5. eligible cross-Constellation interactions.

A Pattern is therefore a **summary of completed reasoning**.

It does not perform reasoning.

No Pattern label may override the underlying result.

XXIV. DECISION LEDGER

The Decision Ledger answers:

What did the engine decide to do with the available evidence, and why?

For every candidate conclusion it SHALL retain:

```
decision_id

dimension_ids[]
evidence_ids[]

rules_evaluated[]
requirements_passed[]
requirements_failed[]

candidate_states[]
candidate_fit[]

supporting_evidence[]
contradicting_evidence[]
missing_evidence[]
active_confounds[]

winner
alternatives[]

publication_status

reason_for_winner
reason_alternatives_lost

resolution_status
resolution_reason

feature_registry_version
evidence_registry_version
dimension_registry_version
state_registry_version
interaction_registry_version
pattern_registry_version

extractor_versions[]
model_versions[]
```

The Decision Ledger records losing alternatives as well as the published result.

A system that knows only what won cannot fully explain why it won.

XXV. EXPLANATION GRAPH

SoulScope's semantic backend is a versioned directed evidence graph.

Canonical edge types include:

```
DERIVED_FROM
SUPPORTS
CONTRADICTS
CONFOUNDED_BY
REQUIRED_BY
MISSING_FOR
EXCLUDES
QUALIFIED_BY
```

Every semantic conclusion must permit reconstruction of the chain:

Narrative ← Pattern ← Interaction / State ← Dimension ← Evidence ← Measurement.

XXVI. NO BLACK-BOX SEMANTIC AUTHORITY

A machine-learning model may assist calibrated estimation.

It may not become an untraceable source of meaning.

Production models SHALL output sufficient information to support:

- provenance;
- evidence attribution;
- uncertainty;
- calibration;
- contradiction;
- abstention;
- version reconstruction.

Generative AI may not independently infer a SoulScope result from raw audio.

XXVII. SHARED IMMUTABLE SCAN RESULT ENVELOPE

A completed scan is represented by one immutable envelope.

```
ImmutableScanResult
├── AcquisitionRecord
├── MeasurementRecord
│   ├── acoustic time series
│   ├── prompt summaries
│   ├── quality
│   ├── contrasts
│   └── extractor provenance
├── SemanticResult
│   ├── Evidence Ledger
│   ├── dimensions
│   ├── Constellation geometry
│   ├── states/blends/unresolved
│   ├── interactions
│   ├── pattern
│   └── Decision Ledger
├── ResonanceRenderingRecord
│   ├── authorized acoustic inputs
│   ├── temporal alignment
│   ├── normalization
│   ├── rendering parameters
│   └── renderer version
└── VersionManifest
```

The Narrative Engine consumes the completed Semantic Result.

The Resonance Signature renderer consumes the authorized Measurement and Rendering records.

Neither rewrites upstream truth.

XXVIII. RESONANCE SIGNATURE

The Resonance Signature is a deterministic, time-resolved visualization of qualified acoustic structure.

CANONICAL VISUAL TRUTH

Time is the radial axis.

The Signature does not use Constellation dimension scores to determine radial extent.

The former unified four-source diamond field, full-domain starburst geometry, and dimension-score radial architecture remain superseded.

Qualified acoustic structure is deposited locally along the scan timeline according to the current Resonance Signature Guide.

XXIX. RESONANCE SIGNATURE BOUNDARY

The Signature may represent:

- measured acoustic activity;
- temporal structure;
- qualified variation;
- local intensity according to authorized rendering mappings;
- measurement uncertainty or qualification where specified.

It may not independently represent:

- emotion;
- personality;
- psychological state;
- diagnosis;
- truthfulness;
- spiritual state;
- Constellation meaning.

HARD RULE

The renderer may visualize measurements. It may not infer meaning.

XXX. RESONANCE TRACEABILITY

No Resonance Signature is valid unless the complete measurement-to-render path can be reconstructed.

The rendering record SHALL preserve:

- source measurement IDs;
 - prompt/timeline alignment;
 - normalization rules;
 - qualification states;
 - rendering parameters;
 - renderer version;
 - protocol version;
 - feature-registry version;
 - deterministic output reference or hash.
-

XXXI. NARRATIVE ENGINE

The narrative layer translates the completed semantic result.

It SHALL NOT:

- inspect raw audio to invent additional interpretations;
- rescore the Constellations;
- override uncertainty;
- convert unresolved points to resolved language;
- invent causes;
- diagnose;
- characterize fixed identity.

CANONICAL LANGUAGE FRAME

Prefer:

- "In this scan..."
- "Across these responses..."
- "When the context changed..."
- "Your voice showed..."
- "One possibility is..."
- "This may reflect..."
- "Other explanations are possible..."

Avoid:

- "You are..."
- "This proves..."
- "Your voice reveals the truth that..."
- "You definitely feel..."
- "This means you have..."

XXXII. USER AUTHORITY

SoulScope may organize evidence.

It may propose bounded reflection.

It may show change.

It may describe uncertainty.

It may not claim final authority over the person's lived meaning.

The intended user experience is:

I understand what SoulScope noticed. I understand why it noticed it. I understand what remains uncertain. And I remain the person who decides what it means for me.

XXXIII. VALIDATION ORDER

SoulScope SHALL validate the system layer by layer.

Gate 1 — Measurement verification

Can the acoustic quantity be measured as specified?

Gate 2 — Measurement reliability

Is it sufficiently stable/reproducible under compatible conditions?

Gate 3 — Evidence reliability

Do Evidence Marker rules behave reproducibly?

Gate 4 — Construct evaluation

Do functional parameters behave consistently with preregistered construct hypotheses?

Gate 5 — Calibration

Are posterior probabilities, confidence, boundaries, and abstention behavior calibrated?

Gate 6 — Generalization

Do performance and calibration remain acceptable across relevant:

- devices;
- environments;
- languages;
- accents;
- demographic groups;
- tasks.

Gate 7 — Longitudinal validity

Can within-person change be distinguished from measurement noise and reference instability?

Gate 8 — User comprehension

Do people understand results without systematically overreading them as diagnosis, identity, or certainty?

XXXIV. CALIBRATION RULE

All weights, thresholds, state boundaries, confidence formulas, and publication cutoffs begin as engineering priors.

They do not become canonical scientific truths merely because they are encoded in software.

Material parameters must be calibrated against SoulScope data using:

- preregistered hypotheses where appropriate;
- participant-level data separation;
- frozen evaluation sets;
- confidence intervals;
- missingness analysis;
- abstention analysis;
- subgroup analysis;

- reproducible versioning.
-

XXXV. PERSONALIZATION

Longitudinal SoulScope is principally a **within-person measurement system**, not a mechanism for forcing everyone toward a population mean.

As sufficient compatible history develops, personal reference should generally become more informative than generic population comparison for describing change.

Population data may support:

- measurement calibration;
- quality norms;
- compatibility evaluation;
- external reference;
- research.

It does not define the person's ideal state.

XXXVI. BASELINE TRUST

Baseline trust is explicitly represented.

Illustrative engineering priors may distinguish:

- established personal baseline;
- provisional personal baseline;
- within-session reference;
- absent baseline.

Exact values require calibration.

A low-trust reference increases uncertainty.

It does not force the dimension toward the center.

XXXVII. CONFOUNDS

Every Evidence and Dimension definition SHALL specify relevant confounds.

Examples may include:

- microphone/device changes;
- background noise;
- illness affecting voice;
- vocal fatigue;
- medication effects where known/reported;
- language;
- accent;
- speaking style;
- task structure;
- unusually low speech quantity;
- recording artifacts.

A confound may:

- reduce confidence;
- block an Evidence Marker;
- block a Dimension;
- force unresolved status.

Confounds are not explanatory conclusions.

XXXVIII. PRIVACY

Voice and derived voice information are sensitive data.

SoulScope SHALL:

- obtain appropriate consent before meaningful collection;
- disclose relevant retention behavior;
- separate raw-audio retention policy from derived-data retention;
- honor deletion and retention choices according to active policy;
- restrict internal access;
- audit privileged access;
- protect data in transit and at rest;
- version consent and policy state.

Research reuse requires a separately authorized basis consistent with the active privacy specification.

XXXIX. SECURITY

The system SHALL maintain a threat model covering at minimum:

- account compromise;
- unauthorized raw-audio access;
- unauthorized derived-data access;
- result tampering;
- ledger tampering;
- replayed or manipulated input where relevant;
- synthetic or cloned speech where relevant;
- version-manifest manipulation;
- improper third-party profiling;
- malicious or accidental inference leakage.

Security uncertainty may invalidate a result.

XL. PERSONAL AGENCY

A user must be able to end participation.

SoulScope SHALL NOT use coercive design to obtain:

- speech;
- microphone access;
- consent;
- continuation;
- research participation.

A person's refusal to continue is not itself semantic evidence.

XLI. MACHINE-READABLE CANONICAL REGISTRIES

The production system SHALL maintain version-controlled registries for:

1. protocol_registry
2. acoustic_parameter_registry
3. quality_rule_registry
4. evidence_marker_registry
5. reference_registry
6. dimension_registry
7. state_registry

8. `interaction_registry`
9. `pattern_registry`
10. `narrative_registry`
11. `model_registry`
12. `renderer_registry`
13. `version_manifest`

The prose Canon explains the system.

The machine-readable registries make the system executable.

Neither may contradict the other.

XLII. VERSIONING

Every material scientific result SHALL preserve the versions that created it.

Historical results are not silently rewritten when:

- an extractor changes;
- a rule changes;
- a threshold changes;
- a model changes;
- a state changes;
- a narrative rule changes;
- a renderer changes;
- a protocol changes.

A user may be offered a newly computed result only when explicitly supported by product and scientific policy.

The historical original remains identifiable.

XLIII. IMPLEMENTATION INVARIANTS

INV-01

Nothing bypasses the Evidence Ledger.

INV-02

No semantic conclusion exists without a reconstructable Decision Ledger.

INV-03

Narrative does not score.

INV-04

The Resonance renderer does not interpret.

INV-05

Unknown remains unknown.

INV-06

Missing baseline is not population baseline.

INV-07

State names summarize geometry; they do not create geometry.

INV-08

Boundary cases may blend.

INV-09

Unresolved is a valid and expected production output.

INV-10

No model may silently introduce a new scientific claim.

INV-11

No experimental feature may silently influence production.

INV-12

A complete result requires protocol-valid acquisition.

INV-13

Every material numerical rule is versioned.

INV-14

Historical results retain provenance.

INV-15

The same scan may produce both semantic reflection and a Resonance Signature, but those outputs remain scientifically separate.

XLIV. TRACE REQUIREMENT

For any published semantic statement, an authorized trace view must be able to answer:

1. What conclusion was published?
2. Which Constellation/parameter produced it?
3. Which Evidence supported it?
4. Which Evidence contradicted it?
5. What was missing?
6. Which confounds were active?
7. Which measurements created the Evidence?
8. Which prompts supplied those measurements?
9. Which reference was used?
10. Which versions produced the result?
11. What alternatives were considered?
12. Why did the published result win, blend, suppress, or remain unresolved?

For any published Resonance Signature, an authorized trace must answer:

1. Which acoustic measurements were rendered?
 2. Where did they occur in time?
 3. Which measurements were rejected or down-weighted?
 4. Which normalization was applied?
 5. Which renderer configuration was used?
 6. Which version reproduced the output?
-

XLV. PRODUCT NORTH STAR

The product succeeds when the user can say:

I can see how my voice moved through the scan.

I can understand what measurable patterns SoulScope noticed.

I can understand how those observations contributed to the reflection.

I can see where the evidence was uncertain or incomplete.

And SoulScope has not taken authority over what my experience means.

XLVI. SCIENTIFIC NORTH STAR

SoulScope is not an emotion detector disguised as a reflection tool.

It is not a personality test generated from acoustics.

It is not a diagnostic system.

It is not a truth detector.

It is a versioned measurement-and-reasoning instrument designed to organize qualified vocal evidence into bounded reflection.

Its scientific ambition is therefore not:

“Infer everything the voice contains.”

It is:

“Measure what can be measured reliably, preserve what is uncertain, reason only as far as the evidence allows, and make every step traceable.”

XLVII. ADOPTION EFFECT

Upon formal adoption:

- Canon v1.3 supersedes Canon v1.2 as governing constitutional authority.
 - The revised three-prompt semantic contract becomes canonical.
 - The time-resolved acoustic Resonance Signature remains canonical.
 - Any remaining language implying that the Signature is generated from Constellation geometry is superseded.
 - The Constellation system remains the authoritative semantic structure for user-result reasoning.
 - The Acoustic Parameter Registry becomes the governing production measurement specification at its active version.
 - Existing Design Bible, Resonance Signature Guide, Interface System, Developer/Validation rules, and compatible UX specifications remain in force unless contradicted by this Canon.
-

FINAL PRINCIPLE

Measurement $\rightarrow$ Evidence $\rightarrow$ Reasoning $\rightarrow$ Reflection

and independently:

Qualified Acoustic Measurement(t) $\rightarrow$ Resonance Signature

Both belong to the same scan.

Neither is allowed to pretend to be the other.

The instrument provides evidence. The individual provides meaning.