

GIT-HOL -1

Git Configuration and Repository Creation

Objective

- Setup your machine with Git Configuration
- Integrate Notepad++ as the default Git editor
- Add a file to the source code repository

Prerequisites

- Install Git Bash.
- Create a GitHub account.

Procedure


1. Check Git installation using: `git --version`
2. Configure Git username and email.
3. Verify Git configuration.
4. Configure Notepad++ as the default editor (optional).
5. Create a GitDemo folder and initialize it with `git init`.
6. Create `welcome.txt` and add content.
7. Check repository status.
8. Stage the file using `git add welcome.txt`.
9. Commit using `git commit -m "Added welcome file"`.
10. Add remote repository.
11. Pull and push the repository to GitHub.

Commands

```
git --version
git config --global user.name "Your Name"
git config --global user.email "you@example.com"
git config --global --list
```

```
mkdir GitDemo
cd GitDemo
git init
echo "Welcome to the version control" > welcome.txt
git status
git add welcome.txt
git commit -m "Added welcome file"
git remote add origin https://github.com/<username>/GitDemo.git
git pull origin main
git push origin main
```

Output



```
MINGW64/c/Users/lahar/GitDemo
lahar@laharitata MINGW64 ~
$ git --version
git version 2.34.0.windows.1

lahar@laharitata MINGW64 ~
$ git config --global user.name "Tata Lahari"

lahar@laharitata MINGW64 ~
$ git config --global user.email "231fa04095@gmail.com"

lahar@laharitata MINGW64 ~
$ git config --global --list
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
user.name=Tata Lahari
user.email=231fa04095@gmail.com
core.editor="C:\Users\lahar\AppData\Local\Programs\Microsoft VS Code\bin\code" --wait

lahar@laharitata MINGW64 ~
$ mkdir GitDemo

lahar@laharitata MINGW64 ~
$ cd GitDemo

lahar@laharitata MINGW64 ~/GitDemo
$ git init
Initialized empty Git repository in C:/Users/lahar/GitDemo/.git/

lahar@laharitata MINGW64 ~/GitDemo (main)
$ echo "Welcome to the version control" > welcome.txt

lahar@laharitata MINGW64 ~/GitDemo (main)
$ ls
welcome.txt

lahar@laharitata MINGW64 ~/GitDemo (main)
$ cat welcome.txt
Welcome to the version control

lahar@laharitata MINGW64 ~/GitDemo (main)
$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    welcome.txt

nothing added to commit but untracked files present (use "git add" to track)

lahar@laharitata MINGW64 ~/GitDemo (main)
$ git add welcome.txt

lahar@laharitata MINGW64 ~/GitDemo (main)
$ git commit -m "Added welcome file"

lahar@laharitata MINGW64 ~/GitDemo (main)
$ git status
```

```
MINGW64~/c/Users/lahar/GitDemo
git remote add origin ^{[200~
git push -u origin main
warning: in the working copy of 'welcome.txt', LF will be replaced by CRLF the next time Git touches it
[main (root-commit) 5e3d4eb] Added welcome file
1 file changed, 1 insertion(+)
create mode 100644 welcome.txt
On branch main
nothing to commit, working tree clean
fatal: '?[200~' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

lahar@laharitata MINGW64 ~/GitDemo (main)
$ git add welcome.txt

git commit -m "Added welcome file"

git status

git remote add origin https://github.com/Laharitata/GitDemo

git push -u origin main
On branch main
nothing to commit, working tree clean
On branch main
nothing to commit, working tree clean
error: remote origin already exists.
fatal: '?[200~' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

lahar@laharitata MINGW64 ~/GitDemo (main)
$ git remote -v
origin    (fetch)
origin    (push)

lahar@laharitata MINGW64 ~/GitDemo (main)
$ git remote remove origin

lahar@laharitata MINGW64 ~/GitDemo (main)
$ git remote add origin https://github.com/Laharitata/GitDemo.git

lahar@laharitata MINGW64 ~/GitDemo (main)
$ git remote -v
origin    https://github.com/Laharitata/GitDemo.git (fetch)
origin    https://github.com/Laharitata/GitDemo.git (push)

lahar@laharitata MINGW64 ~/GitDemo (main)
$ git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 252 bytes | 252.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Laharitata/GitDemo.git
* [new branch]    main -> main
```

Result

Git was configured successfully, a repository was created, welcome.txt was committed, and the repository was synchronized with the remote repository.