Proof Checker Notes

Yu-Yang Lin

July 7, 2015

1 Syntax Grammar

(types)
$$\tau := bool \mid \tau \to \tau \mid nat \mid list \tau$$

(hypotheses) A, B ::= $\top \mid \bot \mid A \land B \mid A \lor B \mid A \supset B \mid \forall x : \tau . A \mid \exists x : \tau . A \mid t = t : \tau$
(terms) e, t ::= $x \mid tt \mid true \mid false \mid [\] \mid t :: t \mid zero \mid suc(t)$
(term context) $\psi ::= . \mid \psi, x : \tau$
 $\psi \vdash t : \tau$
 $\psi \vdash A prop$

2 Specification rules of terms typing and hypotheses

2.1 Terms

Natural Numbers:

$$\frac{\psi \vdash \mathsf{zero} : \mathsf{nat}}{\psi \vdash \mathsf{suc}(\ t\) : \mathsf{nat}} \quad (\mathsf{nat}\text{-}\mathsf{suc}\text{-}\mathsf{n})$$

Booleans:

$$\frac{}{\psi \vdash \text{true : bool}} \quad \text{(bool-true)} \qquad \frac{}{\psi \vdash \text{false : bool}} \quad \text{(bool-false)}$$

Lists:

$$\frac{\psi \vdash [\] : \text{list t}}{\psi \vdash [\] : \text{list t}} \quad \text{(list-empty)} \qquad \frac{\psi \vdash \mathsf{t}' : \mathsf{t}}{\psi \vdash \mathsf{t}' : \mathsf{t}'' : \text{list t}} \quad \text{(list-hd::tl)}$$

Variables:

$$\frac{x:\tau\in\psi}{\psi\vdash x:\tau} \quad \text{(var)}$$

Application:

$$\frac{\psi \vdash \mathsf{t} : \tau \to \tau' \qquad \psi \vdash \mathsf{t}' : \tau}{\psi \vdash \mathsf{t} \; \mathsf{t}' : \tau'} \quad (\mathsf{app})$$

2.2 Propositions

Truth and Falsity Propositions:

$$\frac{}{\psi \vdash \top \operatorname{prop}} \quad (\top \operatorname{-prop}) \qquad \qquad \frac{}{\psi \vdash \bot \operatorname{prop}} \quad (\bot \operatorname{-prop})$$

Binary Relation Propositions:

$$\frac{\psi \vdash A \text{ prop} \qquad \psi \vdash B \text{ prop}}{\psi \vdash A \land B \text{ prop}} \quad (\land\text{-prop})$$

$$\frac{\psi \vdash A \operatorname{prop} \qquad \psi \vdash B \operatorname{prop}}{\psi \vdash A \lor B \operatorname{prop}} \quad (\lor \operatorname{-prop})$$

$$\frac{\psi \vdash A \text{ prop} \qquad \psi \vdash B \text{ prop}}{\psi \vdash A \supset B \text{ prop}} \quad (\supset \text{-prop})$$

$$\frac{\psi \vdash t: \tau \qquad \psi \vdash t': \tau}{\psi \vdash (t = t': \tau) \text{ prop}} \quad \text{(eq-prop)}$$

Quantifier Propositions:

$$\frac{\psi, x : \tau \vdash A \text{ prop}}{\psi \vdash \forall x : \tau. A \text{ prop}} \quad (\forall \text{-prop})$$

$$\frac{\psi, x : \tau \vdash A \text{ prop}}{\psi \vdash \exists x : \tau. A \text{ prop}} \quad (\exists \text{-prop})$$

3 Implementation rules for type inference and checking

3.1 Syntax grammar

(infer)
$$e := x \mid e v \mid true \mid false \mid zero \mid suc(e)$$

(check) $v := v :: v \mid nil \mid e$

Type Inferece Rule:

$$\bar{\psi} \vdash \bar{t} \Rightarrow \dot{\tau}$$

Type Checking Rule:

$$\bar{\psi} \vdash \bar{t} \Leftarrow \bar{\tau}$$

3.2 Term type inference

Variables:

$$\frac{x:\tau\in\psi}{\psi\vdash x\Rightarrow\tau}\quad \text{(var)}$$

Application:

$$\frac{\psi \vdash \mathsf{t} \Rightarrow \tau \to \tau' \qquad \psi \vdash \mathsf{t'} \Leftarrow \tau}{\psi \vdash \mathsf{t} \; \mathsf{t'} \Rightarrow \tau'} \quad \text{(app)}$$

Natural Numbers:

$$\frac{\psi \vdash \text{zero} \Rightarrow \text{nat}}{\psi \vdash \text{zero} \Rightarrow \text{nat}} \quad \text{(nat-zero)} \qquad \frac{\psi \vdash \text{t} \Leftarrow \text{nat}}{\psi \vdash \text{suc(t)} \Rightarrow \text{nat}} \quad \text{(nat-suc-n)}$$

Booleans: $\frac{}{\psi \vdash \mathsf{true} \Rightarrow \mathsf{bool}} \quad \mathsf{(bool\text{-}true)} \qquad \frac{}{\psi \vdash \mathsf{false} \Rightarrow \mathsf{bool}} \quad \mathsf{(bool\text{-}false)}$

3.3 Term type checking

Lists:

Inference Case:

$$\frac{\psi \vdash t \Rightarrow \tau' \qquad \tau = \tau'}{\psi \vdash t \Leftarrow \tau} \quad (app)$$

3.4 Propositions type checking

Truth and Falsity Propositions:

$$\frac{}{\psi \vdash \top \operatorname{prop}} \quad (\top\operatorname{-prop}) \qquad \qquad \frac{}{\psi \vdash \bot \operatorname{prop}} \quad (\bot\operatorname{-prop})$$

Binary Relation Propositions:

$$\frac{\psi \vdash A \text{ prop} \qquad \psi \vdash B \text{ prop}}{\psi \vdash A \land B \text{ prop}} \quad (\land\text{-prop})$$

$$\frac{\psi \vdash A \operatorname{prop} \quad \psi \vdash B \operatorname{prop}}{\psi \vdash A \lor B \operatorname{prop}} \quad (\lor \operatorname{-prop})$$

$$\frac{\psi \vdash A \operatorname{prop} \qquad \psi \vdash B \operatorname{prop}}{\psi \vdash A \supset B \operatorname{prop}} \quad (\supset \operatorname{-prop})$$

$$\frac{\psi \vdash t \Leftarrow \tau \qquad \psi \vdash t' \Leftarrow \tau}{\psi \vdash (t = t' \Leftarrow \tau) \text{ prop}} \quad \text{(eq-prop)}$$

Quantifier Propositions:

$$\frac{\psi, x \Leftarrow \tau \vdash A \text{ prop}}{\psi \vdash \forall x \Leftarrow \tau. A \text{ prop}} \quad (\forall \text{-prop})$$

$$\frac{\psi, x \Leftarrow \tau \vdash A \operatorname{prop}}{\psi \vdash \exists x \Leftarrow \tau. A \operatorname{prop}} \quad (\exists \operatorname{-prop})$$

3.5 Function signatures

infer_term : $\psi \to {\mathsf t} \to {\mathsf \tau}$ option

check_term : $\psi \to t \to \tau \to unit option$ check_prop : $\psi \to A \to unit option$

val infer_term : ctx -> term -> tp option

val check_term : ctx -> term -> tp -> unit option

val check_prop : ctx -> prop -> unit option

4 Rules for well-formedness of proofs

4.1 Syntax grammar

$$(proofs) \quad p\,,q \quad ::= \quad by\,H \\ \quad \mid \quad (p\,,q) \\ \quad \mid \quad let\,(H',H'') = H\,in\,p \\ \quad \mid \quad (p\,,q)\,\text{either} \\ \quad \mid \quad match\ [H]\ : \quad (A \lor B) \quad \text{with} \quad (\\ \quad \mid \quad A\ [H']\ : \quad p \to C \\ \quad \mid \quad B\ [H'']\ : \quad q \to C\,) \\ \\ (hypotheses\,context) \quad \Gamma \quad ::= \quad \cdot \\ \quad \mid \quad \Gamma\,,H\,:A \\ \quad \mid \quad Assume\,A\,[\,H\,]\,,p \\ \\ \psi\,;\Gamma \quad \vdash p\,:\,A \\ \quad \psi \quad \vdash \Gamma$$

4.2 Rules

Truth and Falsity:

$$\frac{}{\psi;\Gamma\vdash\top:C}\quad (\top R)\qquad \qquad \frac{}{\psi;\Gamma,H:\bot\vdash\mathsf{match}\,H\,\mathsf{with}\,\bot:C}\quad (\bot L)$$

Conjunction:

$$\frac{\psi;\Gamma,H:A\wedge B,H':A,H'':B\vdash p:C}{\psi;\Gamma,H:A\wedge B\vdash \text{let }(H',H'')\ =\ H\ \text{in }p}\quad (\land L)$$

$$\frac{\psi;\Gamma\vdash p:A\qquad \psi;\Gamma\vdash q:B}{\psi;\Gamma\vdash (p,q):A\wedge B}\quad (\land R)$$

Disjunction:

$$\frac{\psi; \Gamma, H: A \vee B, H': A \vdash p: C \qquad \psi; \Gamma, H: A \vee B, H'': B \vdash q: C}{\psi; \Gamma, H: A \vee B \vdash \text{match} \quad [H] \quad \text{with} \left(A \left[H' \right]: p \mid B \left[H'' \right]: q \right) : C} \quad (\lor L)$$

$$\frac{\psi; \Gamma \vdash p : A}{\psi; \Gamma \vdash \text{Left } p : A \lor B} \quad (\lor R_1)$$

$$\frac{\psi;\Gamma\vdash q:B}{\psi;\Gamma\vdash \text{Right }q:A\vee B}\quad (\vee R_2)$$

Implication:

$$\frac{\psi; \Gamma, H: A \supset B \vdash p: A \qquad \psi; \Gamma, H: A \supset B, H': B \vdash q: C}{\psi; \Gamma, H: A \supset B \vdash (p, B [H'] \text{ via } H, q): C} \quad (\supset L)$$

$$\frac{\psi; \Gamma, H: A \vdash p: B}{\psi; \Gamma \vdash (Assume A [H], p): A \supset B} \quad (\supset R)$$

Using hypotheses:

$$\psi$$
; Γ , $[H]$: $A \vdash by H : A$ (by)

$$\frac{\psi; \Gamma \vdash p : A}{\psi; \Gamma \vdash p \text{ Therefore } A : A} \quad \text{(therefore)}$$

4.3 Function signature

check_proof :
$$\psi \to \Gamma \to {\rm P} \to {\rm A} \to {\rm unit}$$
 option