

Chaya Silverstein

Professor Binh Dang

CSIT 166-DL DL1

12 May. 2026

Assignment

In this work I learned so much, I learned how to use Swing application using JButton, JTextField, and how to connect it with everything we learned like arrays, data types, calculator and more . Before I started with my code, I summarized the lesson video in my notebook, I treated each part as part of a puzzle, and then when I started the work, I connected all the required parts. I really understood how it is much more than the JAVA language itself. Everything I learned became so logical, I understood that every programming language has parts like data types, sorting, formatting, data storage and more. And you must connect them to create something. I enjoyed seeing my creation come to life

I wanted to say thank you for the lessons I learned so much

In my code:

part 1 create the main window add a layout, size, color, font ...

part 2 create tidal label

part 3 add a list of items

part4 create checkbooks list for the food

part 5 add buttons that calculate the total price

part 6 add label that shows the total price

part 7 make the buttons run a click and calculate total of the items that are selected

part 8 start the program

Mycode :

```
package m7;
import javax.swing.JFrame;
import java.awt.event.*;
import javax.swing.*;
import java.awt.Color;
//import java.awt.FlowLayout;
import java.awt.Font;
import java.awt.GridLayout;
public class m7 implements ActionListener {
JFrame menu; // to create the frame
JCheckBox[] items; // an array for all the items on the menu
double[] prices= {12.90,7.50,5.25,4.00,7.00,5.00,12.87,8.00,9.00,1.00}; //the prices in an array
//{ 1-"pizza",2-"nachos",3-"icecream",4-"milkshake",5-"salat",6-"fries",7-"burger",8-"sandwich",9-"pasta",10-
"water"};
// i put the item here so i can see them when making the price i am sure there is a better way to do this but
this worked
//is there a better way you would recommend to to this ?
JLabel t; //this label is for the art for the frame
//JLabel a ( i was trying something here )
JLabel totalLabel; //this is for the total
JButton button; //Buttons for calculation
m7() { //this is the constructed
//-----part 1 create the main window add a layout ,size , color, font ... -----
menu = new JFrame("menu"); // to create the window
menu.getContentPane().setBackground(new Color(201,71,119)); // Background color only the frame with
RGB
menu.setSize(400,600); //the size
menu.setResizable(false); // i added this so gored layout will work well
menu.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE); // to close it when i press X
menu.setLayout(new GridLayout(13,1)); //Using gored layout with 14 rows and 1 column
//menu.setLayout(new FlowLayout());
//fonts
Font titleFont=new Font("SansSerif",Font.PLAIN,34); // title font
Font CheckBoxFont=new Font("Tahoma",Font.PLAIN,24); //boxes font
Font totalFont=new Font("SansSerif",Font.BOLD,34); // u know
//a=new JLabel("totalFont");
//a.setHorizontalAlignment(JLabel.RIGHT);
```

```

//a.setFont(totalFont);
//menu.add(a);
//-----part 2 create title label -----
t=new JLabel("restaurant menu");// the title
t.setHorizontalAlignment(JLabel.CENTER);//center the title
t.setFont(titleFont);//font type titleFont
t.setForeground(Color.WHITE);// color for the setForeground
t.setOpaque(true);//to allow it to show
t.setBackground(new Color(120,154,194));// color for title
menu.add(t); //add all to the frame
//-----part 3 add a list of items -----
String[] food= { "pizza","nachos","ice cream", "milkshake","salad","fries"
,"burger","sandwich","pasta", "water"};
//-----part4 create checkboxes list for the food -----
items=new JCheckBox[10];// array with 10 items
for(int i=0;i<food.length;i++) {
    items[i]=new JCheckBox(food[i]+" - $" +prices[i]);// Checkbooks for each of the items
    items[i].setFont(CheckBoxFont); //font of it
    menu.add(items[i]);//add it all to the frame
}
//----part 5 add buttons that calculate the total price --
button = new JButton ("calculate the total");
button.setFont(CheckBoxFont);//font for the button
button.setBackground(new Color(120,154,90));// color
button.setForeground(Color.BLACK);// text color
button.addActionListener(this); //this will connect the button to the action method
menu.add(button);// add it all to the frame
//-----part 6 add label that shows the total price
totalLabel=new JLabel("Total: $0.00");
totalLabel.setFont(totalFont);//font
totalLabel.setForeground(Color.WHITE);// color
menu.add(totalLabel);//add this all to the frame
menu.setVisible(true);//this will show the frame
}
//----- part 7 make the buttons run an click and calculate total of the items that are selected -----
public void actionPerformed(ActionEvent e) {
    double total=0;
    for(int i=0;i<items.length;i++) { //loop through all of the items
        if(items[i].isSelected()) { //check if the item was selected
            total+=prices[i]; //add it to total
        }
    }
    totalLabel.setText(String.format("Total: $%.2f",total)); // Display the end result
}
//----- part 8 start the program -----
public static void main(String[] args) {
    new m7();
}

```

```
}  
  
}  
  
// thank you so much this was fun :)
```







