


PHASE 3 SUBMISSION DOCUMENT

Project Title: TRAFFIC MANAGEMENT

Phase 3: Development Part 1

Topic: In this section begin building your project by loading and preprocessing the dataset.



Introduction:

The growing urbanization and increasing population in cities around the world have put immense pressure on transportation systems. Traffic congestion, air pollution, and accidents have become common challenges that cities face. To address these issues and create more efficient and sustainable transportation networks, cities are turning to emerging technologies, with the Internet of Things (IoT) at the forefront of this transformation. In this extensive exploration, we will delve into the significant role that IoT plays in traffic management, how it's changing the urban landscape, its associated benefits, challenges, and the potential future developments in this field.

IoT in Traffic Management: A Game Changer

IoT in traffic management involves the deployment of a network of interconnected sensors, cameras, and data processing devices throughout the urban infrastructure. These devices collect real-time data on various aspects of traffic flow, including vehicle movement, pedestrian activity, weather conditions, and road infrastructure status. The data collected is then analyzed and utilized to make informed decisions about traffic control, optimize road networks, and improve the overall urban mobility experience.

Benefits of IoT in Traffic Management:

- Real-Time Monitoring: IoT enables real-time traffic monitoring, allowing authorities to promptly respond to accidents, congestion, or adverse weather conditions. This helps reduce traffic bottlenecks and enhance safety.
- Smart Traffic Signals: Adaptive traffic signal systems adjust signal timings based on real-time traffic conditions, reducing idle time and minimizing congestion.
- 3. Data-Driven Decision Making: Traffic data collected through IoT is invaluable for urban planning. It informs decisions about road expansion, maintenance, and the development of public transit systems.
- 4. Environmental Benefits: By optimizing traffic flow and reducing congestion, IoT contributes to reduced fuel consumption and lower greenhouse gas emissions, making cities more environmentally friendly.

Challenges and Considerations:


- Privacy and Security: Collecting and processing vast amounts of traffic data can raise privacy concerns. Ensuring data security and protecting the anonymity of individuals is a critical challenge.
- 2. Data Overload: Handling and analyzing the massive volumes of data generated by IoT devices can be overwhelming. Cities need robust infrastructure and data processing capabilities to manage this information

effectively. **3. Integration and Standards:** Different cities and regions may use different technologies and standards, making interoperability and data sharing a challenge. **4. Cost and Infrastructure**: Implementing IoT systems requires significant investment in infrastructure and technology. Funding can be a barrier for some cities.

Future of IoT in Traffic Management:

The potential for IoT in traffic management is vast and ever-evolving. Here are some future developments to watch for:

- Autonomous Vehicles: The integration of IoT will be crucial for the success of autonomous vehicles. IoT can assist in vehicle-to-vehicle (V2V) and vehicle-to-infrastructure (V2I) communication, ensuring safer and more efficient transportation.
- Predictive Analytics: Advanced data analytics, combined with AI, will enable cities to predict traffic patterns, making traffic management more proactive than reactive.
- 3. Smart Parking: IoT can be used to develop smart parking solutions, helping drivers find parking spaces more easily and reducing traffic congestion caused by the search for parking.
- 4. Sustainability: As cities prioritize sustainability, IoT can help optimize traffic flow in a way that reduces emissions and promotes cleaner transportation options, such as electric vehicles.



II. Data Processing: Understand the Current Situation

1. Import Datasets

Before starting to think about the Optimization Model, your priority is to understand the current situation.

Starting with unstructured data coming from several sources, we'll need to build a set of data frames to model our network and provide visibility on the loading rate and list of stores delivered for each

Records of Deliveries per Store

Deliveries Records

Delveries_record_ccv

Date	Truck_ID	Store_ID	FTL	Order	вох	SKU	Loading (Tons)
9/1/2016	Truck_ID1	Store_ID1	3.5	16	311	83	2.404
9/1/2016	Truck_ID1	Store_ID2	3.5	18	178	83	1.668

Date	Truck_ID	Store_ID	FIL	Order	вох	SKU	Loading (Tons)
9/1/2016	Truck_JD2	Store_ID3	3.5	10	74	54	0.81
9/1/2016	Truck_JD2	Store_ID4	3.5	19	216	88	2.413
9/1/2016	Truck_JD3	Store_ID5	3.5	10	117	54	1.119
9/1/2016	Truck_JD3	Store_ID6	3.5	15	294	92	5/17
9/1/2016	Truck_JD4	Store_ID7	3.5	5	42	19	0.421
9/1/2016	Truck_JD4	Store_ID8	3.5	12	125	88	1.138
9/1/2016	Truck_ID5	Store_ID9	5	18	201	95	2.19

Store Address

Store_address.csv

Search this file...

Code city	Long Lat	address		
Store_ID1	City_Store1	31.952792	118.8192708	Address_1
Store_ID2	City_Store2	31.952792	118.8192718	Address_2
Store_ID3	City_Store3	31.675948	120.7468221	Address_3
Store_ID4	City_Store4	31.664448	120.7700006	Address_4
Store_ID5	City_Store5	31.750971	119.9478857	Address_5
Store_ID6	City_Store6	31.791351	119.9232302	Address_6
Store_ID7	City_Store7	31.79233	119.9768294	Address_7
Store_ID8	City_Store8	31.982972	119.5832084	Address_8

Store_ID9	City_Store9 31.996161 119.6	5341775	Addres	s_9
Store_ID10	City_Store10 31.885547	121.18864	73 A	ddress_10
Store_ID11	City_Store11 30.310079	120.15157	34 A	ddress_11
Store_ID12	City_Store12 31.383616	121.25694	A 80	ddress_12
Store_ID13	City_Store13 31.387863	121.27971	54 A	ddress_13

Transportation Costs

Transportation_cost.csv

Search this file...

City_En (Rmb/Ton)				Rmb)	8T (F	(mb	3.5T (Rmb/* 5T 6/17
City_1	485	650	800	139	130	100	
City_2	640	700	820	183	140	103	
City_3	690	780	890	197	156	111	
City_4	810	1,000	1,150	231	200	144	
City_5	1,300	1,568	31,723	3 3 7 1	314	215	
City_6	1,498	31,900	2,100	1428	380	263	
City_7	980	1,250	1,450	280	250	181	
City_8	1,350	1,450	1,500	386	290	188	
City_9	1,350	1,450	1,500	386	290	188	
City_10	850	1,000	1,200	243	200	150	

2. Listing of stores delivered by each route

Let us process the initial data frame to list all stores delivered for each rout

1 Route = 1 Truck ID + 1 Date

Create Transport Plan

```
Def transport_plan(data, dict_trucks, capacity_dict):
      # List of Stores per Truck for each DAY
      Df_plan = pd.DataFrame(data.groupby(['Date', 'TruckID'])['Code'
].apply(list))
      Df_plan.columns = ['List_Code']
      # List of Box Quantity
      Df_plan['List_BOX'] = data.groupby(['Date', 'TruckID'])['E
      # Mean of FTL
      Df_plan['FTL'] = data.groupby(['Date', 'TruckID'])['FTL'].mean()
      Df_plan['Capacity(T)'] = df_plan['FTL'].map(capacity_dict)
      Df_plan['List_Loading'] = data.groupby(['Date', 'TruckID'])['Loading(T)'
].apply(list)
      Df_plan['Count'] = df_plan['List_Loading'].apply(lambda t: len(t))
      Df_plan['Total_tons(T)'] = data.groupby(['Date', 'TruckID'])['Loading(T)'
].sum()
      # Distribute: one shipment per col
      # Stores
      D = df_plan['List_Code'].apply(pd.Series)
      For col in d:
        Df_plan["Store%d" % (col+1)] = d[col]
      # Boxes number
      D = df_plan['List_BOX'].apply(pd.Series)
      For col in d:
        Df_plan["Box%d" % (col+1)] = d[col]
      # Shipments Tonnage
```

```
D = df_plan['List_Loading'].apply(pd.Series)
     For col in d:
        Df_plan["Tons%d" % (col+1)] = d[col]
     # Fill NaN + Drop useless columns
     Df_plan.fillna(0, inplace = True)
     If 1 == 0:
           Df_plan.drop(['List_Code'], axis = 1, inplace = True)
                                                                      8/17
           Df_plan.drop(['List_BOX'], axis = 1, inplace = True)
           Df_plan.drop(['List_Loading'], axis = 1, inplace = True)
     Return df_plan
Example Transport Plan
Transport_plan.csv
Search this file...
Date TruckID
                 List_Code Capacity(T)List_Loading
                                                          Count
     Total_tons(T)
                                   Store2
                                              Store3
                                                          Store4
                                                                     Box1
                       Store1
     Box2 Box3 Box4 Tons1
                                   Tons2
                                              Tons3
                                                          Tons4
     Occupation(%)
                      Available(T)
           Truck_ID1 ['Store_ID6']3.5
                                                    2.91 ID6
                                                                     0
                                        [2.91]1
                                                               0
                                                          83.140.59
           243 0
                       0
                             0
                                   2.91 0
                                              0
                                                    0
           Truck_ID2 ['Store_ID34', 'Store_ID22', 'Store_ID9']
                                                               3.5
                                                                     0.3.
                                                    116 44
                                                                     0.3
                 2.14 ID34 ID22 ID9
                                              31
                                                               0
                                        0
         0.47 0
                       61.141.36
```

Truck_ID3 ['Store_ID18']

Truck ID4 ['Store_ID37']

0

0

174 0

179 0

0

0

[1.5] 1

[2.3] 1

0

0

0

0

3.5

1.5

3.5

2.3

1.5

0

2.3

0

ID18 0

42.862

ID37 0

65.711.2

```
Truck_ID5 ['Store_ID34', 'Store_ID48'] 3.5 [2.14, 0.51] 2 ID34 ID48 0 0 168 46 0 0 2.14 0.51 0 75.71 0.85
```

Add cities covered by each route

Let us now calculate Transportation Costs invoiced by carriers for each route: ## Pricing Functions

Def f_maxcity(list_cities, list_price):

Return list_cities[list_price.index(max(list_price))] # Index of Maximum Price

Def inner_stops(list_cities, max_city):

Return list_cities.count(max_city) - 1

Def outer_stops(list_cities, max_city):

Return len(list_cities) - (list_cities.count(max_city))

9/17

Def total_price(max_price, inner_stops, outer_stops, inner_price, outer_price):

Return max_price + inner_stops * inner_price + outer_stops * outer_price

Calculate Price

Def plan_price(df_strinfo, df_plan, inner_price, outer_price):

Dictionnary Ville

Dict_ville = dict(zip(df_strinfo.Code.values, df_strinfo.City.values))

Price per Truck Size: 3.5T, 5T, 8T

Dict_35, dict_5, dict_8 = [dict(zip(df_strinfo.City.values, df_strinfo[col].values)) for col in ['3.5T', '5T', '8T']]

```
# Mapping Cities
      F_ville = lambda t: [dict_ville[i] for I in t] # literal_eval(t)
      # Mapping Price
      F_35 = lambda t: [dict_35[i] for I in t]
      F_5 = lambda t: [dict_5[i] for I in t]
      F_8 = lambda t: [dict_8[i] for l in t]
      # Mapping Price
      Df_plan['List_City'] = df_plan['List_Code'].map(f_ville)
      Df_plan['List_Price35'] = df_plan['List_City'].map(f_35)
      Df_plan['List_Price5'] = df_plan['List_City'].map(f_5)
      Df_plan['List_Price8'] = df_plan['List_City'].map(f_8)
      # Maximum Price City
                                                                     10/17
      F_maxprice = lambda t: max(t) # Maximum Price
      # Mapping First City
      Df_plan['Max_Price35'] = df_plan['List_Price35'].map(f_maxprice)
      Df_plan['Max_Price5'] = df_plan['List_Price5'].map(f_maxprice)
      Df_plan['Max_Price8'] = df_plan['List_Price8'].map(f_maxprice)
      Df_plan['Max_City'] = df_plan.apply(lambda x: f_maxcity(x.List_City,
x.List_Price35), axis = 1)
```

Inner City Stop

Df_plan['Inner_Stops'] = df_plan.apply(lambda x: inner_stops(x.List_City, x.Max_City), axis = 1)

Df_plan['Outer_Stops'] = df_plan.apply(lambda x: outer_stops(x.List_City, x.Max_City), axis = 1)

Total Price

Df_plan['Price35'] = df_plan.apply(lambda x: total_price(x.Max_Price35, x.Inner_Stops, x.Outer_Stops,

Inner_price, outer_price), axis = 1)

Df_plan['Price5'] = df_plan.apply(lambda x: total_price(x.Max_Price5, x.Inner_Stops, x.Outer_Stops,

Inner_price, outer_price), axis = 1)

Df_plan['Price8'] = df_plan.apply(lambda x: total_price(x.Max_Price8, x.Inner_Stops, x.Outer_Stops, 11/17

Inner_price, outer_price), axis = 1)

Return df_plan

Visualization: % Deliveries per Truck Size


Insights

- Average TruckSize: a large majority of small trucks
- Cost per ton: the inverse proportion of cost per ton and average truck size

Understand Current Situation: Visualisation

1. Transportation Plan Visualisation

Objective: Get a simple visualisation of all deliveries per day with a focus on the number of different routes.



Transportation Plan: January 2017 — (Image by Author)

Solution: Python's Matplotlib grid function

Columns: 1 Column = 1 Store

Rows: 1 Row = 1 Day

Colour=White: 0 delivery

Colours: 1 Color = 1 Route (1 Truck)

Geographical Visualization of Store Deliveries


Objective

Visualisation of geographical locations delivered in the same route



Solution

OpenStreet Map + Matplotlib Scatter Plot Visualization of the different routes covered per day




Next Steps

1. Measure the Environmental Impact

Supply Chain Sustainablity Report

Estimate the CO2 emissions of your Transportation Network





In addition to cost reduction, you can also target CO2 Emissions reductions by Optimizing your Transportation Network.

Routing Optimization: Number of Deliveries per Route

Dataframe with historical records processed

Current transportation plan

A model to calculate transportation cost per route based on cities delivered

Visualisation of the number of different routes per day

Visualisation of geographical locations delivered per Route

Next steps are

Routing: increase the number of stores delivered for each route

Fleet Allocation: ensure uniform workload distribution

Delivery Frequency: reduce the number of deliveries per week to increase the quantity per shipment

Simulate Impact: savings we can get from optimization listed above

Conclusion:

In the realm of public transport management in the Internet of Things (IoT), the significance of data cannot be overstated. This journey through the amalgamation of smart technology and public transportation has demonstrated the transformative power of data-driven insights. The utilization of IoT datasets has not only redefined public transportation but has also set the stage for a more efficient, reliable, and passenger-centric future.

