

Consistency and Quality of Online Restaurant Reviews in the Milan Area

Data Management Project

June 5, 2026

1 Project Scope

This report documents a Data Management project focused on restaurant review platforms in the Milan area. The current report is a pre-integration baseline: it assesses Google Places, Tripadvisor, and TheFork data after acquisition and before entity matching. The project can later integrate these sources to analyse cross-platform rating consistency on a unified restaurant table.

2 Data Sources

The current acquisition layer contains three raw source datasets: Google Places as geographic seed and reference source, Tripadvisor as a general-purpose review platform, and TheFork as a restaurant-specific platform. All quality metrics in this report are computed from raw acquisition outputs. No entity matching or post-integration metric is included in this baseline.

3 Data Quality Assessment

The selected data-quality dimensions are completeness, validity/consistency, uniqueness, timeliness, and reliability. Completeness measures missing values; validity checks platform-specific rating scales, numeric review counts, and coordinate pairs; uniqueness checks stable source identifiers; timeliness checks available acquisition timestamps; reliability flags ratings based on sparse review evidence.

3.1 Cross-Source Summary

Source	Records	Score	Critical	Validity	Spatial	Timeliness	Reliable	Flags/100
Google Places	10808	95.14%	98.15%	93.51%	100.00%	100.00%	79.50%	27.2
Tripadvisor	7539	67.89%	99.78%	99.90%	0.00%	0.00%	53.10%	48.0
TheFork	1344	97.48%	99.04%	96.88%	99.78%	100.00%	89.21%	14.5

3.2 Weighted Quality Score

The weighted score favours dimensions required for integration and analysis: critical completeness, validity, spatial readiness, uniqueness, timeliness, and review-count reliability. This avoids treating sparse optional metadata as equal to identifiers, ratings, review counts, and coordinates.

Source	Score	Critical	Validity	Spatial	Uniqueness	Timeliness	Reliability
Google Places	95.14%	98.15%	93.51%	100.00%	99.85%	100.00%	79.50%
Tripadvisor	67.89%	99.78%	99.90%	0.00%	99.97%	0.00%	53.10%
TheFork	97.48%	99.04%	96.88%	99.78%	100.00%	100.00%	89.21%

3.3 Pre-Integration Visual Diagnostics

The following generated visuals summarize source readiness before matching: weighted score bars, component-level diagnostics, core-field coverage, and the most frequent anomaly classes.

Weighted quality score

Source	Score	Visual scale
Google Places	95.14%	
Tripadvisor	67.89%	
TheFork	97.48%	

Score components

Source	Component	Value	Visual scale
Google Places	Critical	98.15%	
Google Places	Validity	93.51%	
Google Places	Spatial	100.00%	
Google Places	Uniqueness	99.85%	
Google Places	Timeliness	100.00%	
Google Places	Reliability	79.50%	
Tripadvisor	Critical	99.78%	
Tripadvisor	Validity	99.90%	
Tripadvisor	Spatial	0.00%	
Tripadvisor	Uniqueness	99.97%	
Tripadvisor	Timeliness	0.00%	
Tripadvisor	Reliability	53.10%	
TheFork	Critical	99.04%	
TheFork	Validity	96.88%	
TheFork	Spatial	99.78%	
TheFork	Uniqueness	100.00%	
TheFork	Timeliness	100.00%	
TheFork	Reliability	89.21%	

Core coverage heatmap

Source	ID	Name	Address	Rating	Reviews	Coords	Timestamp
Google Places	100.00%	100.00%	100.00%	93.51%	93.51%	100.00%	100.00%
Tripadvisor	100.00%	100.00%	99.12%	99.80%	100.00%	0.00%	0.00%
TheFork	100.00%	100.00%	100.00%	96.73%	97.02%	99.78%	100.00%

Colored markers indicate pre-integration readiness bands.

Anomaly profile

Source	Issue type	Count	Visual scale
Google Places	low_review_count	1515	
Google Places	missing_critical_field	1402	
Google Places	possible_duplicate_name_address	20	
Tripadvisor	low_review_count	2723	
Tripadvisor	zero_reviews	813	
Tripadvisor	missing_critical_field	81	
Tripadvisor	possible_duplicate_name_address	4	
TheFork	low_review_count	101	
TheFork	missing_critical_field	90	
TheFork	zero_reviews	4	

3.4 Comparative Findings

Comparison	Finding
Largest source	Google Places with 10808 records.
Highest weighted quality score	TheFork (97.48%).
Lowest weighted quality score	Tripadvisor (67.89%).
Highest completeness	Google Places (93.79%).
Weakest completeness	TheFork (81.16%).
Highest critical completeness	Tripadvisor (99.78%).
Coordinate-ready sources	Google Places, TheFork; Tripadvisor still requires latitude/longitude enrichment.
Most sparse review evidence	Tripadvisor (36.12%).
Highest quality-flag density	Tripadvisor (48.03 flags per 100 records).
Weakest timeliness evidence	Tripadvisor (0.00%).

3.5 Quality Improvement Actions

Priority	Scope	Action	Expected effect
1	Tripadvisor	Geocode addresses or match records to Google Places before spatial joins.	Raises spatial readiness and enables automated integration-error checks.
2	Tripadvisor	Persist record-level scrape/acquisition timestamps and parse them in QA.	Makes freshness measurable instead of relying on pipeline assumptions.
3	Google Places	Use review-count weighted ratings for cross-platform comparisons.	Reduces the impact of sparse ratings on consistency analysis.
3	Tripadvisor	Use review-count weighted ratings for cross-platform comparisons.	Reduces the impact of sparse ratings on consistency analysis.
4	Google Places	Inspect duplicate normalized name/address keys before integration.	Prevents false entity matches and duplicated restaurants.
4	Tripadvisor	Inspect duplicate normalized name/address keys before integration.	Prevents false entity matches and duplicated restaurants.

4 Source-Specific Assessment

4.1 Google Places

Google Places is treated as the broad geographic seed and reference source. Its coordinate coverage makes it the most useful starting point for spatial integration, while weak optional fields mostly affect enrichment depth.

	Metric	Value
Key metrics	Records assessed	10808
	Overall quality score	95.14%
	Average field completeness	93.79%
	Critical-field completeness	98.15%
	Validity score	93.51%
	Uniqueness score	99.85%
	Timeliness score	100.00%
	Reliability score	79.50%
	Native rating average	4.26
	Comparable rating average 0–5	4.26
	Valid review counts	10107 (93.51%)
	Low-review records	1515 (14.99%)
	Valid coordinate pairs	10808 (100.00%)
	Latest source timestamp	2026-05-25T10:15:47.447928+00:00
	Data age in days	11.11
	Quality flags	2937 (27.2 per 100 records)

	Field	Present	Missing	Coverage
Weakest field coverage	website	5753	5055	53.23%
	price	8423	2385	77.93%
	phone_number	9027	1781	83.52%
	opening_hours	9427	1381	87.22%
	reviews	10106	702	93.50%
	rating	10107	701	93.51%
	review_count	10107	701	93.51%

	Issue type	Count
Most frequent quality flags	low_review_count	1515
	missing_critical_field	1402
	possible_duplicate_name_address	20

Interpretation

- The weighted source quality score is 95.14%; the score is driven by integration-critical fields rather than optional metadata.
- The weakest fields are website (53.23%), price (77.93%), phone_number (83.52%); downstream logic should avoid treating them as mandatory matching keys.
- The sparse-review threshold flags 1515 records, so rating comparisons should account for review-count reliability.
- Timeliness coverage is 100.00%; sources without record-level timestamps should be documented as stale-risk inputs.
- The source has 2937 generated quality flags, equal to 27.17 flags per 100 records.
- Because valid coordinates are complete, Google can anchor the first geospatial join and help detect out-of-area records in other sources.

4.2 Tripadvisor

Tripadvisor contributes broad review and category information, but the raw file does not yet contain latitude and longitude. It therefore needs the planned geocoding enrichment before reliable geospatial integration.

Key metrics	Metric	Value
	Records assessed	7539
	Overall quality score	67.89%
	Average field completeness	84.34%
	Critical-field completeness	99.78%
	Validity score	99.90%
	Uniqueness score	99.97%
	Timeliness score	0.00%
	Reliability score	53.10%
	Native rating average	3.91
	Comparable rating average 0–5	3.91
	Valid review counts	7539 (100.00%)
	Low-review records	2723 (36.12%)
	Valid coordinate pairs	0 (0.00%)
	Latest source timestamp	n/a
	Data age in days	n/a
	Quality flags	3621 (48.0 per 100 records)

Weakest field coverage	Field	Present	Missing	Coverage
	email	3535	4004	46.89%
	opening_hours	5096	2443	67.60%
	price_range	5101	2438	67.66%
	cuisine_type	5859	1680	77.72%
	photo_count	5949	1590	78.91%
	website	6023	1516	79.89%
	reviews	6683	856	88.65%

Most frequent quality flags	Issue type	Count
	low_review_count	2723
	zero_reviews	813
	missing_critical_field	81
	possible_duplicate_name_address	4

Interpretation

- The weighted source quality score is 67.89%; the score is driven by integration-critical fields rather than optional metadata.
- The weakest fields are email (46.89%), opening_hours (67.60%), price_range (67.66%); downstream logic should avoid treating them as mandatory matching keys.
- The sparse-review threshold flags 2723 records, so rating comparisons should account for review-count reliability.

- Timeliness coverage is 0.00%; sources without record-level timestamps should be documented as stale-risk inputs.
- The source has 3621 generated quality flags, equal to 48.03 flags per 100 records.
- The 0% coordinate validity is expected at this stage and should be resolved by the latitude/longitude enrichment task before integration.

4.3 TheFork

TheFork is the smallest source but is highly restaurant-specific and already contains near-complete coordinates. Its ratings use a native 0-10 scale, so comparison with Google and TripAdvisor requires scale normalization.

Key metrics	Metric		Value
	Records assessed		1344
	Overall quality score		97.48%
	Average field completeness		81.16%
	Critical-field completeness		99.04%
	Validity score		96.88%
	Uniqueness score		100.00%
	Timeliness score		100.00%
	Reliability score		89.21%
	Native rating average		8.85
	Comparable rating average 0–5		4.42
	Valid review counts		1304 (97.02%)
	Low-review records		101 (7.75%)
	Valid coordinate pairs		1341 (99.78%)
	Latest source timestamp	2026-06-04T14:19:50+00:00	
	Data age in days		0.95
	Quality flags		195 (14.5 per 100 records)

Weakest field coverage	Field	Present	Missing	Coverage
	email	0	1344	0.00%
	phone_number	0	1344	0.00%
	website	25	1319	1.86%
	opening_hours	853	491	63.47%
	discount	949	395	70.61%
	reviews	1280	64	95.24%
	rating	1300	44	96.73%

Most frequent quality flags	Issue type		Count
	low_review_count		101
	missing_critical_field		90
	zero_reviews		4

Interpretation

- The weighted source quality score is 97.48%; the score is driven by integration-critical fields rather than optional metadata.

- The weakest fields are email (0.00%), phone_number (0.00%), website (1.86%); downstream logic should avoid treating them as mandatory matching keys.
- The sparse-review threshold flags 101 records, so rating comparisons should account for review-count reliability.
- Timeliness coverage is 100.00%; sources without record-level timestamps should be documented as stale-risk inputs.
- The source has 195 generated quality flags, equal to 14.51 flags per 100 records.
- TheFork is suitable for geospatial matching now, but its missing contact fields limit its usefulness for website or phone-based validation.

5 Complete Field Coverage by Source

5.1 Google Places

Field	Present	Missing	Coverage
place_id	10808	0	100.00%
name	10808	0	100.00%
address	10808	0	100.00%
city	10808	0	100.00%
latitude	10808	0	100.00%
longitude	10808	0	100.00%
rating	10107	701	93.51%
review_count	10107	701	93.51%
types	10808	0	100.00%
primary_type	10784	24	99.78%
details	10808	0	100.00%
phone_number	9027	1781	83.52%
website	5753	5055	53.23%
opening_hours	9427	1381	87.22%
reviews	10106	702	93.50%
price	8423	2385	77.93%
business_status	10789	19	99.82%
details_fetched_at	10808	0	100.00%
seed_collected_at	10808	0	100.00%

5.2 Tripadvisor

Field	Present	Missing	Coverage
source_url	7539	0	100.00%
restaurant_name	7539	0	100.00%
address	7473	66	99.12%
rating	7524	15	99.80%
review_count	7539	0	100.00%
cuisine_type	5859	1680	77.72%
price_range	5101	2438	67.66%
photo_count	5949	1590	78.91%
website	6023	1516	79.89%
phone_number	6795	744	90.13%
email	3535	4004	46.89%
opening_hours	5096	2443	67.60%

Field	Present	Missing	Coverage
reviews	6683	856	88.65%

5.3 TheFork

Field	Present	Missing	Coverage
source_id	1344	0	100.00%
restaurant_url	1344	0	100.00%
restaurant_name	1344	0	100.00%
address	1344	0	100.00%
city	1344	0	100.00%
latitude	1341	3	99.78%
longitude	1341	3	99.78%
rating	1300	44	96.73%
review_count	1304	40	97.02%
cuisine_type	1330	14	98.96%
price_range	1344	0	100.00%
discount	949	395	70.61%
photo_count	1340	4	99.70%
website	25	1319	1.86%
phone_number	0	1344	0.00%
email	0	1344	0.00%
opening_hours	853	491	63.47%
reviews	1280	64	95.24%
detail_scraped	1344	0	100.00%
scraped_at	1344	0	100.00%

6 Next Steps

After geospatial integration and entity matching, this report should be extended with match-rate metrics, unmatched and ambiguous record counts, and cross-platform rating-disagreement metrics on the unified restaurant table. In particular, Tripadvisor latitude and longitude enrichment is required before the geospatial integration step can be evaluated fairly.

7 Reproducibility

The report is regenerated by running `report/build_report.ps1` from PowerShell. The script profiles the three raw datasets, refreshes the Markdown and LaTeX tables, and then compiles `report/main.pdf`.