Forecasting Drought-to-Flood Transitions at Subseasonal Timescales

Lainey Ward

Decarb-AI Centre, University College Dublin

Supervisors: Dr Fiachra O'Loughlin & Dr Conor Sweeney

What Happens When Drought Turns Into Flood?

Normal conditions



Soil absorbs water like a sponge

Drought conditions



Hard layer of soil repels water

Adapted from BBC Research (2022)

24%

of all floods globally follow drought

Matanó et al. (2024)

~6 weeks

average transition time fastest under a month

Yang et al. (2025)

Why Is This So Hard to Forecast?



Adapted from Mariotti et al. (2018)

Weather regimes



Adapted from DeFlorio et al. (2024)

What Causes These Transitions?

Persistent blocking

Rainfall suppressed
Soil dries out

Blocking breaks down

Flow shifts
Moist air moves in

Transition

Rain hits dry soil
Runoff amplified



Adapted from DeFlorio et al. (2024)

Where Is the Gap?



How Do I Test This?

Machine learning at each stage — can it improve skill, especially with regime information as input?

Forecast product for farmers: catchment in drought, blocking breaking down weeks 3–4, above-normal transition risk weeks 4–6

Which Forecast System?

Subseasonal (EEFH)

Newer physics
183 inits / year
11 members

↑ **Temporal sampling**

vs

Seasonal (SEAS5)

Older physics
12 inits / year
25 members

↑ **Ensemble sampling**

Ireland | 2006–2016 | t2m, tp, ws10

Verified against

Met Éireann station observations

ERA5-Land reanalysis

Deterministic scores: RMSE, bias, RMSS
Station and spatial verification

Takeaways

1. Drought-to-flood transitions are common, damaging, and unfold over the S2S timescale

2. The atmospheric patterns that cause them are the same ones that give S2S forecasts their skill

3. Nobody has tested whether you can use those regimes to predict drought-to-flood transitions

References

- DeFlorio, M. J., and Coauthors, 2024: From California's extreme drought to major flooding: Evaluating and synthesizing experimental seasonal and subseasonal forecasts during winter 2022/23. *Bull. Amer. Meteor. Soc.*, **105**, E84–E104.
- Götte, J., and M. I. Brunner, 2024: Hydrological drought-to-flood transitions across different hydroclimates in the United States. *Water Resour. Res.*, **60**, e2024WR037915.
- Mariotti, A., and Coauthors, 2020: Windows of opportunity for skillful forecasts subseasonal to seasonal and beyond. *Bull. Amer. Meteor. Soc.*, **101**, E608–E625.
- Matanó, A., W. R. Berghuijs, M. Mazzoleni, M. C. de Ruiter, P. J. Ward, and A. F. Van Loon, 2024: Compound and consecutive drought–flood events at a global scale. *Environ. Res. Lett.*, **19**, 064048.
- Parry, S., D. Lavers, R. Wilby, C. Prudhomme, P. Wood, C. Murphy, and P. O'Connor, 2023: Abrupt drought termination in the British–Irish Isles driven by high atmospheric vapour transport. *Environ. Res. Lett.*, **18**, 104050.
- Yang, Y., G. Villarini, and L. Yang, 2025: Spatiotemporal dynamics of hydrological whiplash events across the contiguous United States. *ESS Open Archive* (preprint).