Adham Albasha — Tasks (Frontend Questions + Interviews pages)

Purpose

You build the pages where users browse, create, edit and delete **questions** and **interviews**. Everyone can see all of them; edit/delete buttons appear only for the owner. Your interview detail page has the **Start** button that sends the user to Laith's take-interview flow.

Read first: `docs/SPECIFICATION.md` (sections 3, 4, 10), `docs/API-CONTRACT.md` (sections 2, 3, 5, 6, 9), `docs/TEAM-OWNERSHIP.md`.

1. Files you own (only you edit these)

File	What goes in it
`frontend/src/features/questions/QuestionsListPage.tsx`	`/questions`: list + filters (category, difficulty, type, "mine only", search)
`frontend/src/features/questions/QuestionDetailPage.tsx`	`/questions/:id`: shows question; answer keys only if the response contains them (owner); Edit/Delete for owner
`frontend/src/features/questions/QuestionFormPage.tsx`	`/questions/new` and `/questions/:id/edit`: one form for both
`frontend/src/features/questions/TypeSpecificFields.tsx`	Choice editor (2–6, pick one correct) / keywords

File	What goes in it
	editor (2–6 + required count) / code snippet + expected output
`frontend/src/features/questions/QuestionCard.tsx`	Card used in the list
`frontend/src/features/questions/api.ts`, `types.ts`, `mocks.ts`	Calls for contract §5, with token header and 401 handling from contract §9
`frontend/src/features/interviews/InterviewsListPage.tsx`	`/interviews`: list + filters (category, difficulty, mine only, search)
`frontend/src/features/interviews/InterviewDetailPage.tsx`	`/interviews/:id`: info, question list (public form), owner link, **Start** link to `/interviews/:id/take`, Edit/Delete for owner
`frontend/src/features/interviews/InterviewFormPage.tsx`	`/interviews/new` and `/interviews/:id/edit`: title, description, category, difficulty, time limit, question picker
`frontend/src/features/interviews/QuestionPicker.tsx`	Search questions (calls `GET /questions` from **your own** `interviews/api.ts`), select 1–20, reorder
`frontend/src/features/interviews/api.ts`, `types.ts`, `mocks.ts`	Calls for contract §6 (+ the question search

File	What goes in it
	used by the picker)
`frontend/src/app/router.tsx`	**Only** add your import lines and route objects (coordination §3)
`README.md` → section *Frontend pages*	Only this heading

2. Files you must NOT edit

- `frontend/src/main.tsx`, `App.tsx`, `layout/`, `features/auth/`, `features/attempts/`, `features/profile/` (Laith), the rest of `router.tsx`.
- Anything in `backend/`.
- Don't import from Laith's folders. To know "who am I" (for showing owner buttons), read the user JSON from the localStorage key `preppressure.user` (contract §9). The owner link on a card is just a URL: `/users/:ownerId`.

3. Implementation order (no one to wait for)

1. `types.ts` for both features, copied from the contract. `mocks.ts` with realistic data: all 3 question types, your own and other people's items (so you can see owner vs non-owner UI).
2. `api.ts` for both features (base URL, token header, 401 → clear keys + dispatch `preppressure:logout`, mock switch).
3. Questions list + detail. Then the question form with the type-specific editors.
4. Interviews list + detail. Then the interview form + question picker.
5. Loading, empty, error states; friendly messages for `NOT_OWNER`, `QUESTION_IN_USE`, `QUESTION_NOT_FOUND_IN_LIST`, validation errors.
6. Add your routes to `router.tsx` in your PR. Integration day: turn mocks off and test with real data.

4. Things to think about

- The form changes type from MC to short answer: which fields should disappear from the request body? (The backend rejects fields of another type.)
- Hiding the Edit button is not security. Why does the backend still need to check ownership?
- Delete a question that's used somewhere: the backend returns `QUESTION_IN_USE`. What should the user be told to do instead?
- Question picker with many questions: how do you keep it usable without pagination? (Filters + search.)

5. Completion checklist

- [ ] Lists show everyone's questions/interviews with working filters.
- [ ] Edit/Delete visible only to the owner; a forced 403 is still shown nicely.
- [ ] Question form validates like the backend (choices 2–6 with one correct, keywords 2–6, required count, expected output).
- [ ] Answer keys are never shown on interview pages.
- [ ] Interview form allows 1 to 20 questions and a time limit of 30–3600 seconds.
- [ ] Start button goes to `/interviews/:id/take`.
- [ ] Works with mocks and the real API; no TypeScript errors.