

XYZ Technologies — IT and Information Security Policy

Synthetic internal knowledge-base document for the employee AI assistant

Important: This is synthetic content created for a college final-year project. It is not a real company's policy and is not legal, HR, medical, or security advice.

Account Security

Passwords — Operational Guidance

This section defines the XYZ Technologies approach to passwords within the area of account security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to passwords. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For passwords, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving passwords, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about passwords. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Account Security
Topic	Passwords
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about passwords, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Account Security

Mfa — Operational Guidance

This section defines the XYZ Technologies approach to mfa within the area of account security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to mfa. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For mfa, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving mfa, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about mfa. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Account Security
Topic	Mfa
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about mfa, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Account Security

Account Sharing — Operational Guidance

This section defines the XYZ Technologies approach to account sharing within the area of account security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to account sharing. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For account sharing, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving account sharing, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about account sharing. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Account Security
Topic	Account Sharing
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about account sharing, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Account Security

Authentication — Operational Guidance

This section defines the XYZ Technologies approach to authentication within the area of account security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to authentication. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For authentication, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving authentication, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about authentication. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Account Security
Topic	Authentication
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about authentication, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Account Security

Passwords — Operational Guidance

This section defines the XYZ Technologies approach to passwords within the area of account security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to passwords. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For passwords, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving passwords, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about passwords. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Account Security
Topic	Passwords
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about passwords, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Account Security

Mfa — Operational Guidance

This section defines the XYZ Technologies approach to mfa within the area of account security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to mfa. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For mfa, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving mfa, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about mfa. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Account Security
Topic	Mfa
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about mfa, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Account Security

Account Sharing — Operational Guidance

This section defines the XYZ Technologies approach to account sharing within the area of account security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to account sharing. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For account sharing, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving account sharing, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about account sharing. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Account Security
Topic	Account Sharing
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about account sharing, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Account Security

Authentication — Operational Guidance

This section defines the XYZ Technologies approach to authentication within the area of account security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to authentication. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For authentication, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving authentication, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about authentication. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Account Security
Topic	Authentication
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about authentication, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Device Security

Company Laptops — Operational Guidance

This section defines the XYZ Technologies approach to company laptops within the area of device security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to company laptops. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For company laptops, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving company laptops, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about company laptops. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Device Security
Topic	Company Laptops
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about company laptops, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Device Security

Screen Locking — Operational Guidance

This section defines the XYZ Technologies approach to screen locking within the area of device security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to screen locking. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For screen locking, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving screen locking, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about screen locking. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Device Security
Topic	Screen Locking
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about screen locking, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Device Security

Encryption — Operational Guidance

This section defines the XYZ Technologies approach to encryption within the area of device security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to encryption. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For encryption, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving encryption, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about encryption. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Device Security
Topic	Encryption
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about encryption, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Device Security

Device Reporting — Operational Guidance

This section defines the XYZ Technologies approach to device reporting within the area of device security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to device reporting. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For device reporting, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving device reporting, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about device reporting. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Device Security
Topic	Device Reporting
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about device reporting, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Device Security

Company Laptops — Operational Guidance

This section defines the XYZ Technologies approach to company laptops within the area of device security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to company laptops. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For company laptops, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving company laptops, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about company laptops. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Device Security
Topic	Company Laptops
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about company laptops, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Device Security

Screen Locking — Operational Guidance

This section defines the XYZ Technologies approach to screen locking within the area of device security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to screen locking. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For screen locking, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving screen locking, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about screen locking. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Device Security
Topic	Screen Locking
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about screen locking, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Device Security

Encryption — Operational Guidance

This section defines the XYZ Technologies approach to encryption within the area of device security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to encryption. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For encryption, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving encryption, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about encryption. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Device Security
Topic	Encryption
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about encryption, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Device Security

Device Reporting — Operational Guidance

This section defines the XYZ Technologies approach to device reporting within the area of device security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to device reporting. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For device reporting, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving device reporting, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about device reporting. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Device Security
Topic	Device Reporting
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about device reporting, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Access Control

Least Privilege — Operational Guidance

This section defines the XYZ Technologies approach to least privilege within the area of access control. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to least privilege. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For least privilege, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving least privilege, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about least privilege. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Access Control
Topic	Least Privilege
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about least privilege, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Access Control

Role-Based Access — Operational Guidance

This section defines the XYZ Technologies approach to role-based access within the area of access control. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to role-based access. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For role-based access, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving role-based access, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about role-based access. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Access Control
Topic	Role-Based Access
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about role-based access, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Access Control

Access Reviews — Operational Guidance

This section defines the XYZ Technologies approach to access reviews within the area of access control. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to access reviews. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For access reviews, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving access reviews, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about access reviews. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Access Control
Topic	Access Reviews
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about access reviews, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Access Control

Joiner-Mover-Leaver — Operational Guidance

This section defines the XYZ Technologies approach to joiner-mover-leaver within the area of access control. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to joiner-mover-leaver. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For joiner-mover-leaver, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving joiner-mover-leaver, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about joiner-mover-leaver. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Access Control
Topic	Joiner-Mover-Leaver
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about joiner-mover-leaver, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Access Control

Least Privilege — Operational Guidance

This section defines the XYZ Technologies approach to least privilege within the area of access control. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to least privilege. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For least privilege, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving least privilege, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about least privilege. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Access Control
Topic	Least Privilege
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about least privilege, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Access Control

Role-Based Access — Operational Guidance

This section defines the XYZ Technologies approach to role-based access within the area of access control. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to role-based access. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For role-based access, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving role-based access, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about role-based access. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Access Control
Topic	Role-Based Access
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about role-based access, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Access Control

Access Reviews — Operational Guidance

This section defines the XYZ Technologies approach to access reviews within the area of access control. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to access reviews. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For access reviews, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving access reviews, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about access reviews. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Access Control
Topic	Access Reviews
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about access reviews, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Access Control

Joiner-Mover-Leaver — Operational Guidance

This section defines the XYZ Technologies approach to joiner-mover-leaver within the area of access control. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to joiner-mover-leaver. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For joiner-mover-leaver, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving joiner-mover-leaver, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about joiner-mover-leaver. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Access Control
Topic	Joiner-Mover-Leaver
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about joiner-mover-leaver, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Data Classification

Public — Operational Guidance

This section defines the XYZ Technologies approach to public within the area of data classification. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to public. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For public, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving public, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about public. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Data Classification
Topic	Public
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about public, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Data Classification

Internal — Operational Guidance

This section defines the XYZ Technologies approach to internal within the area of data classification. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to internal. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For internal, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving internal, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about internal. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Data Classification
Topic	Internal
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about internal, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Data Classification

Confidential — Operational Guidance

This section defines the XYZ Technologies approach to confidential within the area of data classification. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to confidential. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For confidential, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving confidential, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about confidential. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Data Classification
Topic	Confidential
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about confidential, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Data Classification

Restricted — Operational Guidance

This section defines the XYZ Technologies approach to restricted within the area of data classification. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to restricted. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For restricted, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving restricted, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about restricted. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Data Classification
Topic	Restricted
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about restricted, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Data Classification

Public — Operational Guidance

This section defines the XYZ Technologies approach to public within the area of data classification. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to public. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For public, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving public, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about public. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Data Classification
Topic	Public
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about public, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Data Classification

Internal — Operational Guidance

This section defines the XYZ Technologies approach to internal within the area of data classification. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to internal. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For internal, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving internal, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about internal. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Data Classification
Topic	Internal
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about internal, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Data Classification

Confidential — Operational Guidance

This section defines the XYZ Technologies approach to confidential within the area of data classification. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to confidential. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For confidential, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving confidential, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about confidential. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Data Classification
Topic	Confidential
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about confidential, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Data Classification

Restricted — Operational Guidance

This section defines the XYZ Technologies approach to restricted within the area of data classification. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to restricted. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For restricted, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving restricted, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about restricted. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Data Classification
Topic	Restricted
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about restricted, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Email and Messaging

Phishing — Operational Guidance

This section defines the XYZ Technologies approach to phishing within the area of email and messaging. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to phishing. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For phishing, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving phishing, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about phishing. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Email and Messaging
Topic	Phishing
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about phishing, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Email and Messaging

Attachments — Operational Guidance

This section defines the XYZ Technologies approach to attachments within the area of email and messaging. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to attachments. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For attachments, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving attachments, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about attachments. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Email and Messaging
Topic	Attachments
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about attachments, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Email and Messaging

External Recipients — Operational Guidance

This section defines the XYZ Technologies approach to external recipients within the area of email and messaging. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to external recipients. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For external recipients, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving external recipients, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about external recipients. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Email and Messaging
Topic	External Recipients
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about external recipients, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Email and Messaging

Reporting — Operational Guidance

This section defines the XYZ Technologies approach to reporting within the area of email and messaging. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to reporting. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For reporting, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving reporting, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about reporting. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Email and Messaging
Topic	Reporting
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about reporting, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Email and Messaging

Phishing — Operational Guidance

This section defines the XYZ Technologies approach to phishing within the area of email and messaging. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to phishing. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For phishing, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving phishing, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about phishing. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Email and Messaging
Topic	Phishing
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about phishing, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Email and Messaging

Attachments — Operational Guidance

This section defines the XYZ Technologies approach to attachments within the area of email and messaging. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to attachments. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For attachments, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving attachments, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about attachments. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Email and Messaging
Topic	Attachments
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about attachments, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Email and Messaging

External Recipients — Operational Guidance

This section defines the XYZ Technologies approach to external recipients within the area of email and messaging. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to external recipients. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For external recipients, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving external recipients, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about external recipients. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Email and Messaging
Topic	External Recipients
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about external recipients, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Email and Messaging

Reporting — Operational Guidance

This section defines the XYZ Technologies approach to reporting within the area of email and messaging. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to reporting. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For reporting, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving reporting, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about reporting. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Email and Messaging
Topic	Reporting
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about reporting, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Software and Cloud Services

Approved Software — Operational Guidance

This section defines the XYZ Technologies approach to approved software within the area of software and cloud services. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to approved software. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For approved software, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving approved software, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about approved software. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Software and Cloud Services
Topic	Approved Software
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about approved software, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Software and Cloud Services

Saas — Operational Guidance

This section defines the XYZ Technologies approach to saas within the area of software and cloud services. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to saas. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For saas, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving saas, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about saas. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Software and Cloud Services
Topic	Saas
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about saas, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Software and Cloud Services

Repositories — Operational Guidance

This section defines the XYZ Technologies approach to repositories within the area of software and cloud services. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to repositories. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For repositories, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving repositories, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about repositories. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Software and Cloud Services
Topic	Repositories
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about repositories, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Software and Cloud Services

Api Keys — Operational Guidance

This section defines the XYZ Technologies approach to api keys within the area of software and cloud services. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to api keys. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For api keys, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving api keys, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about api keys. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Software and Cloud Services
Topic	Api Keys
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about api keys, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Software and Cloud Services

Approved Software — Operational Guidance

This section defines the XYZ Technologies approach to approved software within the area of software and cloud services. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to approved software. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For approved software, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving approved software, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about approved software. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Software and Cloud Services
Topic	Approved Software
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about approved software, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Software and Cloud Services

Saas — Operational Guidance

This section defines the XYZ Technologies approach to saas within the area of software and cloud services. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to saas. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For saas, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving saas, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about saas. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Software and Cloud Services
Topic	Saas
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about saas, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Software and Cloud Services

Repositories — Operational Guidance

This section defines the XYZ Technologies approach to repositories within the area of software and cloud services. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to repositories. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For repositories, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving repositories, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about repositories. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Software and Cloud Services
Topic	Repositories
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about repositories, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Software and Cloud Services

Api Keys — Operational Guidance

This section defines the XYZ Technologies approach to api keys within the area of software and cloud services. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to api keys. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For api keys, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving api keys, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about api keys. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Software and Cloud Services
Topic	Api Keys
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about api keys, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Incident Response

Security Incidents — Operational Guidance

This section defines the XYZ Technologies approach to security incidents within the area of incident response. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to security incidents. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For security incidents, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving security incidents, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about security incidents. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Incident Response
Topic	Security Incidents
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about security incidents, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Incident Response

Lost Devices — Operational Guidance

This section defines the XYZ Technologies approach to lost devices within the area of incident response. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to lost devices. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For lost devices, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving lost devices, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about lost devices. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Incident Response
Topic	Lost Devices
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about lost devices, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Incident Response

Suspected Compromise — Operational Guidance

This section defines the XYZ Technologies approach to suspected compromise within the area of incident response. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to suspected compromise. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For suspected compromise, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving suspected compromise, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about suspected compromise. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Incident Response
Topic	Suspected Compromise
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about suspected compromise, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Incident Response

Escalation — Operational Guidance

This section defines the XYZ Technologies approach to escalation within the area of incident response. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to escalation. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For escalation, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving escalation, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about escalation. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Incident Response
Topic	Escalation
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about escalation, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Incident Response

Security Incidents — Operational Guidance

This section defines the XYZ Technologies approach to security incidents within the area of incident response. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to security incidents. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For security incidents, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving security incidents, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about security incidents. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Incident Response
Topic	Security Incidents
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about security incidents, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Incident Response

Lost Devices — Operational Guidance

This section defines the XYZ Technologies approach to lost devices within the area of incident response. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to lost devices. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For lost devices, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving lost devices, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about lost devices. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Incident Response
Topic	Lost Devices
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about lost devices, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Incident Response

Suspected Compromise — Operational Guidance

This section defines the XYZ Technologies approach to suspected compromise within the area of incident response. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to suspected compromise. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For suspected compromise, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving suspected compromise, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about suspected compromise. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Incident Response
Topic	Suspected Compromise
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about suspected compromise, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Incident Response

Escalation — Operational Guidance

This section defines the XYZ Technologies approach to escalation within the area of incident response. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to escalation. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For escalation, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving escalation, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about escalation. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Incident Response
Topic	Escalation
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about escalation, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Remote Work Security

Home Networks — Operational Guidance

This section defines the XYZ Technologies approach to home networks within the area of remote work security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to home networks. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For home networks, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving home networks, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about home networks. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Remote Work Security
Topic	Home Networks
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about home networks, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Remote Work Security

Vpn — Operational Guidance

This section defines the XYZ Technologies approach to vpn within the area of remote work security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to vpn. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For vpn, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving vpn, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about vpn. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Remote Work Security
Topic	Vpn
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about vpn, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Remote Work Security

Public Wi-Fi — Operational Guidance

This section defines the XYZ Technologies approach to public wi-fi within the area of remote work security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to public wi-fi. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For public wi-fi, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving public wi-fi, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about public wi-fi. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Remote Work Security
Topic	Public Wi-Fi
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about public wi-fi, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Remote Work Security

Physical Privacy — Operational Guidance

This section defines the XYZ Technologies approach to physical privacy within the area of remote work security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to physical privacy. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For physical privacy, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving physical privacy, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about physical privacy. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Remote Work Security
Topic	Physical Privacy
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about physical privacy, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Remote Work Security

Home Networks — Operational Guidance

This section defines the XYZ Technologies approach to home networks within the area of remote work security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to home networks. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For home networks, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving home networks, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about home networks. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Remote Work Security
Topic	Home Networks
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about home networks, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Remote Work Security

Vpn — Operational Guidance

This section defines the XYZ Technologies approach to vpn within the area of remote work security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to vpn. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For vpn, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving vpn, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about vpn. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Remote Work Security
Topic	Vpn
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about vpn, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Remote Work Security

Public Wi-Fi — Operational Guidance

This section defines the XYZ Technologies approach to public wi-fi within the area of remote work security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to public wi-fi. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For public wi-fi, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving public wi-fi, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about public wi-fi. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Remote Work Security
Topic	Public Wi-Fi
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about public wi-fi, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Remote Work Security

Physical Privacy — Operational Guidance

This section defines the XYZ Technologies approach to physical privacy within the area of remote work security. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to physical privacy. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For physical privacy, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving physical privacy, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about physical privacy. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Remote Work Security
Topic	Physical Privacy
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about physical privacy, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Secure Development

Code Review — Operational Guidance

This section defines the XYZ Technologies approach to code review within the area of secure development. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to code review. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For code review, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving code review, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about code review. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Secure Development
Topic	Code Review
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about code review, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Secure Development

Secrets — Operational Guidance

This section defines the XYZ Technologies approach to secrets within the area of secure development. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to secrets. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For secrets, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving secrets, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about secrets. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Secure Development
Topic	Secrets
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about secrets, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Secure Development

Dependencies — Operational Guidance

This section defines the XYZ Technologies approach to dependencies within the area of secure development. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to dependencies. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For dependencies, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving dependencies, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about dependencies. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Secure Development
Topic	Dependencies
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about dependencies, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Secure Development

Vulnerability Handling — Operational Guidance

This section defines the XYZ Technologies approach to vulnerability handling within the area of secure development. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to vulnerability handling. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For vulnerability handling, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving vulnerability handling, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about vulnerability handling. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Secure Development
Topic	Vulnerability Handling
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about vulnerability handling, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Secure Development

Code Review — Operational Guidance

This section defines the XYZ Technologies approach to code review within the area of secure development. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to code review. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For code review, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving code review, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about code review. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Secure Development
Topic	Code Review
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about code review, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Secure Development

Secrets — Operational Guidance

This section defines the XYZ Technologies approach to secrets within the area of secure development. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to secrets. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For secrets, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving secrets, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about secrets. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Secure Development
Topic	Secrets
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about secrets, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Secure Development

Dependencies — Operational Guidance

This section defines the XYZ Technologies approach to dependencies within the area of secure development. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to dependencies. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For dependencies, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving dependencies, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about dependencies. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Secure Development
Topic	Dependencies
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about dependencies, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Secure Development

Vulnerability Handling — Operational Guidance

This section defines the XYZ Technologies approach to vulnerability handling within the area of secure development. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to vulnerability handling. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For vulnerability handling, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving vulnerability handling, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about vulnerability handling. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Secure Development
Topic	Vulnerability Handling
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about vulnerability handling, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Business Continuity

Backups — Operational Guidance

This section defines the XYZ Technologies approach to backups within the area of business continuity. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to backups. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For backups, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving backups, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about backups. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Business Continuity
Topic	Backups
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about backups, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Business Continuity

Recovery — Operational Guidance

This section defines the XYZ Technologies approach to recovery within the area of business continuity. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to recovery. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For recovery, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving recovery, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about recovery. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Business Continuity
Topic	Recovery
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about recovery, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Business Continuity

Availability — Operational Guidance

This section defines the XYZ Technologies approach to availability within the area of business continuity. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to availability. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For availability, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving availability, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about availability. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Business Continuity
Topic	Availability
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about availability, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Business Continuity

Disaster Response — Operational Guidance

This section defines the XYZ Technologies approach to disaster response within the area of business continuity. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to disaster response. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For disaster response, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving disaster response, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about disaster response. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Business Continuity
Topic	Disaster Response
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about disaster response, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Business Continuity

Backups — Operational Guidance

This section defines the XYZ Technologies approach to backups within the area of business continuity. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to backups. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For backups, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving backups, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about backups. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Business Continuity
Topic	Backups
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about backups, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Business Continuity

Recovery — Operational Guidance

This section defines the XYZ Technologies approach to recovery within the area of business continuity. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to recovery. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For recovery, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving recovery, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about recovery. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Business Continuity
Topic	Recovery
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about recovery, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.

Business Continuity

Availability — Operational Guidance

This section defines the XYZ Technologies approach to availability within the area of business continuity. The purpose is to provide employees with a consistent reference when using the employee assistant or the workforce platform.

Employees should provide accurate information when requesting support related to availability. Current employee records, applicable approvals, and the latest published policy should be considered before a request is completed.

For availability, the standard workflow is to review the applicable rule, validate the employee's current status, and then either provide guidance or route the request to the authorized workflow.

Managers and designated reviewers are responsible for decisions that require approval. The AI assistant may prepare or submit supported requests, but authorization controls remain with the workforce platform.

If an employee encounters an unusual case involving availability, the employee should use the designated escalation channel. The assistant should explain the standard rule and identify when human review is required.

Illustrative scenario: an employee asks the assistant a question about availability. The assistant retrieves relevant policy context, checks authorized employee data where necessary, and provides an answer grounded in the retrieved information.

AI workflow note: policy-dependent actions should not be executed solely from model-generated text. The application should validate inputs and permissions before changing any workforce record.

Policy field	Synthetic value
Document	XYZ Technologies — IT and Information Security Policy
Section	Business Continuity
Topic	Availability
Audience	Employees and authorized managers
Owner	HR / Workforce Operations
Status	Example policy for RAG testing

Scenario note: The employee assistant may retrieve this section when asked about availability, and may combine the retrieved policy with authorized employee-specific records before answering or initiating a supported workflow.