


Products and solutions

Southeast Asia



We are a **family of 7,200+**
spread across **6 continents**,
serving customers in
70+ countries



60 Mn+
meters
worldwide

22 Mn+
smart meters
installed

10 Mn+
smart pre-payment
meters

5 Mn+
heat controls
sold in UK

Founded in 1987 and headquartered in Udaipur, our vision is to help people save, reduce energy use, and live in comfort - inspiring us to be an enduring business. Secure operates across multiple sectors, including intelligent energy solutions, assisted living, control products, architecture, and PCB manufacturing.

Nearly half of our workforce is women. We recycle 80% of our industrial waste and generate 25% of our energy from solar. Guided by our triple net zero commitment, we design durable products backed by a no-quibbles warranty to reduce waste and extend product life.

eWatch Grid

RE generation (solar / wind) increases the level of variability and uncertainty in power grid operations. RE generation injects additional harmonics into the grid and creates major power quality issues which impact the grid. Deviation in frequency can occur due to instantaneous differences between generation and demand. Grid operators often struggle to maintain grid discipline and meet compliance standards, while also facing challenges in dispatch scheduling and system reliability monitoring.



Our integrated and scalable **eWatch Grid** solution for utilities, combined with revenue and power quality ensures grid health and power quality (PQ) compliance at interconnection points. It

- seamlessly tracks PQ and billing parameters on a single platform, as well as
- monitors bulk energy transactions and regulatory PQ compliance for grid stability.



Value delivery

- Ensure power quality regulatory compliance: IEC62052-11 and IEC62053-22, IEC62053-24, IS14697, IS15959, IEC61000-4-30 Ed. 3, IEC62586-2 (class-A), power quality events and respective reports
- Monitor regulatory compliance for power quality at PCC (Point of common coupling) and POI (Point of inter-connection)
- Track grid reliability, performance indices, and centralised deviations across multiple plants, substations, or industries
- Benchmark the performance of utility / substations
- Optimise asset life and utilisation of equipment capacity through proactive maintenance
- Future-proof solution for penalisation or incentives based on power quality tariff



Scheduling and monitoring




Graphical dashboard



Compliance reports

eWatch DSM

Managing schedule deviations, optimising grid scheduling, and meeting regulatory compliance are critical yet complex challenges for Genco and DisComs. Inefficiencies can lead to unnecessary penalties and operational hurdles.



eWatch DSM is our online bulk-power monitoring solution that offers a streamlined approach to maintaining grid discipline. This scalable, robust, and modular solution is in line with the Scheduling, Accounting, Metering, and Settlement of electricity Transaction (SAMAST) framework.

The solution helps to

- prepare drawl dispatch schedules for monitoring DSM (Deviation Settlement Mechanism) and verify bills,
- monitor auxiliary power consumption in generating plants, and
- access insightful analytics for better operational control.



Value delivery

- Enable weekly billing settlement with a robust and high-availability data acquisition system
- Ensure 100% data collection and seamless operations with a reliable and continuous data acquisition system
- Future-proof solution for 15/5-minute interval DSM settlement
- Facilitate a seamless transition workflow for 15 to 5 min migration through planned invoked configuration
- Monitor revenue such as fixed charges, energy charges, deviation charges and incentives under ancillary services
- Track total generation, APC (Auxiliary Power Consumption) and plant load factor that help to evaluate plant performance and efficiency



Scheduling and monitoring




Graphical dashboard



Compliance reports

eWatch ReadIT

Managing large-scale energy data, ensuring precise billing, and maintaining network integrity can be challenging for utilities and industries. Conventional manual methods are inefficient and error-prone, leading to inaccuracies in revenue assurance and operational performance.



To overcome this, we offer our web-based Automatic Meter Reading (AMR) software solution - **eWatch ReadIT**. It is a scalable solution that enhances overall efficiency by collecting data from smart meters such as Premier 520, Premier 551 and Premier 550, or DLMS meter via Skyline E90 and reducing errors. It also provides end-to-end data security over a cellular network (NB-IoT / 4G / GPRS) on both scheduled and on-demand bases.

The solution offers

- real-time alerts and notifications,
- OTA meter and modem support,
- intuitive dashboard for insights, and
- bi-directional communication.



Value delivery

- Get comprehensive reports on dashboards related to meter readings, meter data, asset management, critical alerts, power failures, and network diagnostics
- Ensure seamless integration with B2B utility systems through this technology-agnostic solution
- Protect data with end-to-end security
- Minimise operational costs with low cost-to-serve
- Easy and seamless field installation
- Ensure reliable service delivery with SLA monitoring



Data security



SLA monitoring



Intuitive dashboard

Summation metering

Measurement of summated energy and concurrent maximum demand across multiple feeders to ensure accurate billing and appropriate penalty charges (if customers exceed the contract demand) presents a significant challenge for many utilities and stakeholders.



Feeder 1 meter



Feeder 2 meter



Summator 100



Concurrent Demand

Summator 100 is a digital summation system that ensures precise measurement of concurrent demand across multiple feeders. Designed with advanced metering technology, it enables

- real-time summation of active and reactive energies as well as computation of concurrent demand,
- seamless integration with feeder meters using encrypted communication, and
- enhanced reliability with secure metering solution.



Value delivery

- Eliminates the need for external summation CTs, thereby avoiding measurement inaccuracies associated with them
- Pre-wired panel with an in-built summation solution that minimises installation time and reduces chances of wiring errors
- Enable accurate billing with concurrent demand monitoring
- Ensure precise metering data through time synchronisation over SNTP
- Get a flexible configuration for feeder-specific settings
- Ensure secure data transmission for utilities and industries



Accurate summation



Real-time summation



Field configurable

Transformer-operated smart meter

Utilities often face challenges such as inaccurate energy measurement, communication black spots, and delayed alerts, leading to inefficiencies in billing, network planning, and revenue protection.



Our next-gen, three-phase transformer-operated smart meter addresses these issues with a bi-directional communication unit for seamless integration with the Head-End System (HES) and real-time data transfer.

The solution offers

- 4G communication for network redundancy and black spot mitigation,
- detailed data collection on billing energies, history values, interval data, and event alerts, and
- digital inputs to log alerts and push data to HES for remote monitoring and actionable insights.



Value delivery

- Monitor network parameters to improve network asset planning
- Better utilisation of field crew by having power-down information of specific node points
- Facilitate data delivery with smart push architecture for utilities
- Serve multiple applications of utility with extensive firmware features as well as enhanced security
- Protect revenue by detecting and analysing tamper attempts
- Optimise the total cost of ownership



Variants for DT and feeder with digital input



Upgradeable



AMI ready

Thread-through DT metering

Utilities and industries often struggle with inaccurate energy measurements, complex installations, and revenue losses due to inefficiencies in traditional metering systems for distribution transformers.



Prodigy, a next-generation three-phase direct-connected metering solution, eliminates the need for external current transformers (CTs) and ensures system accuracy with its thread-through connection.

This innovative design offers

- seamless metering with built-in CTs for higher accuracy,
- simplified installation by eliminating external accessories, and
- lower installation, maintenance, and metering infrastructure costs.



Value delivery

- Achieve better overall system accuracy than traditional meters and CTs
- Simplify installation with easier setup than traditional DT metering
- Lower equipment, installation, and maintenance costs by eliminating external CTs, enclosures, and accessories
- More reliable and better tamper resistance than traditional installations
- Easy diagnosis of installation faults via a complete set of instantaneous electrical parameters
- Facilitate easy integration with third-party DAS or head-end systems through push-and-pull data transfers



Compact and
easy installation




Improved
accuracy



Remote
communication

AMISP

Advanced Metering Infrastructure (AMI) projects involve the mass-scale deployment of a metering fleet, multiple AMI components, and their integration, as well as extensive field operations. These factors, combined with diverse stakeholder engagement, make AMI implementation highly complex. This complexity often results in operational inefficiencies, field challenges, compliance issues, increased costs, deferred return on investment, integration challenges, and delayed project execution for AMISPs.



Our end-to-end integrated AMI suite addresses these complexities effectively. The suite comprises smart meters, HES, WFM, and MDMS, and is designed to serve the evolving needs of customers and empower end consumers by ensuring

- operational efficiency,
- rapid deployment, and
- consistent data delivery.



Value delivery

- Self-resilient pre-payment with Bluetooth and keypad as fallback options for remote communication
- Back-to-back service level agreements and its compliance
- Proven and integrated AMI suite, enabling rapid deployment of smart meters and data delivery at the scheduled frequency
- Leverage NB-IoT for long-lasting, in-circuit communication technology
- Access intuitive dashboards and actionable, insight-driven reports
- Simplified and quicker upstream integration following industry standard integration methodologies
- Facilitate effective management of field operations
- Empower consumers and eliminate site visits post-deployment



SLA
monitoring




Self-resilient
pre-payment



Enduring
communication

Network analytics solution

Electricity grids are becoming more complex every day. With solar panels multiplying, EVs, and low-carbon technologies rising, utilities face serious challenges.



Adaptricity, our cloud-based, data-driven platform, empowers grid operators to effectively monitor and plan networks, ensure grid stability, and move towards net zero.

The Adaptricity suite has five modules

- Adaptricity.VIS - Visualise and monitor network
- Adaptricity.Plan - Plan grids efficiently
- Adaptricity.Sim- Perform time-series-based grid simulation
- Adaptricity.Mon- Monitor and operate grid
- Adaptricity.Connect- Automate connection requests



Value delivery

- Make targeted investments based on data-driven simulation
- Know the impact of renewable / Distributed Energy Resources (DER) penetration in network
- Quickly identify highly stressed areas in the network
- Improve asset and network efficiency
- Streamline connection requests and save time and cost with an in-app technical evaluation
- Get a holistic view of the electrical network through digital transformation
- Simulate future load scenarios to know the impact on network



User-friendly



Data-driven analytics



Efficient processing

Network monitoring

The comprehensive Low Voltage (LV) and Medium Voltage (MV) network monitoring solution is designed to address the specific power distribution network challenges faced by power utilities due to high penetration of DER (Distributed Energy Resources) like EV, PV, heat pump, etc.



The Adaptricity.VIS solution aims to improve network visibility, optimise operations, and facilitate informed decision-making. It enables data collection, analysis, and visualisation, triggering action by

- providing utilities with a comprehensive network visibility,
- ensuring voltage compliance, and
- enabling future optimised planning.



Value delivery

- Get comprehensive visualisation of key electrical parameters and trend analysis for enhanced decision-making for upgrades and predictive maintenance
- Monitor voltage supply compliance - based on configured limits
- Detect and analyse voltage unbalance and current imbalance
- Actionable insights on dashboard to improve load management and system efficiency



Network
visualisation




Data - driven
efficient system



Alerts for unusual
pattern

eAudit Distribution

Distribution utilities often face high T&D and AT&C losses, inefficient asset management, and inaccurate revenue protection due to limited visibility into network performance.



With eAudit Distribution, our cloud-based solution, utilities can transform their operations by auditing the network and monitoring its health. This will enable utilities to get

- real-time insights for energy audits,
- reduce losses, and
- optimise network.



Value delivery

- Reduce system losses, thus lowering its inefficiencies
- Improve billing and collection efficiency
- Simplify performance comparisons for targeted improvements
- Achieve the correct AT&C loss figure with minimum manual intervention
- Ensure accurate metering and load forecasting
- Identify unaccounted energy, network tagging gaps, asset health monitoring status, and areas with poor supply availability



Energy
accounting




Asset
health monitoring



Losses
reports

eMBC service

DisComs face high T&D losses and poor financial health due to outsourcing services to multiple entities, thus reducing their accountability.



But that's about to change with our comprehensive MBC (metering, billing, and collection) solution, and SLA-led service delivery model that

- ensures accurate measurement,
- prevents revenue loss through leakage detection, and
- helps gain better insight into energy usage.



Value delivery

For DisComs

- Enhanced operational and financial performance
- Effective fault detection and theft control management
- Improved customer experience
- Seamless IT integration

For consumers

- Improved quality of electricity supply
- Accurate and error-free billing
- 24x7 customer care for any issue
- Faster new connection processing



Energy
monitoring




Billing
and payments



Data
security

Residential / solar metering

The rapid transition to renewable energy sources, such as rooftop solar has increased metering and billing-related challenges for consumers and utilities. Traditional approach for metering data collection is error-prone and leads to inefficiency.



Our fit-for-purpose, cost-effective solution supports walk-by reading or DCU interaction with Saral and Saral 305 meters, ensuring seamless electronic data transfer and minimising billing errors. The solution delivers a comprehensive ecosystem for intelligent credit and solar meters, enabling

- electronic data collection,
- valuable energy usage insights, and
- efficient data transfer.



Value delivery

- Easy data collection with remote / walk-by reading and its delivery
- Ensure end-to-end data integrity
- Revenue protection capability



Intuitive




Revenue
protection



Walk-by
communication

Intelligent credit metering

Utilities and organisations face data gaps in energy consumption monitoring with conventional credit and solar meters. These meters use the traditional approach for collecting data, which leads to inefficiencies, a lack of targeted actions for further improvement or energy savings, and complexity due to manual operations.



Insight, our advanced solution, consists of BLE-enabled meters with a DCU, ensuring end-to-end data collection. It addresses these pain points by delivering a comprehensive ecosystem for intelligent credit and solar meters, enabling

- remote data collection,
- seamless communication, and
- valuable energy usage insights.



Value delivery

- Enhance data security and communication through BLE and modem options
- Ensure reliable performance under harsh conditions
- Achieve seamless data flow with a fully-integrated solution
- Monitor and gain insights through the collected data into their consumption profile



Intuitive
dashboard




Automatic meter
reading



Revenue
protection

Submetering

Customers often observe revenue leakages due to inefficiencies in the incumbent and traditional metering systems. Additionally, consumers struggle to budget for energy costs and lack trust because of the transparency issues in the traditional metering system.



Liberty 170 and 370 have revolutionised the submetering domain via their automatic supply source detection, which operates without external input, and supports pre-payment and credit with accounting modes. This enables convenient access to electricity while safeguarding customer revenue and fostering trust and transparency among consumers. The system

- operates in prepaid or credit mode and is field configurable
- seamlessly integrates with Liberty Online 2.0 and consumer / installer mobile app,
- is suitable for both single or dual source metering application.



Value delivery

- Ensure detection of mains and DG connections
- Easy debt recovery capabilities
- User-friendly consumer mobile app for prepaid recharge and local consumption monitoring
- Intuitive and BLE-enabled in-home display
- Enable load adherence with load limiting feature separately for mains and DG
- Get accounting statement with bifurcation of charges (mains and DG)



Accounting
mode (PAYG)




Intuitive
keypad



Supply source
detection

my eWatch online

Small and Medium Enterprises (SMEs) face constant energy-related challenges, often incurring high energy costs due to unexpected penalties, the need to manage multiple sites, and sudden equipment breakdowns.



With my eWatch online, get ready to revolutionise your energy management and save on your energy bills. Manage multiple locations and load points directly from your mobile and increase your profit by simply

- optimising energy usage,
- reducing per-product cost, and
- extending machine life.



Value delivery

- Get alerts for penalties like exceeding Maximum Demand (MD) and low Power Factor (PF) before they occur
- Save money with smart insights for better energy use
- Reduce per unit cost with shift-wise energy monitoring
- Minimise maintenance cost by comparing data and trends
- Extend the machine's lifespan through alerts before potential electrical breakdowns
- Meet compliance standards and reduce your carbon footprint



Smart alerts



Predictive analysis



Multi-factory monitoring

Panel Instruments

Maintaining accurate and reliable monitoring of electrical parameters is essential for control systems in industries, utilities, and testing environments.



Elite 300



Elite 440



Elite 500



DPM V360



Transducers



Analogue Meters



LTCT



Position Indicators

Our high-quality and reliable panel meter range, including DPMs, Indicating Instruments, and MFM base series, offers

- precise measurements,
- robust designs, and
- user-friendly features to meet diverse operational needs.



Value delivery

- Achieve high accuracy for critical electrical measurements
- Simplify operations with compact, easy-to-install designs (unique pass-through concept for current termination)
- Ensure reliable performance under varying environmental conditions
- Minimal power usage for efficient and cost-saving operations
- Receive configurable alerts for proactive issue management
- Suitable for HV / MV / LV switchgear, control panels, and test benches



Best-in-class
accuracy



Pass through
mechanism



Event
alerts

Beanbag Cool

Maintaining cooling comfort while managing energy usage can be challenging. Traditional air conditioning controls cannot adjust to changing ambient conditions, leading to higher bills due to frequent manual operations.



Beanbag Cool is a smart thermostat with built-in logic that optimises your AC's performance. It intelligently adjusts to weather and room's ambient changes, ensuring consistent comfort while saving energy. The system checks humidity in real-time and controls all your cooling units through one centralised interface and allows you to

- disable unnecessary local controls,
- limit the temperature range to avoid over-cooling, and
- set custom schedules for 'Comfort' and 'Away' modes



Value delivery

- Save up to 10% on energy bills by automatically adjusting the cooling cycles
- Experience consistent comfort with automatic real-time adjustments, keeping indoor temperature perfect without manual effort
- Compatible with air conditioners that have an IR remote with a display
- Additional sensors are available for larger spaces to ensure accurate temperature control
- Perfectly compatible with a fan coil unit (FCU) under the central air conditioning system of a commercial building



Cooling
comfort




Real time-monitoring
and control



Energy
efficient

PPMS - Censeo

Industries are experiencing higher electricity bills because of excessive energy consumption by inefficient pumps. Moreover, they do not have the right tools for monitoring the pump performance.



Our **PPMS** (Pump Performance Monitoring Solution) – Censeo, based on a thermodynamic principle, helps you monitor pumps' performance and energy efficiency. This solution offers

- real-time monitoring,
- insightful diagnostic data, and
- alarms for critical events.



Value delivery

- Optimise Specific Energy Consumption (SEC) in kWh / kl so you can reduce the energy consumption
- Compliance with PAT scheme, ISO 50001, and CBAM framework
- Enable to improve pump and pump stations' efficiency by real-time monitoring of performance parameters
- Identify the pumps' BEP (Best Efficient Point) and the optimal time for its maintenance, refurbishment, or replacement
- Lower the Life Cycle Cost (LCC) by preventing wastage and breakdowns



Performance analytics



Intuitive web dashboard



Alarms for critical events

Elite 500 NwM

Utilities today face growing challenges from Distributed Energy Resources (DER) and network unbalances, which hinder timely decisions and delay outage responses. Elite 500 NwM is an advanced measurement kit for single or multi-feeders that seamlessly integrates with a robust Data Acquisition System (DAS). This integrated solution enables frequent data collection, in-depth analysis and intuitive visualisation.



It also provides power distribution utilities with a comprehensive view of their Low Voltage (LV) grid network for improved monitoring and decision-making. It

- features local display for monitoring and configuration,
- analyses load patterns and simulates future scenarios,
- optimises load distribution and identifies potential stress points.



Value delivery

- Easy-to-install, expandable design and local configuration interface
- Detect and respond to events like phase loss, unbalances, or outages
- Deliver instant alerts for utilities to make informed decisions
- Enhance data-driven planning and proactive network control
- Empower utilities to build more resilient and efficient energy networks



Easy to
installation



Alerts for
network events



Network
visualisation

Smart metering solutions

Utilities struggle with issues like inaccurate billing, coffee shop reading, meter tampering, theft, and poor demand management, resulting in revenue losses. On the other hand, consumers often struggle with a lack of transparency and unclear consumption insights, leading to dissatisfaction and distrust.



Liberty 200 and Liberty 500 are next-generation smart pre-payment, direct-connected electricity meters that communicate securely with the backend system. Built to the highest global metering standards, they can be used for pre-payment, credit, and net metering applications. These self-resilient meters address key challenges of utilities and the secondary market by

- ensuring accurate billing,
- sending tamper alerts,
- monitoring usage patterns, and
- supporting demand-side management.
- optimises load distribution and identifies potential stress points.



Value delivery

- Enable a flexible payment option through the prepaid mode
- Remote connect/ disconnect and firmware over the air
- Real-time energy usage monitoring for better planning and load management
- Event logging for outages, tampering, and overloading



AMI
ready



Upgradeable



Data
security

High-precision metering

At critical grid points like substations, feeders, or renewable plants, energy data needs to be precise, secure, and real-time. Traditional meters often provide inaccurate energy measurement, leading to billing disputes, a lack of power quality insights, revenue loss, and regulatory non-compliance. This all makes energy accounting, billing, renewable integration and automation harder for utilities.



Prometer 540 and Prometer 100 are high-precision energy meters designed for use at power transfer points. They deliver 0.1S and 0.2S / 0.5S accuracy, respectively. Additionally, they provide power quality monitoring and multiple communication options, including DLMS, MODBUS, and IEC 61850. Their modular design allows

- easy integration with AMI, AMR, SCADA, and future substation automation systems, and
- monitoring of generation, transmission, and distribution load.



Value delivery

- Enables accurate energy reconciliation at grid interface points
- Supports automated energy accounting and billing with dual loggers
- Monitors power quality with built-in sag, swell, unbalance, and THD tracking
- Communicates over Ethernet, RS-232, RS-485, and IEC 61850 simultaneously
- Reduces downtime with hot-pluggable communication modules
- Supports remote configuration and data collection
- Ensures display viewing and reading during power outages
- Multilingual display for easier use across regions



Best-in-class
accuracy



Hot-pluggable
comms module



Field
configurable

Neutrino 100

As energy systems become more distributed and space constraints grow across modern installations, the challenge is no longer just measurement, but enabling metering that is compact, compliant, and commercially reliable. In applications such as on-street charging, submetering, residential environments, and data centre, conventional meters can be difficult to integrate.



Neutrino 100 is the world's first compact meter based on thread-through measurement. It is certified, standards-compliant, and designed for precise metering in space-constrained installations. Its compact cylindrical form supports seamless fitment and enables:

- certified bi-directional metering for import / export measurement,
- 5-minute interval profile data for billing, settlement, and load analysis, and
- reliable RS-485 Modbus communication.



Value delivery

- Enables accurate and transparent billing
- supports reliable import / export and energy-use measurement
- Delivers settlement-grade data for accurate reconciliation and grid visibility
- Builds confidence through compliant, compact, and reliable metering



Thread-through
measurement



Compact
size



Bi-directional
metering



To know more,
scan this QR code