



Secure Meters is credited with pioneering solid state electronic metering in India. With a small beginning, Secure Meters blossomed to a \$250 Million Secure Group with diverse interests in electronic metering, software, revenue management systems, home energy controls, IT and IT enabled services for the utilities and industries across the globe.

Our expertise is spread over the entire energy stream, from generation to consumption. We are working together to build a future that uses energy responsibly. We provide solutions from smart grid metering to intelligent heating controls. Ranging from Australia to the UK, from R&D to post sales service, from grid metering to thermostatic controls we promise to work together and be agile and responsible in whatever we do.



i-Credit 350



i-Credit 350 is an intelligent single-phase meter for demanding domestic and small commercial applications. It has been designed to address common problems faced by electricity distribution companies and estate management agencies, particularly attempted energy theft. i-Credit 350 has intelligent revenue protection features to help protect against fraud and tamper attempts.

Salient features:

- Consumer-friendly display
- Open DLMS protocol for meter reading
- Load profile recording
- Time-of-use tariffs
- Historical registration of billing data
- Optical communication port for data retrieval
- High-intensity LED for testing and calibration
- Power factor recording
- Meter reading in absence of mains
- Deficiency recording in absence of neutral
- Support of forward recording in case of current reversal

Sprint 350



Sprint 350 is an enhanced metering solution for three-phase direct-connected installations. It is suitable for domestic, industrial and commercial applications.

It has advanced revenue protection features, making it especially useful in areas where theft and fraud are prevalent.

Salient features:

- Single vector/bi vector/tri vector measurement
- Time of day metering with maximum demand registration and automatic billing
- Phase indicators for healthiness of voltages
- Backlight LCD display with annunciators for various critical events
- Forwarded energy registration under current reversal condition
- Scroll lock feature for continuous display of desired parameter
- High resolution energy mode for dial test
- Interoperable DLMS protocol for meter reading with option for remote reading port
- Advanced tamper detection features for voltage, current and magnetic influences
- Two separate metrology LEDs for accuracy testing of different energy types
- Meter reading in the absence of mains supply using internal battery

Liberty+



Liberty+ is a single-phase token-less smart meter for pay-as-you-go and managed credit applications. Encrypted vend codes are used to transfer credit between online vending system and the meter. Liberty+ maintains its own energy account, which supports multi-rate tariffs with features such as public holidays and 'friendly credit' periods.

The meter interfaces with an In-home Display (IHD), which provides real-time and historical information on consumption and accounting. Consumers can readily see historical data, enabling comparisons such as 'this month against last month' to be made.

Salient features:

- RJ-11 connection to the In-home Display, powered by the meter
- Support for slab or time-of-use (TOD) tariffs with up to 4 rates
- Emergency credit facility to assist consumers manage their accounts
- Friendly credit facility to prevent disconnection during unsocial hours
- Vending system supports debt recovery and load limiting

Liberty 310



Liberty 310 is a three-phase token-less smart meter for pay-as-you-go and managed credit applications. Encrypted vend codes are used to transfer credit between the online vending system and the meter. Liberty 310 maintains its own energy account, which supports multi-rate tariffs with features such as public holidays and 'friendly credit' periods.

The meter interfaces with an In-home Display (IHD), which provides real-time and historical information on consumption and accounting. Consumers can readily see how much energy they are using, how much it is costing (per hour), how much credit is left and how long it will last, based on the current rate of consumption. Liberty 310 also provides historical data, enabling comparisons such as 'this month against last month' to be made.

Salient features:

- RJ-11 connection to the In-home Display, powered by the meter
- Support for slab or time-of-use (TOD) tariffs with up to 4 rates
- Emergency credit facility to assist consumers manage their accounts
- Friendly credit facility to prevent disconnection during unsocial hours
- Vending system supports debt recovery and load limiting

Prodigy



Prodigy is a genuine innovation in the field of three-phase LV CT-operated metering. It is an integrated meter with built-in current transformers, eliminating the need for external CTs and accessories. Prodigy is based on the concept of thread-through connections, which helps maintain overall system accuracy and revenue integrity.

Salient features:

- Programmable time-of-use (TOU) tariffs and maximum demands (MD)
- Wide functional range, enabling efficient inventory management
- Thread-through arrangement: field cable passes directly through the meter, eliminating connection frauds
- Large backlit display with phase indicators and parameter identification
- Display scroll-lock for continuous display of desired parameters
- Logging of billing data and multi-parameter load survey
Special load-profiling and event-logging for energy auditing
- Integral GSM/GPRS modem for AMR/RMR
- Internal battery for local meter reading in the absence of mains supply

Premier 300



Premier is the family of CT/VT operated meters, which covers a wide range of power levels and offers flexible time-of-use tariff metering and communications capabilities. Premier 300 is the latest offering from this family having enhanced event detection facility and interoperable DLMS communication protocol. It is available in various accuracy classes and wiring configurations.

Salient features:

- True four quadrant metering
- Import/Export metering and forwarded metering option for LT/HT systems
- Distribution transformer metering events support
- Time of day metering with maximum demand registration and automatic billing
- Backlit LCD display with annunciators for various critical events
- Scroll lock feature for continuous display of a desired parameter on display
- High-resolution energy display mode for dial test
- DLMS protocol for meter reading, with option for remote reading port
- Advanced event detection features
- Two metrology LEDs for accuracy testing of different energy types
- Meter reading in the absence of mains, using internal battery

Apex 100



Apex 100 is an advanced high-end precision meter, specifically designed for generation, transmission and consumer bulk power transfer points. It supports the ICS DLMS open data exchange protocol for ease of reading and for integration with other systems. Comprehensive connectivity to back-end systems for monitoring and billing is provided via various communication technologies.

Salient features:

- Full four-quadrant import/export metering
- Total harmonic distortion (THD) measurement for currents and voltages
- Draw-out type meter module with automatic CT shorting
- Wide-range dual auxiliary power supply (AC and DC), with option for self-powering
- Dynamic error compensation for external current and voltage transformers
- Intuitive graphical display for parameters and data
- Two metrology LEDs for simultaneous accuracy testing of different parameters
- Comprehensive data storage
- Flexible time-of-day tariff and maximum demand support, with automatic billing
- Multiple communication ports for local and remote data transfer and for interfacing with external systems
- Interoperable DLMS and Modbus protocols for meter reading

i-Credit 510



i-Credit 510 is a single-phase meter with a modular design that provides communications flexibility and DLMS / COSEM compliance. It can readily accommodate the latest communication technologies, including Mesh Radio and GPRS / 3G devices. Options include a supply disconnect contactor and load control relays for demand side management, making i-Credit 510 a natural choice for AMI requirements.

Salient features:

- Four-quadrant measurement
- Four-quadrant measurement
- Option for two load measurement elements
- Integrated mains disconnect contactor and auxiliary load control switch (optional)
- Remote firmware and configuration upgrades
- Power supply rated to meet intensive communication demands
- Modular communication
- Quality of supply (QoS) monitoring
- Load profile storage for up to 4500 days, including instantaneous load profile in secondary logger
- Automatic remote notification of user-selected events to back-office system
- Ripple control receiver for load control

Sprint 210



Sprint 210 is a three-phase meter with a modular design that provides communications flexibility and DLMS / COSEM compliance. It can readily accommodate the latest communications technologies, including Mesh Radio and GPRS / 3G devices. Options include a supply disconnect contactor and load control relays for demand side management, making Sprint 210 a natural choice for AMI requirements.

Salient features:

- Four-quadrant measurement
- Integrated three-phase mains disconnect contactor and auxiliary load control switch (optional)
- Remote firmware and configuration upgrades
- Power supply rated to meet intensive communication demands
- Modular communication
- Quality of supply (QoS) monitoring
- Load profile storage for up to 4500 days, including instantaneous load profile in secondary logger
- Automatic remote notification of user-selected events to back-office system

Pipit 500



Pipit 500 is an in-home display unit that collects energy usage information from an AMI meter and displays it on LCD screen to empower the consumers to understand their usage patterns, cost and environmental impacts. Pipit 500 connects (pairs) wirelessly to the AMI meter using a Home Area Network.

Salient features:

- Large high resolution graphical display with back-lit
- Touch screen, user friendly display
- Tabletop mounting
- Interoperable (ZigBee) communication with AMI meter
- Fully portable, wireless, mains and battery powered
- Support of Historical data to analyse historical trends
- Coloured status light indicators for power/energy consumption

Liberty 100



Liberty 100 is a smart single-phase meter that can be used in prepayment and credit applications. It has modular architecture for both WAN/NAN and HAN, enabling multiple communications options to be deployed. The modules can be replaced in the field, thereby protecting the investment in the meter, even if communications technology needs to be changed during its life. The communications module acts as a hub for communications with the head end system and with a gas meter or in-home display.

Salient features:

- Four-quadrant measurement with import/export registration
- Time-of-use/complex tariffs and maximum demand recording
- Storage for multi-parameter load survey, billing data and events, such as power outage and abnormalities
- Integrated contactor for load disconnection
- Multiple WAN communication options
- Credit and PAYG modes (meter maintains account and tariffs)
- Keypad to enable local entry of Pay as You Go token if WAN not available
- Remote, over the air firmware upgrade

Liberty EG4v



EG4v is based on a proven G4 measurement unit with electronic index and isolation valve. The meter uses ZigBee radio to provide link with head end system and In Home Display via the smart meter communications hub.

The meter is capable of remote firmware upgrade after installation to allow features and functionality to be changed. EG4v supports both Credit and Pay As You Go (PAYG) modes of operation. The meter can be remotely switched between modes.

Salient features:

- Integrated isolation valve
- Slab Tariffs and Complex / Time of Use Tariffs
- Logging of energy data usage profile, billing data, events including tamper detection
- Credit and PAYG Modes (meter maintains account and tariffs)
- Keypad for local entry of PAYG Code if HAN not available
- Remote Firmware Upgrade
- Option to close valve on detection of tamper

ECD 210




ECD 210 is an intelligent modem for data transfer between an electronic energy meter and a central station over the GSM/GPRS communication network. Working in conjunction with base computer software (BCS) it provides a cost-effective solution for automatic meter reading (AMR).

The modem can be programmed to automatically transmit SMS messages to the central station when certain metering events are detected. This extends the role of ECD 210 beyond traditional remote meter reading and into the realm of system integrity monitoring and surveillance.

Salient features:

- GSM/ GPRS modem with built-in three phase power supply
- Scheduled meter reading & data storage capability
- Automatic SMS messaging for metering events or alarms
- Meter connectivity through:
 - Optical communication port
 - Serial RS-232/RS-485 communication port
- Status LEDs
- SIM card provision

ECD 310



ECD 310 is a meter powered modem for data transfer between an electronic energy meter and central station over the GSM communications network. Working in conjunction with base computer software (BCS) it provides a cost-effective solution for remote automatic meter reading (AMR). It is designed for fitting under the meter's terminal cover, providing a neat, tamper-resistant installation.

Salient features:

- Meter connectivity through serial RS-232 communication port
- Status LEDs
- SIM card provision
- Engineering plastic enclosure
- Compact size: fits under the meter's terminal cover

Integrator



Integrator is a web-based interoperable software based on a common framework, as defined by Meter Inter Operability Solution (MIOS). It is capable of reading multiple makes of meters over various communications media. Integrator supports scheduled and on-demand collection of interval data from a large number of meters and can also import or upload meter reading data from external sources.

Salient features:

- Direct and remote meter reading over GSM or GPRS media.
- Step-wise planning and execution of tasks based on interoperability standards
- Can import or upload meter reading data from external sources
- Effective management of consumers, connections and locations
- Meter data validation and verification module
- User configurable alarms and notification for events through SMS / email
- All meter reading parameters are stored in a common data format for further business use
- Flexible reporting for effective energy and revenue management
- Support for integration with other analysis modules, such as billing and energy audit, etc.
- Support for integration with other analysis modules like billing and energy audit etc.




Enerlyser is web based energy audit and analysis software to calculate and analyze the Energy and Revenue losses for distribution utilities. It is highly flexible application with strong service oriented architecture and is pluggable into different software modules through interfaces. The software provides decision support information for taking corrective and preventive actions for all network and geographical administrative hierarchies.

Salient features:

- T&D losses, AT&C losses and technical losses with segregation of total loss into technical and non-technical components
- Easy network documentation with network configuration change support
- Wide variety of analysis by giving information of Loading and peak loading conditions for feeder/DT/HT/LT consumers
- Calculation of performance indices like power factor, load factor, diversity factor etc.
- Calculation of supply reliability factors like no. /duration of interruptions, SAIFI, SAIDI, CAIDI etc.
- Dashboard facility to analyse the system in graphical form
- Facility to derive parameters based on logged parameters
- User configurable settings for MIS and audit reports
- Configurable reporting tool to generate different type of reports with export to excel facility.

e-Watch ss



e-Watch ss is a web-based application, specially designed to cater to online monitoring and availability-based tariff (ABT) management needs of generators and transmission utilities. The system provides accurate information to support decision-making for effective remedial measures under the ABT regime for a variety of administrative hierarchies.

Salient features:

- Online monitoring of a wide range of ABT parameters
- Support of open protocols, including DLMS and Modbus
- Schedule management and contract management
- Predictive user-configurable alarms
- Configurable reporting
- Decision support dashboard
- Auto-logical grouping of meters
- Multi-functional user management
- Client-server architecture
- Integration with a range of communications media (VSAT/OFC/MPLS/leased line/GPRS)

Secure Meters Limited

Pratapnagar Industrial Area
Udaipur 313 003, India

t: +91 294 2492300 **f:** +91 294 2492310

Secure Meters (UK) Limited

Secure House, Moorside Road
Winchester, Hampshire, SO237RX, England

t: +44 1962 840048 **f:** +44 1962 841046

Secure Controls (UK) Limited

South Bristol Business Park,
Roman Farm Road, Bristol BS4 1UP, England

t: +44 117 9788700 **f:** +44 117 9788701

Secure Australasia Pty Limited

258 Darebin Road,
Fairfield VIC 3078, Australia

t: +61 3 9485 6000 **f:** +61 3 9485 6099

Cewe Instrument AB

SE 61129, Box 1006, Nyköping, Sweden

t: +46 155 775 00 **f:** +46 155 775 97

www.securetogether.com