



MAHESHTALA MUNICIPALITY

Maheshtala, Dist. South 24 Parganas

Office of the Board of Councillors

Licence / No Objection Certificate on Public Health

West Bengal, Municipal, Act-1993

Date : 16/06/2020

In consideration of Public Health Point of view, this Licence / No Objection Certificate is hereby issued to

Sri/Smt. **CHAIRMAN:- CHARANJIT SINGH SAINI**

S/o,D/o,W/o. **JASWANT SINGH SAINI**

Partner(s) Name **CHAIRMAN:- CHARANJIT SINGH SAINI**

and resident of **SHIBTALA ROAD BYE LANE-1 , KOL-141, P.O.-MAHESHTALA, P.S.-MAHESHTALA**


of M/s. **MOUNT.LITERA ZEE SCHOOL**

Trade/Business at **SHIBTALA ROAD BYE LANE-1 , KOL-141, P.O.-MAHESHTALA, P.S.-MAHESHTALA**

Holding No.... **D3-49/2/NEW**....under Ward No. **22** as per specification and schedule for carrying on Business/Trade

manufacturer of **ENGLISH MEDIUM SCHOOL**

for the year **2019-2020**..... Year of commencement **2014-2015**.....



Sd/-

**Health Officer/Sanitary Inspector
Licensing Authority
Maheshtala Municipality**

Conditions of Licence / No Objection Certificate of carrying offensive and dangerous trade from Public Health point of view :

- 1) The Licence / No objection Certificate is to be renewed every within the 30th June.
- 2) The premises shall not cause or shall be maintained in a manner so as not to cause injury to Health, danger, annoyance or offence to the sense of sight, smell or hearing of the persons residing in the neighborhood.
- 3) The place may be inspected at any reasonable time by Health Officer and / or Sanitary Inspector of the Municipality.
- 4) Scientific arrangement for prevention of dust, smokes, nuisance and effect of fibers, gases, volatile affluent are to be made.
- 5) Smoke outlet chimney filled with scrubber must not be less than 75 feet height as per specification.
- 6) Satisfactory arrangement of safe drinking water, air and ventilation, sanitary latrine and damp proof accommodation should be made to the employers as per specification.
- 7) Arrangement for good disposal of water and garbages to prevent nuisance in the neighbourhood is to be made as per specification.
- 8) The Licence / No Objection Certificate is liable to be cancelled in the even of contravention of any of the above mentioned conditions.
- 9) Issued Licence / No Objection Certificate is strictly provisional.

**Health Officer/Sanitary Inspector
Licensing Authority
Maheshtala Municipality**



MAHESHTALA MUNICIPALITY

SL No- H/8650

Maheshtala, Dist. South 24 Parganas

Office of the Board of Councillors

Licence / No Objection Certificate on Public Health

West Bengal, Municipal, Act-1993

New/Renewal

Date -

In consideration of Public Health Point of view, this Licence / No Objection Certificate is hereby issued to
Sri/Smt. **CHAIRMAN:- CHARANJIT SINGH SAINI**

S/o,D/o,W/o. **JASWANT SINGH SAINI**

Partner(s) Name **CHAIRMAN:- CHARANJIT SINGH SAINI**


and resident of **SHIBTALA ROAD BYE LANE-1, KOL-141,P.O.-MAHESHTALA,P.S.-MAHESHTALA**

of M/s. **"MOUNT LITERA ZEE SCHOOL "**

Trade/Business at **SHIBTALA ROAD BYE LANE-1, KOL-141,P.O.-MAHESHTALA,P.S.-MAHESHTALA**

Holding No. **D3-49/2/NEW** under Ward No. **22** as per specification and schedule for carrying on Business/Trade
manufacturer of **ENGLISH MEDIUM SCHOOL**

for the year **2016-2017** Year of commencement **2014-2015**



Conditions of Licence / No Objection Certificate of carrying offensive and dangerous trade from Public Health point of view :

- 1) The Licence / No objection Certificate is to be renewed every within the 30th June.
- 2) The premises shall not cause or shall be maintained in a manner so as not to cause injury to Health, danger, annoyance or offence to the sense of sight, smell or hearing of the persons residing in the neighborhood.
- 3) The place may be inspected at any reasonable time by Health Officer and / or Sanitary Inspector of the Municipality.
- 4) Scientific arrangement for prevention of dust, smokes, nuisance and effect of fibers, gases, volatile affluent are to be made.
- 5) Smoke outlet chimney filled with scrubber must not be less than 75 feets height as per specification.
- 6) Satisfactory arrangement of safe drinking water, air and ventilation, sanitary latrine and damp proof accommodation should be made to the employers as per specification.
- 7) Arrangement for good disposal of water and garbages to prevent nuisance in the neighbourhood is to be made as per specification.
- 8) The Licence / No Objection Certificate is liable to be cancelled in the even of contravention of any of the above mentioned conditions.
- 9) Issued Licence / No Objection Certificate is strictly provisional.

Health Officer/Sanitary Inspector

Licensing Authority

Maheshtala Municipality

(Signature)
20/01/17
Sanitary Inspector.
Maheshtala Municipality

MAHESHTALA MUNICIPALITY

Form 39
(Vide rules 105, 121 & 122)



To / Ms . CHARNJIT SINGH SAIRI

Address - DAKGHAR MAHESHTALA

File No -

Ward No - 22

on Account of

Particulars	Amount (Rs.)
HEALTH LICENCE FEES URGENT FEES  	100.00
Total (Rs.)	100.00
One Hundred Rupees only	

Cashier


V.C. / E.O. / Authorised Officer

SL No : 21486

Receipt

Date : 02/02/2017

MAHESHTALA MUNICIPALITY

Form 39
(Vide rules 105, 121 & 122)

To / Ms . CHARANJIT SINGH SAINI

Address -

File No -

Ward No - 22


on Account of

Particulars	Amount (Rs.)
HEALTH LICENCE FEES 14-15 TO 15-16 	100.00
  Total (Rs.)	100.00
One Hundred Rupees only	

Cashier

V.C. / E.O. / Authorised Officer

RENEWAL OF LICENCE FOOD / HEALTH

Financial Year	Renewal Date	LastRenewalDate / Licence No.	Valid Upto	Dealing Assistant	Sign of Health Officer with Seal	Remarks
2012 - 2013					/	
2013 - 2014					/	
2014 - 2015					/	
2015 - 2016					/	
2016 - 2017	30-Jan-2017	30-Jan-2017 NEW	31-Mar-2017	/	 30/01/17 Sanitary Inspector. Maheshtala Municipality	/
2017 - 2018						
2018 - 2019						
2019 - 2020						

SPECIAL NOTES :-

❖ DO NOT FOLD THE LICENCE.

❖ DO NOT HANDLE THE LICENCE IN SUCH A WAY, SO THAT IT CAN BE DAMAGED.

বিশেষ দ্রষ্টব্য :-



❖ লাইসেন্সটি ভাঁজ করবেন না।

❖ লাইসেন্সটি এমন ভাবে ব্যবহার করবেন না যাতে এটির কোনরূপ ক্ষতি হয়।

DAMAGE CHARGE = Rs. 50/-

Thank You

RENEWAL OF LICENCE FOOD / HEALTH

Financial Year	Renewal Date	Last Renewal Date / Licence No.	Valid Upto	Dealing Assistant	Sign of Health Officer with Seal	Remarks
2012 - 2013					/	
2013 - 2014					/	
2014 - 2015					/	
2015 - 2016					/	
2016 - 2017	30-Jan-2017	30-Jan-2017 NEW	31-Mar-2017	/	 30/01/17 Sanitary Inspector. Maheshtala Municipality	/
2017 - 2018	26-Jul-2017	30-Jan-2017 H/8650	31-Mar-2018	/	 26/07/17 Sanitary Inspector. Maheshtala Municipality	
2018 - 2019						
2019 - 2020						

SPECIAL NOTES :-

❖ DO NOT FOLD THE LICENCE.

❖ DO NOT HANDLE THE LICENCE IN SUCH A WAY, SO THAT IT CAN BE DAMAGED.

বিশেষ দ্রষ্টব্য :-

❖ লাইসেন্সটি ভাঁজ করবেন না।

❖ লাইসেন্সটি এমন ভাবে ব্যবহার করবেন না যাতে এটির কোনরূপ ক্ষতি হয়।

DAMAGE CHARGE = Rs. 50/-

Thank You