

Job Organization - External Finishing

Code	Description
AC	SOUND CONTROL ONLY (CLASS C, NPS <= 10")
AD	SOUND CONTROL ONLY (CLASS D, NPS > 10")
B	FBE COATED FOR UNDERGROUND C.S.
CAC	SOUND CONTROL OR COMBINED SOUND CONTROL/REDUCTION OF HEAT GAIN 21°C TO -196°C (CLASS C)
CAD	SOUND CONTROL OR COMBINED SOUND CONTROL/REDUCTION OF HEAT GAIN 21°C TO -196°C (CLASS D)
CC	REDUCTION OF HEAT GAIN AND CONDENSATION CONTROL 21°C TO -196°C
CP	PREVENTION OF SURFACE CONDENSATION AND/OR PERSONNEL PROTECTION 21°C TO -196°C
ET	ELECTRIC TRACED
HAC	COMBINED SOUND CONTROL/HEAT CONSERVATION 21°C TO 649°C (CLASS C)
HAD	COMBINED SOUND CONTROL/HEAT CONSERVATION 21°C TO 649°C (CLASS D)
HC	HEAT CONSERVATION AND/OR PROCESS CONTROL 21°C TO 649°C
HO	HOT OIL INSULATION
MG	PERSONNEL PROTECTION WITH METAL GUARD FROM 60°C TO 249°C
N	NO INSULATION AND NOT PAINTED
P	PAINTING ONLY
PIC	PRE-INSULATED COLD INSULATION ON STRAIGHT PIPE LENGHT
PP	PERSONNEL PROTECTION 250°C TO 649°C (USING CONVENTIONAL INSULATION)
RS	REGENERATION SERVICE (TEMPERATURE CYCLE FROM BELOW AMBIENT TO ABOVE 90°C)