

SWIFTSHIP TRACKER

College Name: A.V.C. College of Engineering

Project Title: Swift Ship Tracker

Team Details	Name	NM Id	Year/Sem
Team Leader	Lakshitha G	C3D65BAFD291503990D45869F3D836EE	IV/VII
Team Member	Akshaya A	299D7DBEC905E49B0FE4E56C8EA5BAC3	IV/VII
	Durga S	5D57C50200A68B4B9DC45BA4962644BA	IV/VII
	Fazeena A	F06DF280852737C9CFD4223A08F94256	IV/VII
	Harini V	A12827FB5172A70BE104A86117CBC97E	IV/VII

Abstract

SwiftShip Tracker is a Salesforce-based parcel management and tracking solution designed to centralize parcel booking, shipment management, delivery tracking, customer communication, and operational monitoring within a single platform.

The system manages important parcel-related information through Salesforce custom objects such as **Parcel, Delivery, Sender, and Receiver**, together with standard Salesforce objects. Salesforce Flows automate parcel operations and delivery-related processes, while Apex supports critical backend operations and batch processing.

The solution also integrates **AgentForce AI and Prompt Builder** to provide conversational parcel-tracking capabilities. Customers can interact with the AI agent to retrieve parcel information such as parcel ID, status, weight, and estimated delivery date. Delivery agents can update parcel status, while automated email notifications provide timely shipment updates.

The system uses Salesforce security features including Profiles, Roles, Permission Sets, Sharing Rules, and Field-Level Security to control access to parcel and customer information. Experience Cloud can be used to provide customer-facing access, while Salesforce Reports and Dashboards provide operational visibility.

The project demonstrates how Salesforce CRM, automation, artificial intelligence, conversational agents, and reporting capabilities can be combined to develop a centralized parcel-management platform.

1. Introduction

1.1 Project Overview

SwiftShip Tracker is a Salesforce CRM solution developed to simplify parcel booking, shipment tracking, and delivery management.

The system supports the complete parcel lifecycle:



Customers can access shipment information and track their parcels, while delivery agents can update parcel information and delivery status.

The platform centralizes parcel, sender, receiver, and delivery information in Salesforce and uses automation to reduce manual operational activities.

The project incorporates:

- Salesforce Custom Objects
- Salesforce Standard Objects
- Salesforce Flows
- Apex Classes
- Batch Apex
- Email Alerts
- AgentForce AI
- Prompt Builder
- Experience Cloud
- Profiles and Permission Sets
- Role Hierarchy
- Sharing Rules
- Field-Level Security
- Reports and Dashboards

1.2 Purpose of the Project

The main purpose of SwiftShip Tracker is to provide a centralized system for managing parcel and delivery operations. The project aims to:

1. Centralize parcel and delivery information.

2. Simplify parcel booking and tracking.
3. Provide real-time shipment visibility.
4. Automate delivery updates and customer notifications.
5. Enable conversational parcel tracking using AgentForce AI and Prompt Builder.
6. Improve delivery-agent efficiency through Salesforce Flows and dashboards.
7. Provide secure role-based access to different categories of users.

2. Ideation Phase

2.1 Problem Statement

The project identifies several problems experienced by customers, delivery agents, support teams, and administrators.

Problem	Description	Impact
1 – Difficult Parcel Booking	Customers may need support assistance or multiple applications to book parcels.	Parcel operations become scattered and customers may experience frustration.
2 – Difficult Parcel Tracking	Customers may not have access to a simple real-time tracking experience.	Shipment information becomes difficult to access and customers may be confused about delivery status.
3 – Manual Status Updates	Delivery agents may need to manually handle parcel status updates.	There is a need for centralized operational tracking.
4 – Delivery Communication Gaps	Customers may not receive notifications at every stage of delivery.	Customers may remain uncertain about shipment progress.
5 – Difficult Operational Monitoring	Administrators may find it difficult to monitor parcel flow and delivery performance.	Centralized reporting and operational dashboards are required.

2.2 Empathy Map

User Persona: Customer / Sender

Aspect	Details
Think and Feel	The customer wants a simple method to book and track parcels without repeatedly contacting customer support.
Hear	The customer receives delivery information and status updates from the parcel service.

Aspect	Details
See	Parcel details, tracking status, estimated delivery date, and delivery information.
Say and Do	Books parcels, checks tracking information, and requests delivery updates.
Pain Points	Delivery delays; confusion; lack of easy tracking; dependence on support; dependence on multiple applications.
Gains	Real-time visibility; self-service tracking; convenient booking; timely notifications.

These customer needs form the basis for the proposed Salesforce solution.

2.3 Brainstorming and Idea Prioritization

The project considered several possible solutions:

1. Manual registers
2. Spreadsheet-based tracking
3. Standalone parcel portal
4. Salesforce CRM with AgentForce AI

The selected approach was **Salesforce CRM with AgentForce AI**. The documented reasons include:

- Centralized parcel management
- Automation through Salesforce Flows
- Real-time tracking visibility
- Conversational AI assistance
- Secure role-based access
- Reports and dashboards

3. Requirement Analysis

3.1 Customer Journey

The SwiftShip Tracker customer journey consists of the following stages:

1. Parcel Booking
2. Parcel Record Creation
3. Dispatch and Shipment
4. In-Transit Tracking
5. Out for Delivery
6. Delivery Confirmation
7. Customer Notification

8. Feedback / Support

This represents the intended end-to-end parcel lifecycle.

3.2 Functional Requirements


ID	Functional Requirement
FR-1	Parcel booking and record creation
FR-2	Parcel status tracking
FR-3	Weight management
FR-4	Estimated delivery date management
FR-5	Sender information management
FR-6	Receiver information management
FR-7	Delivery and current-location tracking
FR-8	Agent parcel status updates
FR-9	Automated customer notifications
FR-10	AI-powered parcel tracking
FR-11	Reports and dashboards
FR-12	Customer access through Experience Cloud

3.3 Non-Functional Requirements

Requirement	Description
Usability	The system should provide an intuitive Salesforce and customer-facing interface.
Security	Role-based access control and field-level access control should be implemented.
Reliability	Parcel status and delivery information should remain accurate.
Performance	Flows and AgentForce responses should be delivered within an appropriate time.
Availability	The system is based on Salesforce cloud infrastructure.
Scalability	The system should support growing parcel and delivery operations.
Data Integrity	Parcel data should be controlled through relationships and access restrictions.
Maintainability	Flows, prompts, topics, and configurations should be maintainable and updateable.


3.4 Data Flow

The primary parcel data flow is:



3.5 AI Tracking Flow

The AI-based tracking process is:



The Prompt Builder implementation retrieves Parcel ID, Status, Weight, and Estimated Delivery Date information for tracking responses.

4. Technology Stack

Layer	Technology
Platform	Salesforce Developer Edition
UI	Lightning App Page, Lightning Record Pages, Experience Cloud
Database	Salesforce Custom and Standard Objects
Business Logic	Salesforce Flows, Apex Classes
Automation	Record-Triggered Flows, Auto-Launched Flows, Scheduled Flows
AI	AgentForce AI, Prompt Builder
Notifications	Email Alerts and Email Templates
Processing	Batch Apex
Security	Profiles, Permission Sets, Role Hierarchy, Field-Level Security, Sharing Rules
Reporting	Reports and Dashboards

5. Project Design

5.1 Problem-Solution Fit

Problem	Proposed Solution	Benefit
Difficult parcel booking	Salesforce Parcel Management	Centralized booking
Tracking requires support	AgentForce AI + Prompt Builder	Self-service tracking
Manual status updates	Salesforce Flows	Automated processes
Delivery communication gaps	Email Alerts	Timely notifications
Scattered shipment information	Parcel, Delivery, Sender and Receiver objects	Structured data
Difficult operational monitoring	Reports and Dashboards	Better visibility
Different users require different access	Profiles, Roles and Permission Sets	Secure access

5.2 Proposed Solution

Problem

Parcel booking and tracking can be difficult and inefficient.

Solution

A Salesforce-based parcel management system is implemented.

Innovation

- AgentForce AI
- Prompt Builder
- Salesforce Flows
- Conversational parcel tracking

Expected Impact

- Centralized booking
- Real-time tracking visibility
- Timely notifications
- Efficient delivery management

Business Model

The system supports customers, senders, delivery agents, support staff, and administrators. The solution can also support Experience Cloud and integration with external logistics systems.

5.3 Solution Architecture

The overall architecture consists of the following layers:

Layer	Components
User Layer	Customer, Delivery Agent, Support Staff, Administrator
Interface Layer	Salesforce Lightning, Experience Cloud
Salesforce Application Layer	SwiftShip Tracker Salesforce Platform
Data Layer	Parcel, Delivery, Sender, Receiver
Automation Layer	Salesforce Flows, Approval Processes, Apex Classes, Batch Apex, Email Alerts
AI Layer	AgentForce AI, Prompt Builder, Parcel Tracking Agent
Security Layer	Profiles, Roles, Permission Sets, Sharing Rules, Field-Level Security
Reporting Layer	Reports, Dashboards
Operational Output	Parcel Tracking, Delivery Monitoring, Operational Insights

6. Project Planning and Scheduling

6.1 Development Methodology

The project follows an **Agile methodology** based on:

- Epics
- User Stories
- Story Points
- Sprint-based development
- Velocity calculation

6.2 Product Backlog

Sprint	Story	Description	Points	Priority
Sprint 1 – Salesforce Setup	USN-1	As a system administrator, I want to create and configure the Salesforce environment so that I can build the SwiftShip Tracker parcel management system.	3	High
Sprint 2 – Data Modeling	USN-2	Create Parcel, Delivery, Sender, and Receiver objects with appropriate relationships.	5	High
Sprint 2 – Data Modeling	USN-3	Create dedicated tabs and a Lightning App for SwiftShip modules.	5	High

Sprint	Story	Description	Points	Priority
Sprint 3 – Automation	USN-4	Validate parcel details, mandatory fields, and booking inputs.	3	High
Sprint 3 – Automation	USN-5	Create automated Flows for parcel status and delivery information.	3	High
Sprint 4 – Apex	USN-6	Implement Apex triggers and classes for critical parcel and delivery actions.	5	High
Sprint 4 – Apex	USN-7	Implement Batch Apex for periodic parcel or delivery processing.	5	High
Sprint 5 – Reports	USN-8	Create reports for parcel status, delivery performance, and operational metrics.	4	High
Sprint 6 – Dashboards and AI	USN-9	Create dashboards and integrate AgentForce AI for parcel-tracking assistance.	4	Medium

7. Project Development

Phase 1 – Requirement Analysis and Planning

The first phase focused on identifying customer and operational requirements. The project addresses the problem that customers may experience delays and confusion while booking, tracking, and managing parcels.

The proposed conversational AI agent enables customers to obtain shipment information and manage parcel-related interactions from a centralized system.

Key activities include:

- Requirement gathering
- User-persona identification
- Scope definition
- Data-model design
- Use-case identification
- Salesforce feature selection

7.1 Project Scope

1. Developing a scalable CRM solution for parcel delivery businesses.
2. Supporting the complete parcel lifecycle.
3. Implementing data modeling, automation, AI prompts, and reporting.
4. Providing role-based access.

- Supporting real-time parcel visibility and operational tracking.

7.2 Project Objectives

- Streamline parcel operations.
- Automate booking and tracking activities.
- Automate delivery notifications.
- Improve customer visibility.
- Provide self-service tracking.
- Improve delivery-agent efficiency.
- Provide operational dashboards.
- Provide parcel trends and delivery-performance information.
- Implement role-based security.

7.3 Users of the System

User	Responsibilities
Customers / Senders	Book parcels; track deliveries; receive shipment updates; interact with the AI agent.
Delivery Agents	View assigned parcels; update parcel status; manage delivery information.
Customer Support Team	Handle delivery-related issues; respond to customer queries; support communication.
Admin Team	Configure Salesforce; manage roles; configure security; monitor operations.
System Integrator / Developer	Automation; AI-agent setup; backend integrations; system configuration.

8. Salesforce Features Used

8.1 Custom Objects

The system uses four primary custom objects:

- Parcel__c
- Delivery__c
- Sender__c
- Receiver__c

8.2 Standard Objects

- Account

- Contact
- Case
- Task
- EmailMessage
- User

8.3 Automation

- Record-Triggered Flows
- Auto-Launched Flows
- Scheduled Flows
- Approval Processes

8.4 Apex

Apex is used for:

- Automated parcel operations
- Delivery notifications
- Other critical parcel actions
- Batch processing

8.5 User Interface

- Lightning App Page
- Dynamic Forms
- Lightning Record Pages
- Experience Cloud

8.6 AI

- AgentForce AI
- Prompt Builder
- Parcel Tracking Agent

8.7 Email

Email Alerts and Templates are used for:

- Booking confirmations
- Delivery updates
- Completion acknowledgments

9. Data Model

9.1 Parcel Object

Parcel__c is the primary object containing core parcel information. Important information includes:

- Parcel ID
- Status
- Weight
- Estimated Delivery Date
- Sender relationship
- Receiver relationship
- Delivery relationship

The Parcel object acts as the central record for shipment tracking.

9.2 Delivery Object

Delivery__c contains delivery-specific information. Important information includes:

- Current location
- Estimated delivery date
- Parcel relationship
- Sender relationship
- Delivery status

Delivery agents use this object to update and monitor delivery status.

9.3 Sender Object

Sender__c stores sender information including:

- Sender address
- Contact number
- Email

A sender can be associated with multiple parcels. Sender information is also used for booking confirmations and delivery notifications.

9.4 Receiver Object

Receiver__c contains:


- Receiver address
- Receiver contact
- Receiver email

The receiver is linked with the sender and parcel information and can be used for delivery communication and confirmation.

10. Security Model

10.1 Role Hierarchy

The documented role hierarchy is:



10.2 Profiles

Profile	Access
Administrator	Provides full access to Salesforce objects and records.
Delivery Agent	Read/Edit access to Parcel, Delivery, Sender, and Receiver.
Customer	Read-only access to the customer's own parcel information through Experience Cloud.
Support Staff	Access to Cases and parcel information for issue resolution.

10.3 Permission Sets

Permission Sets are used to provide additional privileges such as:

- Update Delivery Status
- Access Agent Console

10.4 Record-Level Security

Sharing Rules are used to control access to Parcel records and Delivery records. Customers can only access records associated with their own sender or receiver information.

10.5 Field-Level Security

Sensitive information such as Sender Email, Receiver Contact, and Location Coordinates is restricted to appropriate administrative and agent-level users.

11. Salesforce Account Setup

The project uses a Salesforce Developer Org for configuration, development, and testing. The documented setup process includes:

1. Navigate to the Salesforce Developer signup page.
2. Enter user information.
3. Verify the account through email.
4. Set a password and security question.
5. Access the Salesforce Setup environment.

Salesforce is the platform used to build and configure the SwiftShip Tracker system.

12. Custom Object Creation

Each custom object is created through: **Setup → Object Manager → Create → Custom Object**

Object	Label	Plural Label	Record Name	Data Type
Parcel	Parcel	Parcels	Parcel Name	Text
Delivery	Delivery	Deliveries	DeliveryName	Text
Sender	Sender	Sender's	SenderName	Text
Receiver	Receiver	Receiver's	ReceiverName	Text

For all four objects the following options are enabled: Allow Reports, Allow Search, and Track Field History.

13. Custom Tabs

Custom tabs are created for the Salesforce objects. The documented procedure includes:

1. Open Setup.
2. Search for Tabs.
3. Select Custom Object Tabs.
4. Click New.
5. Select the required object.
6. Select the tab style.
7. Configure profile settings.
8. Save the tab.

Tabs are created for Parcel, Delivery, Sender, and Receiver.

14. Fields and Relationships

14.1 Parcel Fields

- Parcel ID
- Status
- Weight
- Estimated Delivery
- Sender

The documented Parcel ID uses an Auto Number format: **P-{000}**

14.2 Delivery Fields

- Current Location
- Estimated Delivery
- Sender
- Parcel

Current Location is configured using the **Geolocation** data type.

14.3 Sender Fields

- Sender Address
- Sender Contact
- Sender Email

The documented Sender Address field is configured using Geolocation.

14.4 Receiver Fields

- Receiver Address
- Receiver Contact
- Receiver Email
- Sender
- Parcel

Receiver Address is configured using Geolocation.

15. AgentForce AI and Prompt Builder

15.1 Prompt Builder

Prompt Builder is used to create the prompt responsible for retrieving parcel information. The documented Prompt Template is:

Property	Value
Label	Retrieve Parcel Details
API Name	Retrieve_Parcel_Details
Purpose	Retrieve parcel details where the Parcel ID matches the user input.

The response contains: Parcel Name, Parcel ID, Status, Weight, and Estimated Delivery Date.

15.2 Resource Mapping

The Prompt Builder resource mapping uses the Parcel object and relevant fields:

- Name
- Parcel_ID__c
- Status__c
- Weight__c
- Estimated_Delivery_Date__c

After configuring the resources, the prompt is saved and activated.

15.3 Prompt Testing

The documented test query is: **"Track parcel P-12345"**. The expected result is retrieval of the corresponding Parcel record details.

16. Salesforce Flow

An Auto-Launched Flow is used for retrieving parcel details.

16.1 Flow Variables

Variable	Name	Data Type	Availability
Input	Ids	Text	Available for Input
Output	Output	Text	Available for Output

16.2 Get Records

Property	Value
Object	Parcel
Field	Parcel_ID__c
Operator	Equals

Property	Value
Value	ids

16.3 Prompt Action

The Flow uses the Retrieve Parcel Details action. The retrieved Parcel record is supplied to the action so that the prompt can generate the parcel information response.

16.4 Assignment

The prompt response is assigned to the output variable. The Flow structure is:



The Flow is then saved as **Parcel Details** and activated.

17. Permission Set Configuration

A Permission Set named **Swift Ship** is created. The documented configuration uses the Einstein Agent license. The Permission Set provides access to the required objects.

For each object, the following permissions can be enabled: Read, Create, Edit, and Optional Delete.

Key objects include:

- Parcel__c
- Delivery__c
- Sender__c
- Receiver__c

Key fields are configured to remain visible where required.

18. Assigning Permissions to Agent User

The Permission Set is assigned to the appropriate Agent user. The documented procedure includes:

1. Open Users.
2. Select the Agent User.
3. Navigate to Permission Set Assignments.
4. Select the **SwiftShip** Permission Set.
5. Add the Permission Set.
6. Save the assignment.

19. AgentForce Configuration

19.1 Enable Salesforce Default Agent

The project enables the Salesforce default agent through Salesforce Go.

19.2 Enable Einstein

Einstein Setup is configured to enable:

- Einstein
- Global Languages
- Deploy Prompt Template

19.3 Enable AgentForce

AgentForce is enabled through the AgentForce Agents configuration. The Default Agent is enabled for use in the project.

20. Building the Parcel Tracking Agent

The AgentForce agent is configured through Agent Builder. The documented configuration includes:

1. Open AgentForce Agents.
2. Select the Default Agent.
3. Open the Agent in Builder.
4. Create a Subagent.
5. Configure the required subagent details.
6. Add actions to the agent.
7. Use Flow as the Agent Action type.
8. Associate the previously created parcel Flow.
9. Configure the agent.
10. Assign the action to the Parcel Updates Subagent.

11. Rename the agent to **SwiftShip Tracker**.
12. Save and activate the agent.

21. Testing and Validation

The testing phase validates whether the AgentForce system can:

- Recognize parcel-related topics.
- Trigger the assigned Flow.
- Retrieve parcel data.
- Update parcel information where configured.
- Provide responses to customer queries.
- Operate with appropriate permissions.

The purpose is to verify that the AI-driven parcel agent works correctly within Salesforce.

21.1 Flow Validation

The Flow is checked to confirm:

- It is activated.
- Parcel ID input is handled.
- Parcel details can be retrieved.
- Status update or confirmation messages can be handled.

The Flow's execution context is also checked when restricted data access requires it.

21.2 Agent Testing

The agent can be tested using queries such as:

- "Track parcel ID P12345."
- "Update delivery status for parcel P67890 to Delivered."

The response is then observed to validate agent behavior.

21.3 Salesforce Data Validation

After the AgentForce agent executes the Flow, the corresponding Parcel record is checked. The tester verifies:

- Parcel ID
- Status
- Related records
- Flow-created records

This ensures that the information shown or modified by the agent corresponds with Salesforce data.

22. Deployment, Documentation and Maintenance

The project is implemented within a Salesforce Developer Org. The main purpose of deployment-related testing is to validate:

- Agent topic recognition
- Flow execution
- Data retrieval
- Permission configuration
- Agent interactions

Real-world production testing such as UAT or sandbox deployment was **not performed** because the implementation was conducted within a Developer Edition environment. Enterprise-level sandbox, staging, and CI/CD processes were outside the scope of the academic/prototype implementation.

22.1 Maintenance

Regular maintenance is required to ensure:

- Parcel data remains accurate.
- Customer information remains synchronized.
- Delivery information remains updated.
- Agent queries are routed correctly.
- Flows execute successfully.
- AgentForce responses remain effective.

Troubleshooting activities include:

- Correcting configuration errors
- Updating Flow logic
- Refining agent topics
- Improving prompts
- Addressing response-performance issues

23. Functional and Performance Testing

Testing was conducted to validate the configured Salesforce functionality, including validation of:

- Record creation
- Parcel operations
- Status updates
- Batch processing
- Scheduled processes
- Dashboard analytics
- AgentForce functionality

- Data retrieval
- Security and permissions

Screenshots were captured during testing to validate system behavior.

24. Advantages

1. Centralized parcel and customer information.
2. Better visibility into parcel booking and delivery tracking.
3. Automated logistics processes using Salesforce Flow.
4. Conversational parcel support using AgentForce.
5. AI-powered responses using Prompt Builder.
6. Reduced manual effort.
7. Timely delivery notifications.
8. Customer access through Experience Cloud.
9. Potential integration with external logistics systems.
10. Scalability for multiple locations and growing parcel operations.

25. Disadvantages

1. The system requires accurate and up-to-date parcel and customer data.
2. The solution depends on Salesforce configuration and automation.
3. AgentForce responses depend on correctly configured prompts and available data.
4. External logistics integrations can increase implementation complexity.
5. Flow and automation logic require maintenance when business processes change.
6. Users require appropriate Salesforce or Experience Cloud access.
7. Initial Salesforce implementation and configuration may require significant effort.
8. Expansion to additional locations or integrations may require additional customization.

26. Conclusion

SwiftShip Tracker demonstrates how Salesforce can be used to develop a centralized parcel-management and tracking solution. The system integrates:

- Salesforce Custom Objects
- Salesforce Relationships
- Salesforce Flows
- Apex
- Batch Apex
- Email Alerts
- Experience Cloud
- AgentForce AI

- Prompt Builder
- Security Controls
- Reports and Dashboards

These components support parcel booking, delivery tracking, status updates, and customer communication.

The integration of AgentForce AI with Prompt Builder and Salesforce Flow provides a conversational approach to parcel tracking. Customers can obtain shipment information through an AI-assisted interaction instead of depending entirely on manual support.

Overall, the project provides a practical foundation for a scalable parcel-management solution using Salesforce CRM and AI-based conversational assistance.

27. Future Scope

The project can be extended in several ways.

Area	Description
27.1 Enhanced AgentForce Capabilities	AgentForce can be expanded to handle more parcel-management queries and customer-service operations.
27.2 Improved Real-Time Tracking	Real-time delivery tracking can be enhanced to provide more detailed shipment visibility.
27.3 Extended Customer Self-Service	Experience Cloud can be expanded to provide additional customer self-service functionality.
27.4 Advanced Analytics	More advanced delivery-performance and operational analytics can be introduced.
27.5 External Logistics Integration	The system can be connected with additional external logistics systems.
27.6 Improved AI Conversations	Prompt design and conversational interactions can be continuously improved.
27.7 Enterprise Deployment	Sandbox environments, CI/CD deployment, enterprise-level testing, and staging environments.
27.8 Expanded Automation	Additional parcel operations can be automated through Salesforce Flows, Apex, and AgentForce.


Enterprise deployment, continuous monitoring, prompt refinement, Flow improvements, and AI-agent scalability are the key identified enhancement areas.


28. Appendix

Section	Items
A. Custom Objects	Parcel, Delivery, Sender, Receiver
B. Standard Objects	Account, Contact, Case, Task, EmailMessage, User
C. Automation	Salesforce Flows, Approval Processes, Email Alerts
D. Apex	Apex Classes, Batch Apex
E. Artificial Intelligence	AgentForce AI, Prompt Builder
F. User Interface	Lightning App, Lightning Record Pages, Experience Cloud
G. Security	Profiles, Roles, Permission Sets, Sharing Rules, Field-Level Security
H. Analytics	Reports, Dashboards
I. Testing	Flow Testing, AgentForce Testing, Data Retrieval Validation, Security Validation, Permission Validation

29. Overall System Workflow

The complete SwiftShip Tracker workflow can be summarized as:





30. Summary of the Project

SwiftShip Tracker is a Salesforce-based parcel management system that combines CRM functionality, automation, artificial intelligence, security, and analytics.

The system provides a centralized environment for managing parcel information from booking to delivery. Salesforce Custom Objects provide structured storage, Flows automate operational processes, Apex supports backend processing, and Email Alerts provide customer communication.

AgentForce AI and Prompt Builder introduce conversational parcel tracking, allowing customers to request parcel information using natural-language queries. Security mechanisms ensure that users receive access according to their assigned roles and permissions.

The project therefore demonstrates an integrated approach to parcel management using the Salesforce platform, with AI-assisted customer interaction and automated operational workflows.