

PYTHON CONDITIONAL STATEMENTS TASK-1

```
#EMPLOYEE BONUS CALCULATOR
s = int(input("Enter salary: "))
exp = int(input("Enter experience: "))
if exp >= 10:
    b = s * 0.2
elif exp >= 5 and exp < 10:
    b = s * 0.1
elif exp >= 2 and exp < 5:
    b = s * 0.5
else:
    b = 0
tot_sal = s + b
print(b)
print(tot_sal)

#ATM WITHDRAWAL SYSTEM
amount=50000
pin=int(input("enter your pin number: "))
if pin==1234:
    w_amt=float(input("enter amount to withdrawl: "))
    if w_amt>0:
        if w_amt%100==0:
            if w_amt<=amount:
                balance=amount-w_amt
                print(balance)
            else:
                print("insufficient funds")
        else:
            print("entered amount must be a multiple of 100")
    else:
        print("amount must be greater than 0")
else:
    print("invalid pin")
```

```
#INCOME TAX CALCULATOR
e=float(input("enter your annual income:"))
if e<=250000:
    t=0
elif e<=500000:
    t=e*0.5
elif e<=1000000:
    t=e*0.2
else:
    t=e*0.3
remaining=e-t
print("tax amount:", t)
print("remaining income:", remaining)
```

```
#SHOPPING DISCOUNT SYSTEM
a = int(input("Enter Amount: "))
m = input("Member? y/n: ")
if m == "y":
```

```

    if a >= 10000:
        d = 20
    elif a >= 5000:
        d = 15
    elif a >= 2000:
        d = 10
    else:
        d = 0
else:
    if a >= 10000:
        d = 10
    elif a >= 5000:
        d = 5
    else:
        d = 0
d_a = a * d / 100
final = a - d_a
print("Discount:", d)
print("Final Amount:", final)

```

```

#Driving License Eligibility
age = int(input('enter your age:'))
if age >=18:
    print('Eligible for License')
    status = input('Pass or Fail:')
    if status == 'pass':
        print('License Issued')
    else:
        print('Try again')
else:
    print('Not eligible')

```

```

#Temperature Classification
temperature = int(input("Enter temperature: "))
if temperature < 0:
    print("Freezing")
elif temperature <= 15:
    print("Very cold")
elif temperature <= 25:
    print("Cold")
elif temperature <= 35:
    print("Normal")
elif temperature <= 45:
    print("Hot")
else:
    print("Extremely hot")

```

```

#Password Strength
password = input("Enter password: ")
length = len(password)
if length < 6:
    print("Weak")
elif length <= 9:
    print("Medium")
elif length >= 10 and password.isalpha():

```

```
    print("Strong")
elif length >= 10:
    print("Very strong")
else:
    print("Invalid")
```

```
#Restaurant Bill
bill = float(input("Enter bill amount: "))
if bill >= 5000:
    discount = bill * 0.2
elif bill >= 3000:
    discount = bill * 0.15
elif bill >= 1000:
    discount = bill * 0.1
else:
    discount = 0
after_discount = bill - discount
gst = after_discount * 0.05
final_bill = after_discount + gst
print("Original bill:", bill)
print("Discount:", discount)
print("GST:", gst)
print("Final bill:", final_bill)
```

```
#E-Commerce Coupon System
order = int(input("Enter order amount: "))
coupon = input("Enter coupon code: ")
if coupon == "SAVE20" and order >= 2000:
    discount = order * 0.2
elif coupon == "SAVE10" and order >= 1000:
    discount = order * 0.1
elif coupon == "WELCOME" and order >= 1500:
    discount = 200
else:
    discount = 0
final_amount = order - discount
print("Discount:", discount)
print("Final amount:", final_amount)
```

OUTPUTS:

1.

Enter salary: 50000

Enter experience: 2

25000.0

75000.0

2.

enter your pin number: 1234

enter amount to withdrawal: 20000

30000.0

3.

enter your annual income:400000

tax amount: 200000.0

remaining income: 200000.0

4.

Enter Amount: 4000

Member? y/n: y

Discount: 10

Final Amount: 3600.0

5.

enter your age:21

Eligible for License

Pass or Fail:pass

License Issued

6.

Enter temperature: 37

Hot

7.

Enter password: qwerty@123

Very strong

Enter bill amount: 2000

Original bill: 2000.0

Discount: 200.0

GST: 90.0

Final bill: 1890.0

8.

Enter order amount: 10000

Enter coupon code: SAVE20

Discount: 2000.0

Final amount: 8000.0

SQL DML COMMANDS TASK:

1. Inserting a single record

```
insert into samp_record values('swaroop', 21, 'M', 'D26');  
insert into samp_record values('bhadri', 23, 'F', 'D26');
```

2. Inserting multiple records

```
Insert into samp_record  
values('Ravi',23,'M','D23'),('Shobhan',24,'F','D20'),('Sitara',20,'F','D26');
```

```
select *from samp_record;
```

3. inserting in any two cols

```
insert into samp_record(name, batch) values ('viraj', 'D24');  
set sql_safe_updates = 0;
```

4. updating single values

```
update samp_record set name = 'Lakshman' where age = 21;
```

5. updating more than one value in single column

```
update samp_record set batch = "D27" where batch = "D26";  
select *from samp_record;
```

6. updating more than one value in a single record

```
update samp_record set age = (  
case  
when name = "Lakshman" then 26  
when name = "Viraj" then 25  
when name = "Arjun" then 28  
else age  
end  
);  
select *from samp_record;
```