**Exp No: 10**                                                    **Date:**

# <u>HADOOP</u>
## <u>DEMONSTRATE THE MAP REDUCE PROGRAMMING MODEL</u> <u>BY</u> <u>COUNTING THE NUMBER OF WORDS IN A FILE</u>

### <u>AIM</u>:

To demonstrate the MAP REDUCE programming model for counting the number of words in a file.

### <u>PROCEDURE</u>

Step 1 - Open Terminal

$ su hduser

Password:

Step 2 - Start dfs and mapreduce services

$ cd /usr/local/hadoop/hadoop-2.7.2/sbin

$ start-dfs.sh

$ start-yarn.sh

$ jps

Step 3 - Check Hadoop through web UI

        // Go to browser type http://localhost:8088 – All Applications Hadoop Cluster

// Go to browser type http://localhost:50070 – Hadoop Namenode

Step 4 – Open New Terminal

$ cd Desktop/

$ mkdir inputdata
$ cd inputdata/

$ echo "Hai, Hello, How are you? How is your health?" >> hello.txt

$ cat>> hello.txt

Step 5 – Go back to old Terminal

$ hadoop fs –copyFromLocal /home/hduser/Desktop/inputdata/hello.txt
/folder/hduser // Check in hello.txt in Namenode using Web UI

Step 6 – Download and open eclipse by creating workspace

Create a new java project.

Step 7 – Add jar to the project

You need to remove dependencies by adding jar files in the hadoop source folder. Now Click on Project tab and go to Properties.Under Libraries tab, click Add External JARs and select all the jars in the folder (click on 1st jar, and Press Shift and Click on last jat to select all jars in between and click ok)

/usr/local/hadoop/hadoop-2.7.2/share/hadoop/commonand

/usr/local/hadoop/hadoop-2.7.2/share/hadoop/mapreduce folders.

Step -8 – WordCount Program

Create 3 java files named

● WordCount.java

● WordCountMapper.java

● WordCountReducer.java

**<u>WordCount.java</u>**

```
import org.apache.hadoop.conf.Configured;

import org.apache.hadoop.fs.Path;
```

```java
import org.apache.hadoop.io.IntWritable;

import org.apache.hadoop.mapred.FileInputFormat;
import org.apache.hadoop.mapred.FileOutputFormat;

import org.apache.hadoop.mapred.JobClient; import

org.apache.hadoop.mapred.JobConf;


import org.apache.hadoop.util.Tool;

import org.apache.hadoop.util.ToolRunner;

import org.apache.hadoop.io.Text;


public class WordCount extends Configured implements Tool {


        @Override
public int run(String[] arg0) throws Exception {

            // TODO Auto-generated

            method stub if(arg0.length<2)

            {

    System.out.println("check the command line arguments");

            }

            JobConf conf=new JobConf(WordCount.class);

            FileInputFormat.setInputPaths(conf, new Path(arg0[0]));

                FileOutputFormat.setOutputPath(conf, new

    Path(arg0[1])); conf.setMapperClass(WordMapper.class);

    conf.setReducerClass(WordReducer.class);
```

```java
                    conf.setOutputKeyClass(Text.class);

                    conf.setOutputValueClass(IntWritable.class);

                    conf.setOutputKeyClass(Text.class);

                    conf.setOutputValueClass(IntWritable.class);

                JobClient.runJob(conf);


            return 0;

        }
public static void main(String args[]) throws Exception

        {

                int exitcode=ToolRunner.run(new WordCount(),

                args); System.exit(exitcode);


        }

    }
```

**WordCountMapper.java**

```java
import java.io.IOException; import

    org.apache.hadoop.io.IntWritable; import

org.apache.hadoop.io.LongWritable; import

org.apache.hadoop.mapred.MapReduceBase; import

org.apache.hadoop.mapred.OutputCollector; import

org.apache.hadoop.mapred.Reporter; import
```

```java
    org.apache.hadoop.io.Text; import

org.apache.hadoop.mapred.Mapper; public class

WordCountMapper extends MapReduceBase implements

Mapper<LongWritable,Text,Text,IntWritable>

    {

            @Override

            public void map(LongWritable arg0, Text arg1, OutputCollector<Text,
    IntWritable> arg2, Reporter arg3)

                        throws IOException {

                    // TODO Auto-generated method stub

                    String s=arg1.toString();

                    for(String word:s.split(" "))

                    {

arg2.collect(new Text(word),new IntWritable(1));

                        }}}
```

**WordCountReducer.java**

```java
 import java.io.IOException; import

 java.util.Iterator; import

 org.apache.hadoop.io.IntWritable; import

 org.apache.hadoop.mapred.JobConf; import

 org.apache.hadoop.mapred.OutputCollector;

 import org.apache.hadoop.mapred.Reducer;

 import org.apache.hadoop.mapred.Reporter;

 import org.apache.hadoop.io.Text;
```

```java
public class WordCountReducer implements
        Reducer<Text,IntWritable,Text,IntWritable> { @Override

public void configure(JobConf arg0) {

        // TODO Auto-generated method stub

}

        @Override
public void close() throws IOException {

        // TODO Auto-generated method stub

}

        @Override public void reduce(Text
arg0, Iterator<IntWritable> arg1,
OutputCollector<Text, IntWritable> arg2, Reporter
arg3)

        throws IOException {

        // TODO Auto-generated

        method stub int count=0;

        while(arg1.hasNext())

        {

                IntWritable i=arg1.next();

                count+=i.get();

        }
arg2.collect(arg0,new IntWritable(count));

}

}
```

Step 9 - Create JAR file
Now Click on the Run tab and click Run-Configurations. Click on New Configuration
button on the left top side and Apply after filling the following properties.

Step 10 - Export JAR file

Now click on File tab and select Export. under Java, select Runnable Jar.

In Launch Config – select the config fie you created in Step 9 (WordCountConfig).

➢ Select an export destination (let's say desktop.)

➢ Under Library handling, select Extract Required Libraries into generated JAR and click

Finish. ➢ Right-Click the jar file, go to Properties and under Permissions tab, Check

Allow executing file

as a program. and give Read and Write access to all the users

Step 11 – Go back to old Terminal for Execution of WordCount Program $hadoop jar wordcount.jar/usr/local/hadoop/input/usr/local/hadoop/output

Step 12 – To view results in old Terminal
$hdfs dfs -cat /usr/local/hadoop/output/part-r-00000

Step 13 - To Remove folders created using hdfs

$ hdfs dfs -rm -R /usr/local/hadoop/output

**OUTPUT:**

```
lksh@fedora:~/exp2$ nano s.txt
lksh@fedora:~/exp2$ hdfs dfs -mkdir /exp1
lksh@fedora:~/exp2$ hdfs dfs -put s.txt /exp1
lksh@fedora:~/exp2$
```

```
lksh@fedora:~/exp3$ hadoop jar $HADOOP_STREAMING -input /exp2/dataset.txt -output /exp2/output1 -mapper ~/exp3/mapper.py -reducer ~/exp3/reducer.py
packageJobJar: [/tmp/hadoop-unjar2773513365584043905/] [] /tmp/streamjob3053124438108899539.jar tmpDir=null
2024-10-12 11:26:24,211 INFO client.DefaultNoHARMFailoverProxyProvider: Connecting to ResourceManager at /0.0.0.0:8032
2024-10-12 11:26:24,695 INFO client.DefaultNoHARMFailoverProxyProvider: Connecting to ResourceManager at /0.0.0.0:8032
2024-10-12 11:26:31,634 INFO mapreduce.JobResourceUploader: Disabling Erasure Coding for path: /tmp/hadoop-yarn/staging/lksh/.staging/job_1728710244759_0001
2024-10-12 11:26:32,802 INFO mapreduce.JobSubmitter: Cleaning up the staging area /tmp/hadoop-yarn/staging/lksh/.staging/job_1728710244759_0001
2024-10-12 11:26:32,875 ERROR streaming.StreamJob: Error Launching job : Input path does not exist: hdfs://localhost:9000/exp2/dataset.txt
```

```
2024-10-10 20:37:59,679 INFO mapred.FileInputFormat: Total input files to process : 1
2024-10-10 20:38:00,787 INFO mapreduce.JobSubmitter: number of splits:2
2024-10-10 20:38:02,660 INFO mapreduce.JobSubmitter: Submitting tokens for job: job_1728572703273_0001
2024-10-10 20:38:02,660 INFO mapreduce.JobSubmitter: Executing with tokens: []
2024-10-10 20:38:03,651 INFO conf.Configuration: resource-types.xml not found
2024-10-10 20:38:03,655 INFO resource.ResourceUtils: Unable to find 'resource-types.xml'.
2024-10-10 20:38:05,195 INFO impl.YarnClientImpl: Submitted application application_1728572703273_0001
2024-10-10 20:38:05,505 INFO mapreduce.Job: The url to track the job: http://fedora:8088/proxy/application_1728572703273_0001/
2024-10-10 20:38:05,516 INFO mapreduce.Job: Running job: job_1728572703273_0001
2024-10-10 20:38:40,044 INFO mapreduce.Job: Job job_1728572703273_0001 running in uber mode : false
2024-10-10 20:38:40,104 INFO mapreduce.Job:  map 0% reduce 0%
```

```
localhost: nouemanager is running as process 4108.  Stop it first and ensure /tmp/hadoo
lksh@fedora:~$ hdfs dfs -cat /exp2/output/part-00000
Callin  1
Finally 1
LA      2
Lookin  1
Lost    1
Made    1
Maria   2
Might   1
Trynnna 1
dive    1
dough   1
for     2
in      2
it      1
make    1
marina  1
my      1
own     1
the     2
though  1
to      1
weed    1
without 1
yeah    2
```

**RESULT**

Thus a word count program in java is implemented using Map Reduce.