

# Output screenshots- lab 1

MySQL Workbench interface showing a query window with the following SQL statements:

```
52 • insert into PARTICIPATED values('3333', 'KA03L9999', 300, 10000);
53 • insert into PARTICIPATED values('4444', 'KA01P4020', 25000, 2375);
54 • insert into PARTICIPATED values('1111', 'KA05P1000', 26500, 70000);
55
56 • UPDATE PARTICIPATED SET DAMAGE_AMT=25000 WHERE REPORT_NO =12 AND REGNO='KA04Q2301';
57 • select * from PARTICIPATED;
58
59 • select count(*) from ACCIDENT where Adate like '2002- - -';
```

The Result Grid shows the output of the last query:

count(A.Report_no)
2

The Output window shows the following actions:

#	Time	Action	Message	Duration / Fetch
4	05:26:31	use insurance	0 row(s) affected	0.000 sec
5	05:26:31	show tables	0 row(s) returned	0.000 sec / 0.000 sec
6	05:26:31	create table PERSON(drivend varchar(20),dname varchar(40),address varchar(40),primary key(drivend))	0 row(s) affected	0.047 sec
7	05:26:31	desc PERSON	3 row(s) returned	0.000 sec / 0.000 sec
8	05:26:31	create table CAR(regno varchar(10),model varchar(10),year int,primary key(regno))	0 row(s) affected	0.032 sec
9	05:26:31	desc CAR	3 row(s) returned	0.015 sec / 0.000 sec
10	05:26:31	create table ACCIDENT(report_no int,adate date,location varchar(20),primary key(report_no))	0 row(s) affected	0.032 sec
11	05:26:31	desc ACCIDENT	3 row(s) returned	0.000 sec / 0.000 sec
12	05:26:31	create table OWNS(drivend varchar(10),regno varchar(10),primary key(drivend,regno), foreign key(drivend) refer...	0 row(s) affected	0.031 sec

MySQL Workbench interface showing a query window with the following SQL statements:

```
52 • insert into PARTICIPATED values('3333', 'KA03L9999', 300, 10000);
53 • insert into PARTICIPATED values('4444', 'KA01P4020', 25000, 2375);
54 • insert into PARTICIPATED values('1111', 'KA05P1000', 26500, 70000);
55
56 • UPDATE PARTICIPATED SET DAMAGE_AMT=25000 WHERE REPORT_NO =12 AND REGNO='KA04Q2301';
```

The Result Grid shows the output of the last query:

count(A.Report_no)
2

The Output window shows the following actions:

#	Time	Action	Message	Duration / Fetch
40	05:26:31	insert into OWNS values('3333', 'KA03L9999')	1 row(s) affected	0.000 sec
41	05:26:31	insert into OWNS values('4444', 'KA01P4020')	1 row(s) affected	0.000 sec
42	05:26:31	commit	0 row(s) affected	0.000 sec
43	05:26:31	select * from OWNS LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
44	05:26:31	insert into PARTICIPATED values('1111', 'KA04Q2301', 12, 20000)	1 row(s) affected	0.000 sec
45	05:26:31	insert into PARTICIPATED values('2222', 'KA03L1234', 200, 500)	1 row(s) affected	0.000 sec
46	05:26:31	insert into PARTICIPATED values('3333', 'KA03L9999', 300, 10000)	1 row(s) affected	0.016 sec
47	05:26:31	insert into PARTICIPATED values('4444', 'KA01P4020', 25000, 2375)	1 row(s) affected	0.000 sec
48	05:26:31	insert into PARTICIPATED values('1111', 'KA05P1000', 26500, 70000)	1 row(s) affected	0.000 sec
49	05:26:31	UPDATE PARTICIPATED SET DAMAGE_AMT=25000 WHERE REPORT_NO =12 AND REGNO='KA04Q2301'	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
50	05:26:31	select * from PARTICIPATED LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
51	05:26:31	select count(*) from ACCIDENT where Adate like '2002- - -' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
52	05:26:31	select count(A.Report_no) from ACCIDENT A, PARTICIPATED P, CAR C where A.Report_no=P.Report_no A...	1 row(s) returned	0.000 sec / 0.000 sec

# Output screenshots- lab 1

MySQL Workbench interface showing the 'car' table structure and a query execution log. The table 'car' has columns: regno (varchar(10) PK), model (varchar(10)), and year (int). The query execution log shows the following actions:

#	Time	Action	Message	Duration / Fetch
40	05:26:31	insert into OWNS values(3333, 'KA03L9999')	1 row(s) affected	0.000 sec
41	05:26:31	insert into OWNS values(4444, 'KA01P4020')	1 row(s) affected	0.000 sec
42	05:26:31	commit	0 row(s) affected	0.000 sec
43	05:26:31	select * from OWNS LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
44	05:26:31	insert into PARTICIPATED values(1111, 'KA04Q2301', 12, 20000)	1 row(s) affected	0.000 sec
45	05:26:31	insert into PARTICIPATED values(2222, 'KA03L1234', 200, 500)	1 row(s) affected	0.000 sec
46	05:26:31	insert into PARTICIPATED values(3333, 'KA03L9999', 300, 10000)	1 row(s) affected	0.016 sec
47	05:26:31	insert into PARTICIPATED values(4444, 'KA01P4020', 25000, 2375)	1 row(s) affected	0.000 sec
48	05:26:31	insert into PARTICIPATED values(1111, 'KA05P1000', 26500, 70000)	1 row(s) affected	0.000 sec
49	05:26:31	UPDATE PARTICIPATED SET DAMAGE_AMT=25000 WHERE REPORT_NO =12 AND REGNO='KA04Q2301'	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
50	05:26:31	select * from PARTICIPATED LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
51	05:26:31	select count(*) from ACCIDENT where Adate like '2002-__-__' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
52	05:26:31	select count(A.Report_no) from ACCIDENT A, PARTICIPATED P, CAR C where A.Report_no=P.Report_no A...	1 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench interface showing the 'owns' table structure and a query execution log. The table 'owns' has columns: diviseid (varchar(10) PK) and regno (varchar(10) PK). The query execution log shows the following actions:

#	Time	Action	Message	Duration / Fetch
40	05:26:31	insert into OWNS values(3333, 'KA03L9999')	1 row(s) affected	0.000 sec
41	05:26:31	insert into OWNS values(4444, 'KA01P4020')	1 row(s) affected	0.000 sec
42	05:26:31	commit	0 row(s) affected	0.000 sec
43	05:26:31	select * from OWNS LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
44	05:26:31	insert into PARTICIPATED values(1111, 'KA04Q2301', 12, 20000)	1 row(s) affected	0.000 sec
45	05:26:31	insert into PARTICIPATED values(2222, 'KA03L1234', 200, 500)	1 row(s) affected	0.000 sec
46	05:26:31	insert into PARTICIPATED values(3333, 'KA03L9999', 300, 10000)	1 row(s) affected	0.016 sec
47	05:26:31	insert into PARTICIPATED values(4444, 'KA01P4020', 25000, 2375)	1 row(s) affected	0.000 sec
48	05:26:31	insert into PARTICIPATED values(1111, 'KA05P1000', 26500, 70000)	1 row(s) affected	0.000 sec
49	05:26:31	UPDATE PARTICIPATED SET DAMAGE_AMT=25000 WHERE REPORT_NO =12 AND REGNO='KA04Q2301'	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
50	05:26:31	select * from PARTICIPATED LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
51	05:26:31	select count(*) from ACCIDENT where Adate like '2002-__-__' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
52	05:26:31	select count(A.Report_no) from ACCIDENT A, PARTICIPATED P, CAR C where A.Report_no=P.Report_no A...	1 row(s) returned	0.000 sec / 0.000 sec

# Output screenshots- lab 1

The screenshot shows the MySQL Workbench interface with the 'insurance' database selected. The 'participated' table is highlighted in the Schemas pane. The query editor contains the following SQL:

```
52 into PARTICIPATED values('3333', 'KA03L9999', 300, 10000);
53 into PARTICIPATED values('4444', 'KA01P4020', 25000, 2375);
54 into PARTICIPATED values('1111', 'KA05P1000', 26500, 70000);
55
56 PARTICIPATED SET DAMAGE_AMT=25000 WHERE REPORT_NO =12 AND REGNO='KA04Q2301';
```

The 'Result Grid' shows the output of the query, which is a single row with the value 2 for the count(A.Report\_no).

The 'Output' pane shows the execution log, including the following messages:

- 40 05:26:31 insert into OWNS values('3333', 'KA03L9999') 1 row(s) affected 0.000 sec
- 41 05:26:31 insert into OWNS values('4444', 'KA01P4020') 1 row(s) affected 0.000 sec
- 42 05:26:31 commit 0 row(s) affected 0.000 sec
- 43 05:26:31 select \* from OWNS LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
- 44 05:26:31 insert into PARTICIPATED values('1111', 'KA04Q2301', 12, 20000) 1 row(s) affected 0.000 sec
- 45 05:26:31 insert into PARTICIPATED values('2222', 'KA03L1234', 200, 500) 1 row(s) affected 0.000 sec
- 46 05:26:31 insert into PARTICIPATED values('3333', 'KA03L9999', 300, 10000) 1 row(s) affected 0.016 sec
- 47 05:26:31 insert into PARTICIPATED values('4444', 'KA01P4020', 25000, 2375) 1 row(s) affected 0.000 sec
- 48 05:26:31 insert into PARTICIPATED values('1111', 'KA05P1000', 26500, 70000) 1 row(s) affected 0.000 sec
- 49 05:26:31 UPDATE PARTICIPATED SET DAMAGE\_AMT=25000 WHERE REPORT\_NO =12 AND REGNO='KA04Q2301' 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0 0.000 sec
- 50 05:26:31 select \* from PARTICIPATED LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
- 51 05:26:31 select count(\*) from ACCIDENT where Adate like '2002-...' LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
- 52 05:26:31 select count(A.Report\_no) from ACCIDENT A, PARTICIPATED P, CAR C where A.Report\_no=P.Report\_no A... 1 row(s) returned 0.000 sec / 0.000 sec

The screenshot shows the MySQL Workbench interface with the 'insurance' database selected. The 'person' table is highlighted in the Schemas pane. The query editor contains the following SQL:

```
52 insert into PARTICIPATED values('3333', 'KA03L9999', 300, 10000);
53 insert into PARTICIPATED values('4444', 'KA01P4020', 25000, 2375);
54 insert into PARTICIPATED values('1111', 'KA05P1000', 26500, 70000);
55
56 UPDATE PARTICIPATED SET DAMAGE_AMT=25000 WHERE REPORT_NO =12 AND REGNO='KA04Q2301';
```

The 'Result Grid' shows the output of the query, which is a single row with the value 2 for the count(A.Report\_no).

The 'Output' pane shows the execution log, including the following messages:

- 40 05:26:31 insert into OWNS values('3333', 'KA03L9999') 1 row(s) affected 0.000 sec
- 41 05:26:31 insert into OWNS values('4444', 'KA01P4020') 1 row(s) affected 0.000 sec
- 42 05:26:31 commit 0 row(s) affected 0.000 sec
- 43 05:26:31 select \* from OWNS LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
- 44 05:26:31 insert into PARTICIPATED values('1111', 'KA04Q2301', 12, 20000) 1 row(s) affected 0.000 sec
- 45 05:26:31 insert into PARTICIPATED values('2222', 'KA03L1234', 200, 500) 1 row(s) affected 0.000 sec
- 46 05:26:31 insert into PARTICIPATED values('3333', 'KA03L9999', 300, 10000) 1 row(s) affected 0.016 sec
- 47 05:26:31 insert into PARTICIPATED values('4444', 'KA01P4020', 25000, 2375) 1 row(s) affected 0.000 sec
- 48 05:26:31 insert into PARTICIPATED values('1111', 'KA05P1000', 26500, 70000) 1 row(s) affected 0.000 sec
- 49 05:26:31 UPDATE PARTICIPATED SET DAMAGE\_AMT=25000 WHERE REPORT\_NO =12 AND REGNO='KA04Q2301' 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0 0.000 sec
- 50 05:26:31 select \* from PARTICIPATED LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec
- 51 05:26:31 select count(\*) from ACCIDENT where Adate like '2002-...' LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
- 52 05:26:31 select count(A.Report\_no) from ACCIDENT A, PARTICIPATED P, CAR C where A.Report\_no=P.Report\_no A... 1 row(s) returned 0.000 sec / 0.000 sec