OOJ LAB RECORD LAKSHMI S KUMAR 1BM19CS078

LAB-1 OBSERVATION


Develop a Java program that prints all real solutions to the quadratic equation ax2 + bx + c = 0. Read in a, b, c and use the quadratic formula. If the discriminate b2-4ac is negative, display a message stating that there are no real solutions.

PageWork Lakeburn S Rimian IBMIN CEOSE Eniport Jana ruhl Scanner Insport statis Jam lang Wath sout Class Quadratic & public static void main (string [] args) { double a, b, c, D, YI, T2, Real Briaghtary; Scanner R = new Scanner (System in); System act printly ("Enter the coefficient); a= R next - Double () b= R next Druble () L: R next Druble (). Do (6*6) - (4* a xc) St (D==0) 41 = 42 -- b/(2 +a). System out pointin ("Root are, "+1+ and 12"); ele 21 (0x0) 7) = (-6+ Sout(D)) /(2*a) 72: (-b-last(D)) / (2*a) System out print [" Roots are "+11 and +12"] System out printly [" There are no real solution ("). 80al - - b/ (2 *a) uniaginary = squt (-D)/(2+a) system out pulntin (" Rook are + real + and + Invaginary)

```
root1 = -0.87+1.30i and root2 = -0.87-1.30i
...Program finished with exit code 0
Press ENTER to exit console.
```

Lab Program 2: OBSERVATION:

Develop a Java program to create a class Student with members usn, name, an array credits and an array marks. Include methods to accept and display details and a method to calculate SGPA of a student.




System out print la ("Subject"+(i+1)+": "new. lut + 4 = 0, +c = 0; for lint 2=0; lkn; l++ tc = tc + ledita [i]; top = top + ([marke [i] /10+1)* cuditi else of (marks[i]) = 40 L2 marks typ = typ + (4 * Credits letur (double tip 1+c; Public class main Public Static rind main Cotting SS [] Student St-new Student 1) S1. accept (). S1. dlaplay (); System. Oout print m "SGPA: "+SI calcul

```
Enter student details
USN:
123
Name:
ABC
Enter the number of subjects:
2
Enter credits and marks attained by the student in each subject
12
13
14
15
Student details:
USN:123
Name:ABC
Marks in each subject:
Subject 1:13
Subject 2:15
SGPA: 0.0
...Program finished with exit code 0
Press ENTER to exit console.
```

Lab Program - 3 OBSERVATION:


Create a class Book which contains four members: name, author, price, num_pages. Include a constructor to set the values for the members. Include methods to set and get the details of the objects. Include a toString() method that could display the complete details of the book. Develop a Java program to create n book objects.

7	Logework Pagemork
2	import and 101 a
	Class Book
	prinate Int id:
	private int id.
	James Cuing Little
	Familie unt np.
-	Mark Market
	sung author.
	Small String Publisher.
	FRUIATE double P;
	void get details ()
	· Comment of the comm
	Scanner S = new Scanner (System:"in). System · out · printer ("Enter 10 of Book"); id = 8 · next int ():
	System out . printer ("Enter 10 of Book");
	System out printle ("Enter the title of Book").
	TILL = D= TIEXT ();
	System. out. printle ("Enter the number of Pages of book");
	book");
	np. S. nextint ().
	system. out println ("Enter year of publishing of the book"). iyar = 8 nexint)
	ixar = 8 nexint)
	Sistem. out. prently (" Enter Author of Book").
	system out println (" Enter Author of Book"). author = & next (); Lutin out println (" Enter Pue blisher of book").
	Luten. out peintly (" Enter Pue blisher of book").
	nublishy - 8 next().
	System. out printin ("Enter Pue blisher of book"); publishy - 8 - next): System out printin ("Enter prine of book"); p = 8 - next Double().
	of ment Double()
	Passing Dunder
-	void print dolails ()
-	Voia print autain
	?




سنبوش bs. get detaile (). System out printly ("Inter the Delaile of the book 1"); System out printle ("Enter the Details of the book 2"). System out partin ("Inter the Details of the book 3");
b3 print details () (b1. price () 5 b2 price () & b1. price () = b3 grice () System out printly ("The Most Expensive book be with title!"); else if (b2. palce (1) = b1 price () && b2 price () > b3 price () System out printin ("Most Expensive book is with title System out prenter ("Most Expensive book & with 49the b3 display book little (); System: out printly ("The Number of book Published In the year 2020 = "+ 0;

	Pagework
	System out println (" ID of Book: " + id); System out println (" The Title of book: " + title); System out println (" Number of Pages of Book: " + year) System out println (" year of Presister of book System out println (" Preblisher of book: " + pub).
	2 System Out Printing Printing
	seturn p; System-out println (title).
	int year
	setuen year. int pages ()
<u></u>	String author
	Setuen author;
	Elax book main E public statie void main (String args[])
	int %=0
	Book by = new book Book b2 = new book Book b3 new book
	b1 get details (); b2 get details ();



of (b1. page () = = b2 price () & & b1 price () < = b3 System out printle (" The book with least number of Pager & Book 1"); bd. print details (1. else of (62 pages () & 61 pages () & 62 pages () < 63
pages (1) System. out printle ("The book with least Number print details (). System out printly ("The book with heast Number of pager & book'); b3 plint details (); System out prelit lin (" The Enter the Author name whose book Details need to be Deplayed"); Scannes S1 - new Scannes (System in String author 1 = S1 next (). of lawthord compare Tolgnore (ase (bl author 11)=0 b1 details () else of (author) campare Tolgnore (are (of author ())==0 b1 printdetails 34 (author 2 compare Polgnore (ase (b3 author ()=20 be printly details (). else



System out printle ("The Given Author's book Eurno	t-
THE REST PRODUCTION OF THE PARTY.	
The sky plant of the sky page	880
The sky plant of the sky page	
The sky plant of the sky page	200
(Hearle Stille 1) Still Young	
(Hearle Stille 1) Still Young	
(Hearle Stille 1) Still Young	
The same of the sa	
Part of the Part o	
	100

output:

```
Enter Book Details
Enter Book Name:
Enter the Author
Enter the Price of the book
Enter the number of pages in the book
Enter Book Details
Enter Book Name:
Enter the Author
efg
Enter the Price of the book
Enter the number of pages in the book
60
BOOK DETAILS*
The name of the book : ABC
The author of the book : EFG
The price of the book: 20.0
Number of pages in book :60
BOOK DETAILS*
The name of the book : abc
The author of the book refg
The price of the book: 20.0
Number of pages in book :60
```

Lab-4 Observation:

Develop a Java program to create an abstract class named Shape that contains two integers and an empty method named printArea(). Provide three classes named Rectangle, Triangle and Circle such that each one of the classes extends the class Shape. Each one of the classes contain only the method printArea() that prints the area of the given shape.

PageWor import gava util Scannel abstract class shape Ent length, breath recid pelat Area () 5 3 Clase Kerlangle extends Shape double area R nold prent Area UE area R = (length * breath); System out println ("The area of restangle + area R + " (m^ 2"); Man Telangle extends Shape double area (; Vold print Area (12

area (= (314)* (length * length);

Bystem out print ("The area of cillen
" + area (+ "cm 12"); class Main public static nord main (String args []) Scanner A = new Ecanner (Systems In) Pertangle RI = new Rectangle Tréangle TI = new Triangle

	PageWork
	(iscle C1 = new Circle ();
	System out phritten ("Enter the length and breath of which is have to find the area of Rectangle in
	which is have to find the area of Reclaringle in
	RI length = A nev+Int 11;
	RI breath = A next Int ();
	of which is have to lind the area of trained
	System out point in (" Enter the length and break of which is have to find the area of traings
	Ti length = A next but ();
	Ti breath = A next (ut ();
	System out puntlin (" Entre the length of which is a land to find the area of circle an curlin
	C) length = A nex Int ();
	RI grint Area (1)
	(1 print Asea();
	CI print Assa (1;
	E TOTAL MANAGEMENT OF THE PARTY
1917	3
24	all property of the second of
	The state (States and States and
	The state of the s
	Transfer transport to the

```
Enter the length and breadth of which u have to find the area of rectangle in cm

Enter the length and breadth of which u have to find the area of triangle in cm

10

Enter the length of which u have to find the area of circle in cm

30

The area of rectangle is 100.0 cm<sup>2</sup>

The area of Circle is 2826.0cm<sup>2</sup>

The area of circle is 2826.0cm<sup>2</sup>
```

OBSERVATION: Develop a Java program to create a class Bank that maintains two kinds of account for its customers, one called savings account and the other current account. The savings account provides compound interest and withdrawal facilities but no cheque book facility. The current account provides cheque book facility but no interest. Current account holders should also maintain a minimum balance and if the balance falls below this level, a service charge is imposed. Create a class Account that stores customer name, account number and type of account. From this derive the classes Curr-acct and Sav-acct to make them more specific to their requirements. Include the necessary methods in order to achieve the following tasks: • Accept deposit from customer and update the balance. • Display the balance. • Compute and deposit interest • Permit withdrawal and update the balance • Check for the minimum balance, impose penalty if necessary and update the balance

	Pagel
	import para util scanner
13.33	Class Bluk
to the second	E a su a la lada at made a la l
-	ust deposit balance
	sert withdraw balance
	String customer name
March 1	String Acepunt Number
170.7	String Account Type
	int Balance - 270890
	void auept
-	E allege
The state of	Converte Court of Court of Court
1 11 11	Scaurce S = new Scaunce (System in)
-	System out print her (" Futher the weltonies
-	manie ("").
_	customes name = snext ().
-	System out plintly (" Tiles the Alcon
-	Keurbee (11").
_	Account Number - S next ().
	System out print lu (" Enter the Account +
-	Account Type - S next ();
3	
	Wid dieplay ()
	§ 1
	System out greatly ("Customer Man
	+ (ustorner name).
	System out print in " " Account nue
	'+ Account - Number).
	Sustan out exently (" Account take
	System out prently ("Account Type).
	di.
	5
	7

Popol	PageWork
class wer aut ex	tends Bank E
ent uplated balan	le,
int After - Chuth	deavon
int uplated balan int After - Chieft unt updated los	t_chalance
int Cdepo_ba() {	DIRECTOR NATIONAL
an engo sacri	DESCRIPTION TO SERVICE
updated _ balance =	Balance + depost - balance
Rotingon unanted	balance
int (with ()	indated balance
After C with deavon - Return After Court	(updated_balance) -
Return After coult	udsawn;
The state of the s	Makes
int nunlnum ()	(III)
5	OTHER RESERVE
If (After _ cultudian	on < = (2000 1)
updated lost chala	ne - ((Afte_culthdraw
- (20D)].	and the last
System out pointly (balance below 2000 so	you have minimum
paranee below 2000 so	Ou have to lost 200
	STUDIO STORY
Ellown updated - lost	c balance
therein < (mys)	11/2 11/4/1 15
elie	7
Seleten After (with	the deamer :
3	11501
England 1881	Value Allega
ciais lar - acet ex	etends Bank {
rul buydated -	balance
uit After - 8 w	iltadeaws !
	et_sbalance.

int compaind interest int sdepo - ball ? Supdated - balance - Balance + deposit - balance setuen supdated - & balanci; int interest () double y=0.08 int n = 12; int + = 5; compaind interest ("ent) (1 Six dated balance) * (Math pow (14) (n++11)). return compared extrest; und Sulth _ bal) { After smith dean (Compound interest - (nothdraw - balance). Return After swith drawn; just nininuum () Il (14/4 (mithdrawn) <= (1000)) updated lost s balance - ((Afta sist 1_ (100)). return updated - lost shalanced, Ithun After Smith deavon;

	PageWork
3	The bridges much tone up.
Class Franca	ction
public static	noid main (stung args [7) 5
Scanner Y = 1	new Scanner (System in).
Curs _ aut CA	- new cure acet ();
(A. allest ();	
System out.	priest in (Enter the money a want
to deposit	in current auount in supper)
CA deposit -	balance = r. next (ut ();
CA display	200 to 1 " Alter is accordance deposition
m "+ ca dos	pratter ("After your deposition
300 toll balance	PL RR 11 + CA . Calyo - ball 14
Senten . Mit o	surfly ! " Tutes the money go
System ord .	peneltin (* After your nith drawal)
14 (A whole	aw balance + CA conth ball,
SILETAN MILE	point in this chartery of
have mune	al balance it RS-"+ CA hisnimu
riptadea de	ar barance 2
Carl Bu SA	- new sav-aut ();
Ch. autot 1).
Sulten ord.	frint la ("Treu the money a post in Saning amount").
want to dep	soft in Saving account ").
System. out . p	eintle ("Afte your withdraward
ORSTSA nii	Hudsaw balande + "In Now your is Ks + 34 snith bal (1);
we not not	ut in ("After cheeking if a
system out pre	That are the

	Po D
	44
	are not your updated total balance i
2	are not your repeated total balance i
	3 The second second live to the second
	Comment of the last
	The second second second second
- A system	
0334639	
	The parties As
103197	
	CONTRACTOR CONTRACT STATE AND THE
- 11	1 44 1985 ATES 12 /2 1811/19 1/2 - 4/20
100000	
17.00	with the state of
Millad	and to be maded a constitute of the
	to principle within all towards have been
1 777	the law was a second of the law o
	A Children of the control of the con
	water the of the state of the sand
- 11	Sungara silver il. White it had
To Low	A SERVICE AND ADDRESS OF THE PARTY OF THE PA
Tools.	and all a special constantly at 124
	(1) that Building All could be appropriately and
	The same of the sa
- 0	Same and the state of the state of the

```
C.)Program Files\Dava\jdisl.8.0_201\binojavas Transaction.java
C.\Program Files\Dava\jdisl.8.0_201\binojavas Transactions
Finter the customer name
Likelai
Finter the Account Number
25500878
Grater the Account Number
29500879
Grater the Account Yepe
Porsonal
Finter the money a want to deposit in current account in numbers
800
CUSTOMER MOVE: 1 kicknin
ACCOUNT TOPE: 25500878
ACCOUNT TOPE: 2
```