Root User: pass: root-a2

new user: name: lps

pass: newuser-a2

Save in Text Editors (e.g., Vim, Nano):

- Nano: Press Ctrl + O to save
 then press Enter to confirm.
- Press Ctrl + X to exit.

to change the username from root to lps

su lps

to connect the system to local host

if you change system, we need to remove the know hosts:

for that open a new terminal:

lps@lab3r4s7 ~ % cd .ssh lps@lab3r4s7 .ssh % ls config id_rsa id_rsa.pub known_hosts lps@lab3r4s7 .ssh % rm known_hosts

now open Vscode then create the new local host and open the config

create a new folder:

now take the https://github.com/Mohammed-Ehsan02/inception and clone to the

Unified Communication Hub
Collaboration Tools
Comprehensive Dashboards
Parent Engagement Features

lps@debian:~/inception\$ docker logs nginx

lps@debian:~/inception\$ docker logs mariadb

lps@debian:~/inception\$ docker logs wordpress

https://lps.42.fr/wp-admin

login:

to hide hidden files. : shift+CMD+.

to see hidden files: CMD+shift+.

how to Run this project?

download the file from the intra

put the inception file put the .env file in the src folder

open terminal:

make

from the virtual machine: startx

open the browser: https://lps.42.fr/wp-admin

and edit and post something