Q1) Develop an implementation package using 'C' program to process a FILE containing student details for the given queries. A student record has the following format: Std_rollno, Std_name, Dept, C1, C1_c, C1_g, C2, C2_c, C2_g, C3, C3_c, C3_g

Note: C1 refers to Course1, C1_c refers to the credit of the course, C1_g refers to the grade in that course, and so on. Every student should have a unique rollno.. A student should have at least 3 courses and a maximum of four. A grade point is in integer: S - 10; A - 9; B - 8; C - 7; D - 6; E - 5; F - 0. Create a file and develop a menu-driven system for the following queries.

- a. Insert at least 5 student records.
- b. Create a column 'GPA' for all the students.
- c. For a student with four courses, delete(deregister) a course name.
- d. For the same student you deleted in 'c', insert a new course name.
- e. Update the name of a course for two different students.
- f. Calculate GPA of all students using the GPA formula.
- g. Upgrade the grade point of a student who has secured '7' in a course.
- h. Calculate the updated GPA of the student in 'g'.
- i. Generate a Grade report of a student given the roll no. or name.

C Code:

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#define MAX_COURSES 4 #define
MAX STUDENTS 100
typedef struct {
  char course_name[20];
int credits;
 int grade; } Course;
typedef struct { char
roll_no[10]; char
name[50]; char
department[20];
  Course courses[MAX_COURSES];
 int course_count;
float gpa;
} Student;
Student students[MAX_STUDENTS];
int student_count = 0;
void read_file() {
 FILE *file = fopen("students.txt", "r");
if (file == NULL) {
   printf("Could not open file for reading.\n");
return;
 }
```

```
student\_count = 0; while (fscanf(file, "%[^,], %[^,], %[^,], ", ^, )
students[student_count].roll_no,
      students[student_count].name, students[student_count]. department) != EOF) {
int i;
for (i = 0; i < MAX\_COURSES; i++) {
      if (fscanf(file, "%[^,],%d,%d,", students[student_count].courses[i].course_name,
          &students[student_count].courses[i].credits,
&students[student_count].courses[i].grade) == EOF) {
break;
      }
    }
    students[student_count].course_count = i;
student_count++;
  }
  fclose(file);
}
void write_file() {
  FILE *file = fopen("students.txt", "w");
  if (file == NULL) {
    printf("Could not open file for writing.\n");
return;
  }
  for (int i = 0; i < student_count; i++) {</pre>
    fprintf(file, "%s,%s,%s,", students[i].roll_no, students[i].name, students[i].department);
for (int j = 0; j < students[i].course_count; j++) {</pre>
                                                        fprintf(file, "%s,%d,%d,",
students[i].courses[j].course_name,
                                                students[i].courses[j].credits,
students[i].courses[j].grade);
    }
    fprintf(file, "\n");
  }
  fclose(file);
void insert_student() {
  if (student_count >= MAX_STUDENTS) {
   printf("Student limit reached.\n");
return;
 }
```

```
printf("Enter roll number: ");
 scanf("%s", students[student_count].roll_no);
printf("Enter name: ");
 scanf("%s", students[student_count].name);
 printf("Enter department: ");
  scanf("%s", students[student_count].department);
  for (int i = 0; i < MAX_COURSES; i++) {
  printf("Enter course %d name: ", i + 1);
    scanf("%s", students[student_count].courses[i].course_name);
    printf("Enter course %d credits: ", i + 1);
    scanf("%d", &students[student_count].courses[i].credits);
printf("Enter course %d grade: ", i + 1);
    scanf("%d", &students[student_count].courses[i].grade);
students[student_count].course_count++;
                                               char more;
    if (i < MAX_COURSES - 1) {</pre>
      printf("Do you want to enter more courses? (y/n): ");
scanf(" %c", &more);
                         if (more == 'n') break;
    }
  }
  student_count++;
write_file();
  printf("Student record inserted.\n");
}
void create_gpa_column() {     for (int i
= 0; i < student_count; i++) {
    float total_points = 0;
int total_credits = 0;
    for (int j = 0; j < students[i].course_count; j++) {
      total_points += students[i].courses[j].credits * students[i].courses[j].grade;
total_credits += students[i].courses[j].credits;
    students[i].gpa = total_points / total_credits;
  }
  write_file();
  printf("GPA column created.\n");
}
void deregister_course() {
char roll_no[10];
printf("Enter roll number: ");
scanf("%s", roll_no);
```

```
for (int i = 0; i < student\_count; i++) {
(strcmp(students[i].roll_no, roll_no) == 0) {
                                                  if
(students[i].course_count == 4) {
printf("Enter course name to deregister: ");
char course_name[20];
                                scanf("%s",
course_name);
        for (int j = 0; j < students[i].course_count; j++) {
          if (strcmp(students[i].courses[j].course_name, course_name) == 0) {
for (int k = j; k < students[i].course_count - 1; k++) {
students[i].courses[k] = students[i].courses[k + 1];
            students[i].course_count--;
            write_file();
            printf("Course deregistered.\n");
            return;
        printf("Course not found.\n");
return;
      } else {
        printf("Student does not have 4 courses.\n");
return;
      }
    }
 printf("Student not found.\n");
void insert_course() {    char
roll_no[10]; printf("Enter
roll number: "); scanf("%s",
roll_no);
  for (int i = 0; i < student_count; i++) {
(strcmp(students[i].roll_no, roll_no) == 0) {
if (students[i].course_count < 4) {</pre>
printf("Enter new course name: ");
        scanf("%s", students[i].courses[students[i].course_count].course_name);
printf("Enter course credits: ");
        scanf("%d", &students[i].courses[students[i].course_count].credits);
printf("Enter course grade: ");
        scanf("%d", &students[i].courses[students[i].course_count].grade);
students[i].course_count++;
                                     write_file();
```

```
printf("Course added.\n");
return;
      } else {
        printf("Student already has 4 courses.\n");
return;
      }
    }
 }
 printf("Student not found.\n");
void update_course_name() {
for (int i = 0; i < 2; i++) {
char roll_no[10];
   printf("Enter roll number for student %d: ", i + 1);
   scanf("%s", roll_no);
    for (int j = 0; j < student\_count; j++) { if
    (strcmp(students[j].roll_no, roll_no) == 0) {
    printf("Enter old course name: ");
    old_course_name[20];
                               scanf("%s",
    old_course_name);
        for (int k = 0; k < students[j].course_count; k++) {
          if (strcmp(students[j].courses[k].course_name, old_course_name) == 0) {
printf("Enter new course name: ");
            scanf("%s", students[j].courses[k].course_name);
write_file();
            printf("Course name updated.\n");
return:
          }
        printf("Course not found.\n");
return;
      }
    }
    printf("Student not found.\n");
void upgrade_grade() {    char
roll_no[10]; printf("Enter
roll number: ");
 scanf("%s", roll_no);
```

```
for (int i = 0; i < student_count; i++) {</pre>
(strcmp(students[i].roll_no, roll_no) == 0) {
                                                     for
(int j = 0; j < students[i].course_count; j++) {
if (students[i].courses[j].grade == 7) {
students[i].courses[j].grade = 8;
write_file();
           printf("Grade upgraded.\n");
           return;
        }
      printf("No course with grade 7 found.\n");
return;
    }
  }
  printf("Student not found.\n");
void calculate_updated_gpa() {
char roll_no[10]; printf("Enter
roll number: "); scanf("%s",
roll_no);
 for (int i = 0; i < student_count; i++) {
(strcmp(students[i].roll_no, roll_no) == 0) {
float total_points = 0; int total_credits = 0;
      for (int j = 0; j < students[i].course_count; j++) {</pre>
         total_points += students[i].courses[j].credits * students[i].courses[j].grade;
    total_credits += students[i].courses[j].credits;
      }
      students[i].gpa = total_points / total_credits;
      printf("Updated GPA: %.2f\n", students[i].gpa);
return;
    }
  }
  printf("Student not found.\n");
void generate_grade_report() {
  char identifier[50];
  printf("Enter roll number or name: ");
  scanf("%s", identifier);
  for (int i = 0; i < student_count; i++) {</pre>
```

break;

case 5:

```
if (strcmp(students[i].roll_no, identifier) == 0 || strcmp(students[i].name, identifier) == 0) {
printf("Roll No: %s\n", students[i].roll_no);
                                                   printf("Name: %s\n", students[i].name);
printf("Department: %s\n", students[i].department);
                                                             for (int i = 0; i < 0
students[i].course_count; j++) {
        printf("Course: %s, Credits: %d, Grade: %d\n", students[i].courses[j].course_name,
students[i].courses[j].credits, students[i].courses[j].grade);
      printf("GPA: %.2f\n", students[i].gpa);
return;
    }
 }
  printf("Student not found.\n");
int main() {
int choice;
  read_file();
  while (1) {
    printf("\nMenu:\n");
                              printf("1.
Insert student record\n");
                               printf("2.
Create GPA column\n");
                             printf("3.
                            printf("4.
Deregister course\n");
Insert course\n");
                       printf("5. Update
course name\n");
                      printf("6. Upgrade
grade\n");
               printf("7. Calculate
updated GPA\n");
                      printf("8. Generate
grade report\n");
   printf("9. Exit\n");
printf("Enter your choice: ");
scanf("%d", &choice);
    switch (choice) {
    case 1:
    insert_student();
    break;
      case 2:
        create_gpa_column();
break;
             case 3:
        deregister_course();
break;
case 4:
        insert_course();
```

```
update_course_name();
        break;
case 6:
        upgrade_grade();
             case 7:
break;
        calculate_updated_gpa();
break;
             case 8:
        generate_grade_report();
break;
            case 9:
exit(0);
              default:
        printf("Invalid choice.\n");
   }
 }
 return 0;
Output:
Menu:
1. Insert student record
2. Create GPA column
3. Deregister course
4. Insert course
5. Update course name
6. Upgrade grade
7. Calculate updated GPA
8. Generate grade report 9. Exit
Enter your choice: 1
Enter roll number: 124
Enter name: lilly
Enter department: ece
Enter course 1 name:analog
Enter course 1 credits: 3
Enter course 1 grade: 10
Do you want to enter more courses? (y/n): y
Enter course 2 name: digital
Enter course 2 credits: 3
Enter course 2 grade: 9
Do you want to enter more courses? (y/n): y
Enter course 3 name: verilog
Enter course 3 credits: 2
Enter course 3 grade: 8
```

DBMS LAB SESSION 2

Name: Lakshmi Tanguturu

Roll no:106122124

Do you want to enter more courses? (y/n): n Student record inserted.

Enter your choice: 8

Enter roll number or name: 124

Roll No: 124 Name: lilly Department: ece

Course: analog, Credits: 3, Grade: 10 Course: digital, Credits: 3, Grade: 9 Course: verilog, Credits: 2, Grade: 8

GPA: 0.00

Enter your choice: 2 GPA

column created.

Enter your choice: 8

Enter roll number or name: 124

Roll No: 124 Name: lilly Department: ece

Course: analog, Credits: 3, Grade: 10 Course: digital, Credits: 3, Grade: 9 Course: verilog, Credits: 2, Grade: 8

GPA: 9.13

Enter your choice: 5

Enter roll number for student 1: 124 Enter old course name: analog Enter new course name: analog_device

Course name updated.

Records that are created in file student .txt

},cd,"c:\Users\lakshmi\OneDDSA\",DSA\",0,0,if,0,0,\$?),0,0,gcc,0,0,

d2.c,-o,d2,,0,0,if,0,0,\$?),0,0,\d2,0,0,

,,

1,lakshmi,cse,sql,3,8,python,3,8,physics,2,9,

2,lakshmi,cse,python,3,8,sql,3,8,physics,2,10,

124,lilly,ece,analog_device,3,10,digital,3,9,verilog,2,8, Structured Query Language (SQL) DDL

Commands

1. Create a student schema using the student details given in Q.No.1 and execute the following basic queries.

Note: When defining the schema, exclude the following columns: Course_credit and Course_grade for all the courses.

Make sure you have the following constraints: Course is declared in char datatype. DoB should be in date (dd/mm/yyyy) format. Provide a not-null constraint for dob. Email should have the following format: xxx@nitt.edu

```
a. Insert at least 5 student records into the Student table. SQL Query
CREATE TABLE Student (
   Std_rollno CHAR(10) PRIMARY KEY,
   Std_name VARCHAR(50),
   Dept VARCHAR(20),
   Course1 CHAR(20),
   Course2 CHAR(20),
   Course3 CHAR(20),
   Course4 CHAR(20) -- Include a maximum of four courses );
```

-- Step 2: Insert at least 5 student records into the Student table INSERT INTO Student (Std_rollno, Std_name, Dept, Course1, Course2, Course3, Course4) VALUES ('001', 'shwetha', 'CSE', 'DBMS', 'OS', 'Networks', 'Compiler');

INSERT INTO Student (Std_rollno, Std_name, Dept, Course1, Course2, Course3, Course4) VALUES ('002', 'nikhitha', 'ECE', 'DSP', 'VLSI', 'Embedded', 'Control');

INSERT INTO Student (Std_rollno, Std_name, Dept, Course1, Course2, Course3, Course4) VALUES ('003', 'sruthi', 'EEE', 'Power', 'Machines', 'Circuits', 'Signals');

INSERT INTO Student (Std_rollno, Std_name, Dept, Course1, Course2, Course3, Course4) VALUES ('004', 'gayathri', 'MECH', 'Thermo', 'Design', 'Dynamics', 'Kinematics');

INSERT INTO Student (Std_rollno, Std_name, Dept, Course1, Course2, Course3, Course4) VALUES ('005', 'sandhya', 'CIVIL', 'Structures', 'Hydraulics', 'Materials', 'Geotech');

SELECT * FROM Student; Output:

```
+-----+
| Std_rollno | Std_name | Dept | Course1 | Course2 | Course3 | Course4 |
+-----+
| 001 | shwetha | CSE | DBMS | OS | Networks | Compiler |
| 002 | nikhitha | ECE | DSP | VLSI | Embedded | Control |
| 003 | sruthi | EEE | Power | Machines | Circuits | Signals |
```

Name: Lakshmi Tanguturu

WHERE Std_rollno = '004';

WHERE Std_rollno = '005';

SET DoB = '2005-07-20', email = 'xyz5@nitt.edu'

UPDATE Student

Roll no:106122124

```
004
       gayathri | MECH | Thermo | Design | Dynamics | Kinematics |
       | sandhya | CIVIL | Structures | Hydraulics | Materials | Geotech | +-----+------
005
----+------+
b. Delete Course2 and Course3 attributes from the Student table.
ALTER TABLE Student
DROP COLUMN Course2;
ALTER TABLE Student
DROP COLUMN Course3;
SELECT * FROM Student; Output:
+-----+
| Std_rollno | Std_name | Dept | Course1 | Course4 |
+-----+
| 001 | shwetha | CSE | DBMS | Compiler |
| 002 | nikhitha | ECE | DSP
                           | Control |
| 003 | sruthi | EEE | Power | Signals |
| 004 | gayathri | MECH | Thermo | Kinematics |
| 005 | sandhya | CIVIL | Structures | Geotech |
+-----+
c. Insert two new columns DoB and email into the student table.
SQL QUERY
ALTER TABLE Student
ADD DoB DATE,
ADD email VARCHAR(50);
UPDATE Student
SET DoB = '2005-10-22', email = 'xyz1@nitt.edu'
WHERE Std_rollno = '001';
UPDATE Student
SET DoB = '2005-06-23', email = 'xyz2@nitt.edu'
WHERE Std rollno = '002':
UPDATE Student
SET DoB = '2005-09-23', email = 'xyz3@nitt.edu'
WHERE Std_rollno = '003';
UPDATE Student
SET DoB = '2005-02-12', email = 'xyz4@nitt.edu'
```

SELECT *FROM Student

OUTPUT

++
Std_rollno Std_name Dept Course1 Course4 DoB email
++
001 shwetha CSE DBMS Compiler 2005-10-22 xyz1@nitt.edu
002 nikhitha ECE DSP Control 2005-06-23 xyz2@nitt.edu
003 sruthi EEE Power Signals 2005-09-23 xyz3@nitt.edu
004 gayathri MECH Thermo Kinematics 2005-02-12 xyz4@nitt.edu
005 sandhya CIVIL Structures Geotech 2005-07-20 xyz5@nitt.edu
++

d. Change Course1 datatype to varchar2.

In MySQL, the VARCHAR type is used instead of VARCHAR2

SQL Query

ALTER TABLE Student

MODIFY Course1 VARCHAR(20);

e. Update the column name 'Std_rollno' to 'Std_rno'.

SQL Query

ALTER TABLE Student

CHANGE COLUMN Std_rollno Std_rno CHAR(10);

SELECT *FROM Student

Output

+	+++
Std_rno	o Std_name Dept Course1 Course4 DoB email
+	+++
001	shwetha CSE DBMS Compiler 2005-10-22 xyz1@nitt.edu
002	nikhitha ECE DSP Control 2005-06-23 xyz2@nitt.edu
003	sruthi EEE Power Signals 2005-09-23 xyz3@nitt.edu
004	gayathri MECH Thermo Kinematics 2005-02-12 xyz4@nitt.edu
005	sandhya CIVIL Structures Geotech 2005-07-20 xyz5@nitt.edu
+	+++

f. Update all student records who pursue a course named "DBMS" to "OS".

SQL Query

UPDATE Student

SET Course1 = 'OS'

WHERE Course1 = 'DBMS';

SELECT *FROM Student

+	+	+	+	+
Std_rno Std_name	Dept Course1	Course4 Do	B email	
	1 1		_	_

Name: Lakshmi Tanguturu

Roll no:106122124

```
001
     | shwetha | CSE | OS | Compiler | 2005-10-22 | xyz1@nitt.edu |
     | nikhitha | ECE | DSP | Control | 2005-06-23 | xyz2@nitt.edu |
002
     | sruthi | EEE | Power | Signals | 2005-09-23 | xyz3@nitt.edu |
003
     gayathri | MECH | Thermo | Kinematics | 2005-02-12 | xyz4@nitt.edu |
004
005
     | sandhya | CIVIL | Structures | Geotech | 2005-07-20 | xyz5@nitt.edu |
+-----+
g. Delete a student record with the student name starting with the letter 'S'.
SOL Ouerv
DELETE FROM Student
WHERE Std name LIKE 'S%':
SELECT *FROM Student
+-----+
| Std_rno | Std_name | Dept | Course1 | Course4 | DoB | email |
+-----+
1001
     | shwetha | CSE | OS | Compiler | 2005-10-22 | xyz1@nitt.edu |
    | nikhitha | ECE | DSP | Control | 2005-06-23 | xyz2@nitt.edu |
1002
| 1003 | sruthi | EEE | Power | Signals | 2005-09-23 | xyz3@nitt.edu |
| 004 | gayathri | MECH | Thermo | Kinematics | 2005-02-12 | xyz4@nitt.edu |
+-----+
h. Display all records in which a student has born after the year 2005.
SQL Query
SELECT * FROM Student
WHERE YEAR(DoB) > 2005;
+-----+
| Std_rno | Std_name | Dept | Course1 | Course4 | DoB | email |
+-----+
| 001 | shwetha | CSE | OS | Compiler | 2005-10-22 | xyz1@nitt.edu |
+-----+
```

RENAME • Rename a Table

RENAME TABLE Student TO StudentInfo;

i. Simulate RENAME, COMMENT, TRUNCATE and DROP

Rename a Column ALTER
 TABLE StudentInfo
 CHANGE COLUMN Std_rno Std_rollno CHAR(10);

COMMENT • Add a Comment to a Table

ALTER TABLE StudentInfo

Name: Lakshmi Tanguturu

Roll no:106122124

COMMENT = 'Table storing student records including their courses and contact information.';

Add a Comment to a Column

ALTER TABLE StudentInfo MODIFY COLUMN Std_rollno CHAR(10) COMMENT 'Unique roll number for each student';

TRUNCATE

The TRUNCATE TABLE statement removes all rows from a table but does not remove the table itself.

• Truncate a Table

TRUNCATE TABLE StudentInfo;

DROP

The DROP statement completely removes a table or column, including all its data and structure.

· Drop a Table

DROP TABLE StudentInfo;

Drop a Column ALTER

TABLE StudentInfo

DROP COLUMN DoB;