BRSR Core for Facilities Teams

The nine attributes, what data facilities must supply and how to keep it audit-ready

SEBI's Business Responsibility and Sustainability Report (BRSR) Core asks listed companies to disclose a limited set of key performance indicators with reasonable assurance. Several of them, energy, water, waste, emissions and safety, are produced by the facilities function. This summary explains what the facilities team is expected to hand over and how to make the numbers survive an assurance review.

1. Attributes with a facilities footprint

Attribute	Facilities data	Typical source
Greenhouse gas footprint	Scope 1 fuel (DG, boilers, refrigerant top-ups); Scope 2 purchased electricity	Meters, DG logs, refrigerant register
Water footprint	Withdrawal, consumption, discharge and recycled water by source	Water meters, STP logs
Energy footprint	Total energy, share from renewable sources, intensity per sq ft	Utility bills, sub-meters, PPA statements
Circularity	Waste generated, recycled, reused and disposed by category	Waste manifests, vendor weigh slips
Employee and worker wellbeing	Safety incidents, LTIFR, fatalities, safety training	Incident register, HSE reports
Fairness in the value chain	Share of spend with MSME and local suppliers	Vendor master and PO data

2. Making data assurance-ready

1. Fix the boundary: list the buildings, floors and tenants in scope and keep it identical across the year.
2. Reconcile meter reads to utility bills monthly and document every estimate with its method.
3. Keep one evidence folder per metric: raw data, calculation sheet, emission factors with source and year, sign-off.
4. Use the same emission factors as the corporate sustainability team (CEA grid factor, IPCC for fuels).
5. Lock the month after the review so figures cannot change silently; log every restatement.

3. Quick wins that improve the numbers

- Sub-meter chillers, lighting and data rooms to find the largest controllable loads
- Separate tenant consumption so landlord energy is not overstated
- Switch DG hours to a log with start, stop and load, not a monthly estimate
- Move water-intensive cooling-tower make-up to treated STP water where the process allows

4. Questions assurers ask

- How do you know the meter is accurate and when was it last calibrated?
- What is excluded from the boundary and why?

- How did you treat a month with a missing bill?
- Who approved the final numbers and where is the evidence?