17. Abstract class in Java

A class that is declared with abstract keyword, is known as abstract class in java. It can have abstract and non-abstract methods (method with body).

Abstraction in Java

Abstraction is a process of hiding the implementation details and showing only functionality to the user.

Another way, it shows only important things to the user and hides the internal details for example sending sms, you just type the text and send the message. You don't know the internal processing about the message delivery.

Abstraction lets you focus on what the object does instead of how it does it.

Ways to achieve Abstraction

There are two ways to achieve abstraction in java

1. Abstract class (0 to 100%)
2. Interface (100%)

Abstract class in Java

A class that is declared as abstract is known as **abstract class**. It needs to be extended and its method implemented. It cannot be instantiated.

Example abstract class

```
1. abstract class A{}
```

---

abstract method

A method that is declared as abstract and does not have implementation is known as abstract method.

Example abstract method

Kalibermind Academy

```
1. abstract void printStatus();//no body and abstract
```

Example of abstract class that has abstract method

In this example, Bike the abstract class that contains only one abstract method run. It implementation is provided by the Honda class.

```
1. abstract class Bike{
2.   abstract void run();
3. }
4. class Honda4 extends Bike{
5. void run(){System.out.println("running safely..");}
6. public static void main(String args[]){
7.  Bike obj = new Honda4();
8.  obj.run();
9. }
10. }
```

Output: running safely..

Abstract class having constructor, data member, methods etc.

An abstract class can have data member, abstract method, method body, constructor and even main() method.

File: TestAbstraction2.java

```
1. //example of abstract class that have method body
2.  abstract class Bike{
3.    Bike(){System.out.println("bike is created");}
4.    abstract void run();
5.    void changeGear(){System.out.println("gear changed");}
6.  }
7.
8.  class Honda extends Bike{
9.  void run(){System.out.println("running safely..");}
10. }
11. class TestAbstraction2{
12. public static void main(String args[]){
13.  Bike obj = new Honda();
14.  obj.run();
15.  obj.changeGear();
16. }
17. }
```

Output: bike is created
running safely..
gear changed

> **Rule: If there is any abstract method in a class, that class must be abstract.**

```
1. class Bike12{
2. abstract void run();
3. }
```

Output : compile time error

> **Rule: If you are extending any abstract class that have abstract method, you must either provide the implementation of the method or make this class abstract.**