```
In [2]:
                                                                                         H
import re
from sklearn.datasets import load_digits
from sklearn.model_selection import train_test_split
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn import metrics
%matplotlib inline
digits=load_digits()
In [3]:
                                                                                         M
print("Image Data Shape",digits.data.shape)
print("Label Data Shape",digits.target.shape)
Image Data Shape (1797, 64)
Label Data Shape (1797,)
In [7]:
                                                                                         M
plt.figure(figsize=(20,4))
for index,(image,label)in enumerate(zip(digits.data[0:5],digits.target[0:5])):
    plt.subplot(1,5,index+1)
    plt.imshow(np.reshape(image,(8,8)),cmap=plt.cm.gray)
    plt.title('Training:%i\n'%label,fontsize=10)
In [8]:
                                                                                         M
from sklearn.model selection import train test split
x_train,x_test,y_train,y_test=train_test_split(digits.data,digits.target,test_size=0.30,r
                                                                                         M
In [10]:
print(x_train.shape)
(1257, 64)
In [11]:
                                                                                         M
print(y_train.shape)
(1257,)
```

```
H
In [13]:
print(x_test.shape)
(540, 64)
In [14]:
                                                                                               M
print(y_test.shape)
(540,)
In [15]:
                                                                                               M
from sklearn.linear model import LogisticRegression
                                                                                               M
In [20]:
logisticRegr=LogisticRegression(max iter=10000)
logisticRegr.fit(x_test,y_test)
Out[20]:
LogisticRegression(max_iter=10000)
In a Jupyter environment, please rerun this cell to show the HTML representation or
trust the notebook.
On GitHub, the HTML representation is unable to render, please try loading this page
with nbviewer.org.
In [21]:
                                                                                               M
print(logisticRegr.predict(x_test))
[4 0 9 1 4 7 1 5 1 6 6 7 6 1 5 5 4 6 2 7 4 6 4 1 5 2 9 5 4 6 5 6 3 4 0 9 9
 8 4 6 8 8 5 7 9 6 9 6 1 3 0 1 9 7 3 3 1 1 8 8 9 8 5 4 4 7 3 5 8 4 3 1 3 8
 7 3 3 0 8 7 2 8 5 3 8 7 6 4 6 2 2 0 1 1 5 3 5 7 6 8 2 2 6 4 6 7 3 7 3 9 4
 7 0 3 5 8 5 0 3 9 2 7 3 2 0 8 1 9 2 1 9 1 0 3 4 3 0 9 3 2 2 7 3 1 6 7 2 8
 3 1 1 6 4 8 2 1 8 4 1 3 1 1 9 5 4 8 7 4 8 9 5 7 6 9 0 0 4 0 0 4 0 6 5 8 8
 3 7 9 2 0 3 2 7 3 0 2 1 5 2 7 0 6 9 3 1 1 3 5 2 3 5 2 1 2 9 4 6 5 5 5 9 7
 1 5 9 6 3 7 1 7 5 1 7 2 7 5 5 4 8 6 6 2 8 7 3 7 8 0 9 5 7 4 3 4 1 0 3 3 5
 4 1 3 1 2 5 1 4 0 3 1 5 5 7 4 0 1 0 8 5 5 5 4 0 1 8 6 2 1 1 1 7 9 6 7 9 7
 0 4 9 6 9 2 7 2 1 0 8 2 8 6 5 7 8 4 5 7 8 6 5 2 6 9 3 0 0 8 0 6 6 7 1 4 5
 6 \; 9 \; 7 \; 2 \; 8 \; 5 \; 1 \; 2 \; 4 \; 1 \; 8 \; 8 \; 7 \; 6 \; 0 \; 8 \; 0 \; 6 \; 5 \; 5 \; 7 \; 8 \; 0 \; 4 \; 1 \; 4 \; 5 \; 9 \; 2 \; 2 \; 3 \; 9 \; 1 \; 3 \; 9 \; 3 \; 2
 8 0 6 5 6 2 5 2 3 2 6 1 0 7 6 0 6 2 7 0 3 2 4 2 9 6 9 7 7 0 3 5 4 1 2 2 1
 2 7 7 0 4 9 8 5 6 1 6 5 2 0 8 2 4 3 3 2 9 3 8 9 9 3 9 0 3 4 7 9 1 5 7 5 0
 5 3 5 0 2 7 3 0 4 3 6 6 1 9 6 3 4 6 4 6 7 2 7 6 3 0 3 0 1 3 6 8 0 4 3 8 4
 3 3 4 8 6 9 6 3 3 0 5 7 8 9 1 5 3 2 5 8 7 6 0 6 5 5 2 4 4 7 2 0 5 6 2 0 8
 4 4 4 7 1 0 4 1 9 2 1 3 0 5 3 9 8 2 6 0 0 4
In [22]:
                                                                                               M
score=logisticRegr.score(x_test,y_test)
print(score)
```

1.0

In []:
▶