Secure Exit

SIMATS ENGINEERING

Engineer to Excel

SIMATS Online Programming Lab

JAVA PROGRAMMING

Lakshmi Narayanan E
192524249RD

CO5-AT3-Level Exam3

Level Exam · Java · 03 Sep 2026, 12:01 PM

Back

QUESTIONS

LEVEL 3 — HARD

Q1
Numbers

Q2
Control

2 / 2 saved

Level 3 — Hard **(H) Number to YWD** — Numbers

Write a Java Program to Convert a Given Number of Days in Terms of Years, Weeks & Days.
Sample Input&Output::
Enter the number of days:756
No. of years:2
No. of weeks:3
No. of days:5
Test cases:
1. 38
2. 3.6
3. 0
4. -365
5. -45
Testcase:

Your Code

```
›ort java.util.Scanner;
ıss days{
 public static void main(String args[]){
     Scanner s = new Scanner(System.in);
```

```
        System.out.println("enter the number of days :");
        double days;
        int years,week;
        days = s.nextDouble();
        days = Math.abs(days);
        years=(int)(days/365);
        days = days%365;
        week=(int)(days/7);
        days=days%7;
        System.out.println("no of years "+years);
        System.out.println("no of weeks "+week);
        System.out.println("no of days "+days);
    }

```

Program Input (stdin)

```
756
```

Output

```
enter the number of days :
no of years 2
no of weeks 3
no of days 5.0
```

Run Save Submit

Next →

Secure Exit

SIMATS ENGINEERING

Engineer to Excel

SIMATS Online Programming Lab

JAVA PROGRAMMING

Lakshmi Narayanan E
192524249RD

CO5-AT3-Level Exam3

Level Exam | </> Java | 03 Sep 2026, 12:01 PM

Back

QUESTIONS

LEVEL 3 — HARD

Q1
Numbers

Q2
Control

2 / 2 saved

Level 3 — Hard **(H) Roman** — Control

Roman numerals are represented by seven different symbols: I, V, X, L, C, D and M.
Symbol Value
I 1
V 5
X 10
L 50
C 100
D 500
M 1000
For example, 2 is written as II in Roman numeral, just two ones added together. 12 is written as XII, which is simply X + II. The number 27 is written as XXVII, which is XX + V + II.
Roman numerals are usually written largest to smallest from left to right. However, the numeral for four is not IIII. Instead, the number four is written as IV. Because the one is before the five we subtract it making four. The same principle applies to the number nine, which is written as IX. There are six instances where subtraction is used:

- I can be placed before V (5) and X (10) to make 4 and 9.
- X can be placed before L (50) and C (100) to make 40 and 90.
- C can be placed before D (500) and M (1000) to make 400 and 900.

Given a roman numeral, convert it to an integer.
Example:
Input: s = "III"

Output: 3
Testcase:1. LVIII
2. MCMXCI
3. V
4. LZAII
5. MCCDTIV

Your Code

```
import java.util.Scanner;
class Roman{
  public static void main(String args[]){
      Scanner sc = new Scanner(System.in);
      System.out.println("Enter the roman numeral");
      String s = sc.nextLine();
      int total = 0;
          for(int i =0;i<s.length();i++){
              char ch = s.charAt(i);
              if(ch == 'I')
                  total+=1;
              else if(ch == 'V')
                  total+=5;
              else if (ch == 'X')
                  total+=10;
              else if (ch == 'L')
                  total+=50;
              else if (ch == 'C')
                  total+=100;
              else if (ch == 'D')
                  total+=500;
              else if (ch == 'M')
```

```
                    total+=1000;
            }
                System.out.println("Integer value  "+s+"="+total);
    }

```

Program Input (stdin)

```
III
```

Output

```
Enter the roman numeral
Integer value  III=3
```

Run Save Submit

Previous