In [1]:

```
import pandas as pd
data=pd.read_excel("C:/Users/hp/Documents/DATAS.xlsx")
print("Calculating the daa values in japan")
print(data.Japan.mean())
print(data.Japan.median())
print(data.Japan.mode())
print(data.Japan.max())
print(data.Japan.min())
print(data.Japan.range())
print(data.Japan.variance())
print(data.Japan.sd())
print(data.Japan.skewness())
print(data.Japan.kurtosis())
print("Calculating the data values in China")
print(data.Japan.mean())
print(data.Japan.median())
print(data.Japan.mode())
print(data.Japan.max())
print(data.Japan.min())
print(data.Japan.range())
print(data.Japan.variance())
print(data.Japan.sd())
print(data.Japan.skewness())
print(data.Japan.kurtosis())
```

```
---------------------------------------------------------------------------
FileNotFoundError                         Traceback (most recent call last)
C:\Users\WIN10~1\AppData\Local\Temp/ipykernel_11352/3329439259.py in <module>
      1 import pandas as pd
----> 2 data=pd.read_excel("C:/Users/hp/Documents/DATAS.xlsx")
      3 print("Calculating the daa values in japan")
      4 print(data.Japan.mean())
      5 print(data.Japan.median())

~\anaconda3\lib\site-packages\pandas\util\_decorators.py in wrapper(*args, **kwargs)
    309                     stacklevel=stacklevel,
    310                 )
--> 311             return func(*args, **kwargs)
    312
    313         return wrapper

~\anaconda3\lib\site-packages\pandas\io\excel\_base.py in read_excel(io, sheet_name, header, names, index_col, usecols, squeeze, dtype, engine, converters, tr
ue_values, false_values, skiprows, nrows, na_values, keep_default_na, na_filter, verbose, parse_dates, date_parser, thousands, comment, skipfooter, convert_fl
oat, mangle_dupe_cols, storage_options)
    362     if not isinstance(io, ExcelFile):
    363         should_close = True
--> 364         io = ExcelFile(io, storage_options=storage_options, engine=engine)
    365     elif engine and engine != io.engine:
    366         raise ValueError(

~\anaconda3\lib\site-packages\pandas\io\excel\_base.py in __init__(self, path_or_buffer, engine, storage_options)
   1189                 ext = "xls"
   1190             else:
-> 1191                 ext = inspect_excel_format(
   1192                     content_or_path=path_or_buffer, storage_options=storage_options
   1193                 )

~\anaconda3\lib\site-packages\pandas\io\excel\_base.py in inspect_excel_format(content_or_path, storage_options)
   1068         content_or_path = BytesIO(content_or_path)
   1069
-> 1070     with get_handle(
   1071         content_or_path, "rb", storage_options=storage_options, is_text=False
   1072     ) as handle:

~\anaconda3\lib\site-packages\pandas\io\common.py in get_handle(path_or_buf, mode, encoding, compression, memory_map, is_text, errors, storage_options)
    709         else:
    710             # Binary mode
--> 711             handle = open(handle, ioargs.mode)
    712         handles.append(handle)
    713

FileNotFoundError: [Errno 2] No such file or directory: 'C:/Users/hp/Documents/DATAS.xlsx'
```

In [ ]:

In [ ]: