Exp - 8 Set Operators & Views

Lorn: To perform manapulate records of table using set operations & views in SOL.

Set Operations

Operations

Junctio us

Urtion

Returns all distinct rows selected by Cother guery

Union all

Returns all rows selected by either query including diplicated

Intersect

Retrong all crows that are common to both queries

Mency

Returns all destinct vious selected only by the first query and

not by the second.

01/ Create a view emplo that contains empro, ename, Job of employee who work in dept 10. Also describe Structure of view.

> Oreste viers emplo as Select empro, ename, Job from emp Where deptro 10; descepto emplo;

1) view creeted.

Name
NULL! TYPE

EMPNO
ENAME
VARCHAR2(10)

URRCHAR2(15)

2) View created.

40 Power Related

CMPLOYEE_NUM	EMPLOYEE	SALARY
7521	word	1250
7654	netrall	1250
7698	Blake	2850
7844	Turner	1500
7900	James	950

Orf Create a view earn column alice es employees who work in dept contains empro, ename, sed of employees who work in dept 30. Also displays the contents of view.

Greate on replace view empro as select exempto, exempto, exempto, exempto, exempto, exempto of the content of th

03} Update view emplo by increasing 10% salway of emp who work on 'CLERK'. Also confirm modifications In curp table.

update emp@ set sel = sel + 0.10 + sel where job = 'CLERK';

select empro, ename, job, sal from empro;

Orly brodefy the view emprio shich contains date empris, ename, job, sal. Hold an alias for each column name

Create or replace view emposes

(employee-no, employee, job, salary) as
selecticupno, eneme, e.job, salary from emp e
adress e.deptno =10;

(15) Using emptably create a view pay which contains exame, monthly sal, annul sal, deptor.

Create view pay as select evenue, annel-sel

Name

SALARY

EMPLOYEE_NO EMPLOYEE
TOB

Null?

Type
NUMBER(4)
UARCHAR2(10)
UARCHAR2(115)
NUMBE(8)

8} view created

Ob} Create a view dept-stat which contains dept no.

I dept name, min solvey, man solvey, total solvey.

Create view dept-stat as solect e dept no, & job, amin(sid),

madisal), sunfeed from empe group by e deptno; es

madisal), sunfeed from empe group by e deptno; es

made(sid), sunfeed)

Q7 & Execute the genery and then delete the row with deptho 20.

create or replace view empu20

as select + from emp where depths = 20

with check option contraint emup empu20-ck;

Q8} Creete view envlowith all detaits of enpohase work in depro 10. Also ensure no dML opensor - ions can be done with it.

create on view empv10

as select * from emp where dept no = 20

with read only

09} Delete view empu20.

ORDP VIEW empu20;

View created

Name?

NU22?

Type

GINAMS

Number (4) Var dorz (10)

EN AME

Varhovil (\$5)

DOD

Dumber (7)

MAR

Number (7)

HIREDATE

Dute

SAL

Number (8)

COMM

Number (5)

DEPTNO

Number (5)

View created.

View dropped.