

ISO 9001-2015,WHO, FDA,  
European CE Nortified &  
ISO-13485 Certified



**ALPHA<sup>R</sup>**  
SUDARSHAN

**CE**  
European CE  
Nortified

#### Hospital Bed Simple with I.V. Stand

Thick performed sheet (18G) mounted on rectangular steel tube. Four locations for saline rod with at least 2 saline rods and special hooks for urine drainage bag and complete with rail guard for mattress head & leg bows made of tubular steel (16G) Provision for bedside railing also should be provided

Size : L 78" W 36" H 32" I.S.O. Certified

#### Fowler Bed with I.V. Stand

Strong frame of rectangular channel and perforated sheet (18G) fitted in four section Head and foot bows having one horizontal and three vertical support of tube (16G) fitted with 4" dia castors (two with brakes), backrest and knee rest section with crank mechanism by separate screws Four locations for saline rod with at least two saline rods. Special hooks for drainage bag & rail guard for mattress.

Size: L78" W 36" H 24" I.S.O. Certified

#### Patient Trolley

Tubular Steel (16G) construction with cross support mounted on heavy duty 6" to 8" dia castors on ball bearings, removable stretcher top made of iron sheet 18G with handles

#### Emergency Cart Crash Cart Trolley

S.S. frame made of polystyrene storage units with (minium two) drawers each lockable and at least five-colored removable bif Complete with corner buffer, oxygen cylinder holder electric lamp and cardiac massage board, S.S. Shelves Provided with S.S.I.V. Rod Fitted with castors with brakes in some.

Size : L 36: W 20" H 60" I.S.O. Certified

#### Wheel Chair

I.S.O. Certified

#### Voltage Stabilizer 4 KV For split A.C. 1.5 Ton

#### Attendedt banch wooden ( सनमाइका टॉप )

लम्बाई 66 इंच

ऊँचाई 18 इंच

चौडाई 21 इंच

नीचे का तला फर्ष से 05 इंच ऊपर 06 ik;s ftu ij uhps IykfLVd ds xqVds (5-8 एम एम मोटे

**Manufactured By : SUDARSHAN CHEMICALS India 324007 0744-2362345, 09414188018**

**CE, ISO 9001:2015, WHO, FDA & ISO-13485 CERTIFIED**  
**With first prize awarded at Haroti Udyog Mela year 2003**