Cucumber Report

| Start : May 03, 3:16:42.145 PM	End : May 03, 3:16:44.300 PM	Duration : 2.155 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 11

Features: 2

Scenarios: 2

Steps: 13

Pass %

#	Feature Name	T	P	F	S	Duration
1	_My Account_	1	0	1	0	0.477 s
2	_Order Confirmation_	1	0	1	0	0.451 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	My Account	Update Personal Information (First Name) in my account	6	0	1	5	0.472 s
2	Order Confirmation	Order T-Shirt and verify Order History	7	0	1	6	0.451 s

(F)- My Account

FAILED	DURATION - 0.477 s	Scenarios		Steps	
	/ 3:16:42.145 PM // 3:16:42.622 PM /	Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 6 Pass - 0 Fail - 1 Skip - 5	6

(S)- Update Personal Information (First Name) in my account

FAILED	DURATION - 0.472 s		Steps	
	/ 3:16:42.150 PM // 3:16:42.622 PM /		Total - 6	6
	My Account		Pass - 0 Fail - 1	
	@Smoke @Regression		Skip - 5	

#	Step / Hook Details	Status	Duration
	BEFORE - com.test.lakshmanan.cucumber.stepdefinitions.CukeHooks.setUp(io.cucumber.java.Scenario)	PASSED	0.007 s
	Execution started for Scenario: Update Personal Information (First Name) in my account		
1	Given I launch the automationpractice	FAILED	0.008 s

	java.lang.NullPointerException: null value in entry: url=null
	   at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:32)
	   at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:42)
	   at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:72)
	   at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:124)
	   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)
	   at com.test.lakshmanan.selenium.businesscomponents.GeneralComponents.launchApplication(GeneralComponents.java:24)
	   at com.test.lakshmanan.cucumber.stepdefinitions.GeneralStepDef.i_launch_the_application(GeneralStepDef.java:16)
	   at ?.I launch the automationpractice(file:///Users/umalakssh/CucumberBDDFramework/src/test/java/com/test/lakshmanan/cucumber/features/MyAccount.feature:5)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - com.test.lakshmanan.cucumber.stepdefinitions.CukeHooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
2	And I login to the application using lakssh@hotmail.com and Test1234	SKIPPED	0.000 s
3	When I navigate to personal information page	SKIPPED	0.000 s
4	Then I update FirstName Lakssh in personal information page using password Test1234 and submit	SKIPPED	0.001 s
5	Then I navigate to personal information page	SKIPPED	0.000 s
6	And validate if the updated first name is replicated	SKIPPED	0.001 s
	AFTER - com.test.lakshmanan.cucumber.stepdefinitions.CukeHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.123 s
	Execution completed for Scenario: Update Personal Information (First Name) in my account and driver closed		

(F)- Order Confirmation

FAILED	DURATION - 0.451 s	Scenarios		Steps	
/ 3:16:43.849 PM // 3:16:44.300 PM /		Total - 1	1	Total - 7	7
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Order T-Shirt and verify Order History

FAILED	DURATION - 0.451 s		Steps	
/ 3:16:43.849 PM // 3:16:44.300 PM /			Total - 7	7
Order Confirmation			Pass - 0	
			Fail - 1	
@Regression			Skip - 6	

#	Step / Hook Details	Status	Duration
	BEFORE - com.test.lakshmanan.cucumber.stepdefinitions.CukeHooks.setUp(io.cucumber.java.Scenario)	PASSED	0.000 s
	Execution started for Scenario: Order T-Shirt and verify Order History		

#	Step / Hook Details	Status	Duration
1	Given I launch the automationpractice	FAILED	0.001 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:32)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:42)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:72)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:124)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)
	    at com.test.lakshmanan.selenium.businesscomponents.GeneralComponents.launchApplication(GeneralComponents.java:24)
	    at com.test.lakshmanan.cucumber.stepdefinitions.GeneralStepDef.i_launch_the_application(GeneralStepDef.java:16)
	    at ?.I launch the automationpractice(file:///Users/umalakssh/CucumberBDDFramework/src/test/java/com/test/lakshmanan/cucumber/features/OrderConfirmation.feature:5)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - com.test.lakshmanan.cucumber.stepdefinitions.CukeHooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot		
	+		
2	And I login to the application using lakssh@hotmail.com and Test1234	SKIPPED	0.000 s
3	And I clear the cart if present	SKIPPED	0.000 s
4	When I navigate to T-Shirts menu and add a product to basket	SKIPPED	0.000 s
5	And I validate the summary and confirm order	SKIPPED	0.000 s
6	Then I navigate to order History page and validate the details	SKIPPED	0.000 s
7	And I signout from the application	SKIPPED	0.000 s
	AFTER - com.test.lakshmanan.cucumber.stepdefinitions.CukeHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.127 s
	Execution completed for Scenario: Order T-Shirt and verify Order History and driver closed		

(Step) AFTER_STEP - com.test.
lakshmanan.cucumber.stepdefinitions.
CukeHooks.afterStep(io.cucumber.java.
Scenario)

(S) Update Personal Information (First
Name) in my account

(F) My Account

(Step) AFTER_STEP - com.test.
lakshmanan.cucumber.stepdefinitions.
CukeHooks.afterStep(io.cucumber.java.
Scenario)

(S) Order T-Shirt and verify Order History

(F) Order Confirmation