

WAZUH CONFIGURATION

This script installs the **Wazuh indexer, manager, and dashboard**

1. Update your system

Open your terminal and ensure your packages are current:

```
sudo apt update && sudo apt upgrade -y
```

* If you are using Ubuntu, Install curl. It comes pre-installed on kali Linux by default:

```
sudo apt install curl
```

2. Run the Wazuh Installation Script

Download and execute the official all-in-one script. This will handle dependencies, certificates, and service configuration automatically.

```
curl -sO https://packages.wazuh.com/4.x/wazuh-install.sh && sudo bash  
./wazuh-install.sh -a
```

This may take some time. Kali will give the selected message, ignore and allow installation

```
File Actions Edit View Help
└─$ curl -sO https://packages.wazuh.com/4.14/wazuh-install.sh && sudo bash ./
wazuh-install.sh -a
06/05/2026 13:06:53 INFO: Starting Wazuh installation assistant. Wazuh versio
n: 4.14.2
06/05/2026 13:06:53 INFO: Verbose logging redirected to /var/log/wazuh-instal
l.log
06/05/2026 13:06:53 INFO: The recommended systems are: Red Hat Enterprise Lin
ux 7, 8, 9; CentOS 7, 8; Amazon Linux 2; Amazon Linux 2023; Ubuntu 16.04, 18.
04, 20.04, 22.04; Rocky Linux 9.4.
06/05/2026 13:06:53 WARNING: The current system does not match with the list
of recommended systems. The installation may not work properly.
06/05/2026 13:07:02 INFO: Verifying that your system meets the recommended mi
nimum hardware requirements.
06/05/2026 13:07:02 INFO: Wazuh web interface port will be 443.
06/05/2026 13:07:11 INFO: — Dependencies —
06/05/2026 13:07:11 INFO: Installing apt-transport-https.
06/05/2026 13:07:16 INFO: Installing debhelper.
06/05/2026 13:08:00 INFO: Wazuh repository added.
06/05/2026 13:08:00 INFO: — Configuration files —
06/05/2026 13:08:00 INFO: Generating configuration files.
06/05/2026 13:08:01 INFO: Generating the root certificate.
06/05/2026 13:08:02 INFO: Generating Admin certificates.
06/05/2026 13:08:02 INFO: Generating Wazuh indexer certificates.
06/05/2026 13:08:02 INFO: Generating Filebeat certificates.
06/05/2026 13:08:03 INFO: Generating Wazuh dashboard certificates.
06/05/2026 13:05:04 INFO: Created wazuh-install-files.tar. It contains the Wa
zuh cluster key, certificates, and passwords necessary for installation.
06/05/2026 13:08:05 INFO: — Wazuh indexer —
06/05/2026 13:05:05 INFO: Starting Wazuh indexer installation.
```

3. Save your credentials

Once the installation finishes, the terminal will display a username (admin) and a generated password. Copy these immediately, as they are required to log into the dashboard.

```
File Actions Edit View Help
06/05/2026 13:24:09 INFO: Filebeat installation finished.
06/05/2026 13:24:12 INFO: Filebeat post-install configuration finished.
06/05/2026 13:24:12 INFO: Starting service filebeat.
06/05/2026 13:24:15 INFO: filebeat service started.
06/05/2026 13:24:15 INFO: — Wazuh dashboard —
06/05/2026 13:24:16 INFO: Starting Wazuh dashboard installation.
06/05/2026 13:33:07 INFO: Wazuh dashboard installation finished.
06/05/2026 13:33:07 INFO: Wazuh dashboard post-install configuration finished.
06/05/2026 13:33:07 INFO: Starting service wazuh-dashboard.
06/05/2026 13:33:08 INFO: wazuh-dashboard service started.
06/05/2026 13:33:09 INFO: Updating the internal users.
06/05/2026 13:33:14 INFO: A backup of the internal users has been saved in the /etc/wazuh-indexer/internalusers-backup folder.
06/05/2026 13:33:30 INFO: The filebeat.yml file has been updated to use the Filebeat Keystore username and password.
06/05/2026 13:34:09 INFO: Initializing Wazuh dashboard web application.
06/05/2026 13:34:09 INFO: Wazuh dashboard web application not yet initialized. Waiting...
06/05/2026 13:34:26 INFO: Wazuh dashboard web application not yet initialized. Waiting...
06/05/2026 13:34:41 INFO: Wazuh dashboard web application initialized.
06/05/2026 13:34:42 INFO: — Summary —
06/05/2026 13:34:42 INFO: You can access the web interface https://<wazuh-dashboard-ip>:443
User: admin
Password:
06/05/2026 13:34:42 INFO: Installation finished.
```

4. Disable Wazuh repository with the following command as a root user


```
sed-i "s/^deb /#deb /" /etc/apt/sources.list.d/wazuh.list apt update
```

5. Access Wazuh Manager

URL: Use the IP address of your Kali.

```
https://<your_kali_ip>
```

You will see **“Warning: Potential Security Risk Ahead”**
Click **Advance**, then click **Accept the Risk and Continue**.




6. Run these commands anytime you want to login into wazuh after booting your VM:

```
sudo systemctl restart wazuh-manager
sudo systemctl restart wazuh-indexer
sudosystemctl restart wazuh-dashboard
```

Wazuh Agent

1. Access the Deployment Wizard


- Log in to your Wazuh Dashboard.
- Click the Wazuh hamburger menu (≡) in the top-left corner.
- Go to Agents > Deploy new agent.



2. Configure the Agent Settings

The dashboard will show a step-by-step form.

- Endpoint Architecture: Choose Linux DEB amd64 (Ubuntu/Kali are Debian-based).
- Wazuh server address: Enter the IP address of your Kali machine.
- Name your Agent: SOC_Lab_Endpoint



3. Copy the Generated Command

Wazuh will generate a long command at the bottom of the page.

Copy it and run it as root user on the SOC_Lab_Endpoint Agent VM.

W. Endpoints Deploy new agent

Select one or more existing groups:

Default

Run the following commands to download and install the agent:

```
wget https://packages.wazuh.com/4.x/apt/pool/main/w/wazuh-agent/wazuh-agent_4.14.3-1_amd64.deb && sudo WAZUH_MANAGER='192.168.1.100' WAZUH_AGENT_NAME='SOC_Lab_Endpoint' dpkg -i ./wazuh-agent_4.14.3-1_amd64.deb
```

Requirements

- You will need administrator privileges to perform this installation.
- Shell Bash is required.

Keep in mind you need to run this command in a Shell Bash terminal.

5 Start the agent:

```
sudo systemctl daemon-reload
sudo systemctl enable wazuh-agent
sudo systemctl start wazuh-agent
```

4. Start the Agent

After the command finishes run these commands to start the Agent

```
sudo systemctl daemon-reload
sudo systemctl enable wazuh-agent
sudo systemctl start wazuh-agent
```

5. Wazuh dashboard

A successful connection will show an active agent

W. Endpoints

API default a

AGENTS BY STATUS

Active (1)

Disconnected (0)

Pending (0)

Never connected (0)

TOP 5 OS

ubuntu (1)

TOP 5 GROUPS

default (1)

Agents (1)

Deploy new agent

Refresh

Export formatted

More

os.platform~ubuntu WQL

ID	Name	IP address	Group(s)	Operating system	Cluster node	Version	Status	Actions
001	SOC_Lab_Endpoint	192.168.1.100	default	Ubuntu 22.04.5 LTS	node01	v4.14.3	active	

Rows per page: 10

< 1 >